



Precision Air. Controlled Humidity.

Dehumidifier Collection





Precision Air. Controlled Humidity.

Professional Dehumidification Solutions

Araki provides humidity-control equipment for residential, commercial, and industrial environments.



Reliable Performance

Engineered for consistent, long-term operation.



Efficient Moisture Control

Creates healthier, more comfortable environments.



Purpose-Built Design

Thoughtful engineering for real-world spaces.



CLEANER AIR
A BRIGHTER TOMORROW

Product Range Overview

Complete Dehumidification Solutions
for a Healthier, More Comfortable World.

01 Home Dehumidifier

Stylish, quiet and efficient
dehumidifiers for a healthier
home environment.



AIR
PURIFYING



CLOTHES
DRYING



SLEEP
MODE



SAFETY
CHILD LOCK



A SERIES



B SERIES



D SERIES



E & F SERIES



M SERIES



R SERIES



S SERIES



T SERIES



U SERIES



W SERIES



Y SERIES



Z SERIES

02 Industrial Dehumidifier

Powerful, high-capacity
dehumidifiers for commercial
and industrial applications.



HIGH
CAPACITY



RELIABLE
PERFORMANCE



DURABLE
DESIGN



FLEXIBLE
APPLICATIONS



03 Ceiling Dehumidifier

Space-saving dehumidification
with powerful performance
for modern buildings.



SPACE
SAVING



POWERFUL
AIRFLOW



FLEXIBLE
INSTALLATION



ENERGY
EFFICIENT



Application Overview

Precision Humidity Control for Every Space

ARAKI dehumidifiers help create healthier, more comfortable and better-protected environments across a wide range of residential, commercial and industrial applications.



Residence

A HEALTHIER HOME



Bedroom

DRIER, MORE COMFORTABLE
REST ENVIRONMENT



Laundry Room

REDUCE MOISTURE
AND SPEED UP DRYING



Office

IMPROVE INDOOR AIR QUALITY



Archive Room

PROTECT VALUABLE DOCUMENTS



Warehouse

KEEP GOODS DRY AND SAFE



Production Area

SUPPORT STABLE OPERATION



Basement

PREVENT DAMP AND MOLD



Hotel

ENHANCE GUEST COMFORT



Laboratory

MAINTAIN A STABLE ENVIRONMENT



Ceiling HVAC Area

SUPPORT BUILDING AIR MANAGEMENT



01

Home Dehumidifier

A Series >

B Series >

D Series >

E Series & F Series >

M Series >

R Series >

S Series >

T Series >

U Series >

W Series >

Y Series >

Z Series >



A Series

AR-A10 AR-A12 AR-A16
AR-A20 AR-A25



AIR
PURIFYING



BUILT-IN
IONIZER



SLEEP
MODE



CLOTHES
DRYING



AUTO
DEHUMIDIFYING




CLEANER AIR
A MORE COMFORTABLE LIFE

AIR SOLUTIONS
FOR A BRIGHTER TOMORROW

Features

- Air Purifying
- Clothes Drying
- Sleeping Mode
- Auto Dehumidifying
- Built - In Ionizer
- 24 Hours Timer - off
- Safety Child Lock



GS CE RoHS

Model	AR-A10	AR-A12
Power Supply	220-240V~ 50Hz	220-240V~ 50Hz
Dehumidifying Capacity	10L/day(30°C RH80%) 6L/day(27°C RH60%)	12L/day(30°C RH80%) 7.5L/day(27°C RH60%)
Power	175W	180W
Air Volume	90m³/h	90m³/h
Noise Level	37dB(A)	37dB(A)
Water Tank	2.7L	2.7L
Refrigerant	R290	R290
N.W. / G.W.	10.0kg / 11.0kg	10.2kg / 11.2kg
Product Size / Packing Size	303×227×468 mm / 360×280×530 mm	303×227×468 mm / 360×280×530 mm
Loading Quantity 20'GP / 40'GP / 40'HQ	512pcs / 1056pcs / 1320pcs	512pcs / 1056pcs / 1320pcs

Model	AR-A16	AR-A20	AR-A25
Power Supply	220-240V~ 50Hz	220-240V~ 50Hz	220-240V~ 50Hz
Dehumidifying Capacity	16L/day(30°C RH80%) 9.5L/day(27°C RH60%)	20L/day(30°C RH80%) 12L/day(27°C RH60%)	25L/day(30°C RH80%) 15L/day(27°C RH60%)
Power	240W	250W	300W
Air Volume	110m³/h	155m³/h	145m³/h
Noise Level	40dB(A)	41dB(A)	41dB(A)
Water Tank	2.7L	4.7L	4.7L
Refrigerant	R290	R290	R290
N.W. / G.W.	10.3kg / 11.3kg	12.2kg / 14.0kg	14.5kg / 16.3kg
Product Size	303×227×468 mm	341×254×519 mm	341×254×519 mm
Packing Size	360×280×530 mm	385×315×580 mm	385×315×580 mm
Loading Quantity 20'GP / 40'GP / 40'HQ	512pcs / 1056pcs / 1320pcs	324pcs / 896pcs / 896pcs	324pcs / 896pcs / 896pcs

AR-B12



CLOTHES
DRYING



24-HOUR
TIMING



CHILD
SAFETY LOCK



BUILT-IN
IONIZER



SLEEP
MODE



AUTO
DEHUMIDIFYING



CLEANER AIR
A MORE COMFORTABLE LIFE

Features

- Air Purifying
- Clothes Drying
- Sleeping Mode
- Auto Dehumidifying
- Built - In Ionizer
- 24 Hours Timer - off
- Safety Child Lock



Accessory Selectable

20mm HEPA Filter / 20mm Carbon Filter

20mm HEPA + Carbon 2 in 1 Filter

Drainage Pipe 30cm / 60cm / Customized

CB RoHS



Model	AR-B12
Power Supply	220-240V~ 50Hz
Dehumidifying Capacity	12L/day(30°C RH80%) 7.5L/day(27°C RH60%)
Power	170W
Air Volume	100m³/h
Noise Level	36dB(A)
Water Tank	2.2L
Refrigerant	R290 / R134a
N.W. / G.W.	10.6kg / 12.0kg
Product Size / Packing Size	305×249×481 mm / 345×305×525 mm
Loading Quantity 20'GP / 40'GP / 40'HQ	480pcs / 1012pcs / 1265pcs


AR-D50

- 

CLOTHES DRYING



24-HOUR TIMING



CHILD SAFETY LOCK



AUTO STOP



SLEEP MODE



AUTO DEHUMIDIFYING



CLEANER AIR

A MORE COMFORTABLE LIFE

Features

- Clothes Drying
- Sleeping Mode
- Auto Dehumidifying
- 24 Hours Timer - off
- LED Display +Touch Panel
- Safety Child Lock

Accessory Selectable

Drainage Pipe 30cm / 60cm / Customized



RoHS

Model	AR-D50
Power Supply	220-240V~ 50Hz
Dehumidifying Capacity	50L/day(30°C RH80%) 31L/day(27°C RH60%)
Power	750W
Air Volume	290m³/h
Noise Level	46dB(A)
Water Tank	6.5L
Refrigerant	R410A
N.W. / G.W.	22.0kg / 23.8kg
Product Size / Packing Size	395×341×637 mm / 460×400×700 mm
Loading Quantity 20'GP / 40'GP / 40'HQ	204pcs / 408pcs / 408pcs

E/F Series

AR-E12 AR-F20



CHILD
SAFETY LOCK



AUTO
STOP



AUTO
DEHUMIDIFYING



CLEANER AIR
A MORE COMFORTABLE LIFE

Features

- Auto Dehumidifying
- 24 Hours Timer - off
- LED Display + Soft Buttons
- Safety Child Lock
- Convenient Cord Bracket



AR-F20



AR-E12

Accessory Selectable

10mm HEPA Filter

10mm Carbon Filter

Drainage Pipe 30cm / 60cm / Customized

CE CB RoHS



Model	AR-E12	AR-F20
Power Supply	220-240V~ 50Hz	220-240V~ 50Hz
Dehumidifying Capacity	12L/day(30°C RH80%) / 7L/day(27°C RH60%)	20L/day(30°C RH80%) / 12L/day(27°C RH60%)
Power	160W	240W
Air Volume	90m³/h	140m³/h
Noise Level	39dB(A)	44dB(A)
Water Tank	2.5L	5.5L
Refrigerant	R290 / R134a	R290
N.W. / G.W.	10.4kg / 11.5kg	13.6kg / 15.0kg
Product Size / Packing Size	325x248x475 mm / 360x295x525 mm	385x290x595 mm / 415x325x660 mm
Loading Quantity 20'GP / 40'GP / 40'HQ	484pcs / 992pcs / 1230pcs	294pcs / 588pcs / 784pcs



M Series

AR-M42 AR-M65



CLEANER AIR
A MORE COMFORTABLE LIFE

AIR SOLUTIONS
FOR A BRIGHTER TOMORROW

Features

- Air Purifying
- Clothes Drying
- Sleeping Mode
- Auto Dehumidifying
- Built - In Ionizer
- 24 Hours Timer - off
- LED Display + Touch Panel
- Safety Child Lock



Accessory Selectable

10mm HEPA Filter / 10mm Carbon Filter

Drainage Pipe 30cm / 60cm / Customized

CE RoHS



Model	AR-M42	AR-M65
Power Supply	220-240V~ 50Hz	220-240V~ 50Hz
Dehumidifying Capacity	28L/day(30°C RH80%) 16L/day(27°C RH60%)	35L/day(30°C RH80%) 21L/day(27°C RH60%)
Power	240W	370W
Air Volume	175m³/h	185m³/h
Noise Level	40dB(A)	40dB(A)
Water Tank	6L	6L
Refrigerant	R134a	R290 / R410A
N.W. / G.W.	15.5kg / 17.0kg	15.6kg / 17.1kg
Product Size / Packing Size	402×260×610 mm / 420×305×650 mm	402×260×610 mm / 420×305×650 mm
Loading Quantity 20'GP / 40'GP / 40'HQ	309pcs / 627pcs / 836pcs	309pcs / 627pcs / 836pcs

R Series

AR-R50 AR-R60



24-HOUR
TIMING



CHILD
SAFETY LOCK



AUTO
STOP



AUTO
DEHUMIDIFYING



CLEANER AIR
A MORE COMFORTABLE LIFE

Features

- Auto Dehumidifying
- 24 Hours Timer - off
- LED Display + Soft Buttons
- Safety Child Lock
- Convenient Cord Bracket



Accessory Selectable

10mm HEPA Filter

10mm Carbon Filter

Drainage Pipe 30cm / 60cm / Customized

CB RoHS



Model	AR-R50	AR-R60
Power Supply	220-240V~ 50Hz	220-240V~ 50Hz
Dehumidifying Capacity	50L/day(30°C RH80%) 30L/day(27°C RH60%)	60L/day(30°C RH80%) 36L/day(27°C RH60%)
Power	650W	680W
Air Volume	330m³/h	305m³/h
Noise Level	46dB(A)	48dB(A)
Water Tank	6L	6L
Refrigerant	R410A	R410A
N.W. / G.W.	20.0kg / 22.0kg	21.0kg / 23.0kg
Product Size / Packing Size	400×275×630 mm / 450×340×700 mm	400×275×630 mm / 450×340×700 mm
Loading Quantity 20'GP / 40'GP / 40'HQ	258pcs / 522pcs / 522pcs	258pcs / 522pcs / 522pcs



S Series

AR-S10 AR-S12A
AR-S12B AR-S12C



CLOTHES
DRYING



LOW
NOISE



ENERGY
CONSERVATION



AUTO
STOP



AUTO
DEHUMIDIFYING



CLEANER AIR
A MORE COMFORTABLE LIFE

AIR SOLUTIONS
FOR A BRIGHTER TOMORROW

Features

- Auto Dehumidifying
- Energy Saving
- Clothes Drying
- Automatic Stop
- 36dB(A) Silent Dehumidification



Accessory Selectable

10mm HEPA Filter / 10mm Carbon Filter

Drainage Pipe 30cm / 60cm / Customized

CE CB RoHS

Model	AR-S10	AR-S12A
Power Supply	220-240V~ 50Hz	220-240V~ 50Hz
Dehumidifying Capacity	10L/day(30°C RH80%) 6LL/day(27°C RH60%)	12L/day(30°C RH80%) 7.5L/day(27°C RH60%)
Power	165W	165W
Air Volume	105m³/h	105m³/h
Noise Level	36dB(A)	36dB(A)
Water Tank	2.6L	2.6L
Refrigerant	R290 / R134a	R290 / R134a
N.W. / G.W.	10.1kg / 11.2kg	10.4kg / 11.5kg
Product Size / Packing Size	300×250×463 mm / 357×320×517 mm	300×250×463 mm / 357×320×517 mm
Loading Quantity 20'GP / 40'GP / 40'HQ	464pcs / 956pcs / 1195pcs	464pcs / 956pcs / 1195pcs

Model	AR-S12B	AR-S12C
Power Supply	220-240V~ 50Hz	220-240V~ 50Hz
Dehumidifying Capacity	12L/day(30°C RH80%) 7.5L/day(27°C RH60%)	12L/day(30°C RH80%) 7.5L/day(27°C RH60%)
Power	165W	165W
Air Volume	90m³/h	90m³/h
Noise Level	36dB(A)	36dB(A)
Water Tank	2.6L	2.6L
Refrigerant	R290	R290
N.W. / G.W.	10.5kg / 11.6kg	10.7kg / 11.8kg
Product Size / Packing Size	300×250×482 mm / 357×320×517 mm	300×256×484 mm / 357×320×517 mm
Loading Quantity 20'GP / 40'GP / 40'HQ	464pcs / 956pcs / 1195pcs	464pcs / 956pcs / 1195pcs



S Series

AR-S16 AR-S20 AR-S25



CLOTHES
DRYING



ENERGY
CONSERVATION



AUTO
STOP



AUTO
DEHUMIDIFYING



CLEANER AIR
A MORE COMFORTABLE LIFE

AIR SOLUTIONS
FOR A BRIGHTER TOMORROW

Features

- Auto Dehumidifying
- Clothes Drying
- Automatic Stop
- Energy Saving

Accessory Selectable

10mm HEPA Filter

10mm Carbon Filter

Drainage Pipe 30cm / 60cm / Customized

CE CB RoHS



Model	AR-S16	AR-S20	AR-S25
Power Supply	220-240V~ 50Hz	220-240V~ 50Hz	220-240V~ 50Hz
Dehumidifying Capacity	16L/day(30°C RH80%) 9.5L/day(27°C RH60%)	20L/day(30°C RH80%) 11.5L/day(27°C RH60%)	25L/day(30°C RH80%) 15L/day(27°C RH60%)
Power	215W	255W	325W
Air Volume	140m³/h	145m³/h	170m³/h
Noise Level	42dB(A)	42dB(A)	44dB(A)
Water Tank	5L	5L	5L
Refrigerant	R290	R290 / R134a	R290
N.W. / G.W.	14.2kg / 16.4kg	15.2kg / 17.4kg	15.2kg / 17.4kg
Product Size	335×285×540 mm	335×285×540 mm	335×285×540 mm
Packing Size	385×330×585 mm	385×330×585 mm	385×330×585 mm
Loading Quantity 20'GP / 40'GP / 40'HQ	315pcs / 648pcs / 864pcs	315pcs / 648pcs / 864pcs	315pcs / 648pcs / 864pcs



T Series

AR-T23 AR-T28



AIR
PURIFYING



BUILT-IN
IONIZER



CHILD
SAFETY LOCK



AUTO
STOP



SLEEP
MODE



CLEANER AIR
A MORE COMFORTABLE LIFE

AIR SOLUTIONS
FOR A BRIGHTER TOMORROW

Features

- Air Purifying
- Clothes Drying
- Sleeping Mode
- Auto Dehumidifying
- Built - In Ionizer
- 1/2/4/6/8 Hours Timer - off
- LED Display + Touch Panel
- Safety Child Lock
- Convenient Cord Bracket



Accessory Selectable

20mm HEPA Filter / 20mm Carbon Filter

Drain HEPA + Carbon 2 in 1 Filter

CE CB RoHS



Model	AR-T23	AR-T28
Power Supply	220-240V~ 50Hz	220-240V~ 50Hz
Dehumidifying Capacity	23L/day(30°C RH80%) 14L/day(37°C RH80%)	28L/day(30°C RH80%) 14.8L/day(27°C RH60%)
Power	245W	250W
Air Volume	190m³/h	180m³/h
Noise Level	39dB(A)	39dB(A)
Water Tank	4.5L	4.5L
Refrigerant	R290 / R134a	R134a
N.W. / G.W.	14.5kg / 15.9kg	13.0kg / 14.4kg
Product Size / Packing Size	376×232×562 mm / 445×310×650 mm	376×232×562 mm / 445×310×650 mm
Loading Quantity 20'GP / 40'GP / 40'HQ	288pcs / 590pcs / 788pcs	288pcs / 590pcs / 788pcs



U Series

AR-U22 AR-U25



AIR
PURIFYING



BUILT-IN
IONIZER



CHILD
SAFETY LOCK



AUTO
STOP



SLEEP
MODE



CLEANER AIR
A MORE COMFORTABLE LIFE

AIR SOLUTIONS
FOR A BRIGHTER TOMORROW

Features

- Air Purifying
- Clothes Drying
- Sleeping Mode
- Built - In Ionizer
- 24 Hours Timer - off
- LED Display + Touch Panel
- Safety Child Lock
- Convenient Cord Bracket



Accessory Selectable

20mm HEPA + Carbon 2 in 1 Filter

Drainage Pipe 30cm / 60cm / Customized

CE CB RoHS



Model	AR-U22	AR-U25
Power Supply	220-240V~ 50Hz	220-240V~ 50Hz
Dehumidifying Capacity	22L/day(30°C RH80%) 14L/day(27°C RH60%)	25L/day(30°C RH80%) 15L/day(27°C RH60%)
Power	225W	255W
Air Volume	130m³/h	160m³/h
Noise Level	35dB(A)	36dB(A)
Water Tank	5.6L	5.6L
Refrigerant	R290 / R134a	R134a
N.W. / G.W.	12.4kg / 13.8kg	12.5kg / 13.9kg
Product Size / Packing Size	383×263×560 mm / 435×315×650 mm	383×263×560 mm / 435×315×650 mm
Loading Quantity 20'GP / 40'GP / 40'HQ	288pcs / 597pcs / 796pcs	288pcs / 597pcs / 796pcs



W Series

AR-W16 AR-W20 AR-W25



AIR
PURIFYING



BUILT-IN
IONIZER



24-HOUR
TIMING



CLOTHES
DRYING



AUTO
DEHUMIDIFYING



CLEANER AIR
A MORE COMFORTABLE LIFE

AIR SOLUTIONS
FOR A BRIGHTER TOMORROW

Features

- Air Purifying
- Clothes Drying
- Convenient Cord Bracket
- Auto Dehumidifying
- Built - In Ionizer Option
- 24 Hours Timer - off
- LED Display + Soft Buttons
- Tri-colors Light Report Different Humidity Level

Accessory Selectable

18mm HEPA Filter / 18mm Carbon Filter / 3mm Coal Filter

Drainage Pipe 30cm / 60cm / Customized

CE RoHS



Model	AR-W16	AR-W20	AR-W25
Power Supply	220-240V~ 50Hz	220-240V~ 50Hz	220-240V~ 50Hz
Dehumidifying Capacity	16L/day(30°C RH80%) 9L/day(27°C RH60%)	20L/day(30°C RH80%) 12L/day(27°C RH60%)	25L/day(30°C RH80%) 14.5L/day(27°C RH60%)
Power	210W	265W	370W
Air Volume	150m³/h	160m³/h	170m³/h
Noise Level	39dB(A)	41dB(A)	44dB(A)
Water Tank	5.5L	5.5L	5.5L
Refrigerant	R290	R290	R290
N.W. / G.W.	13.7kg / 15.3kg	14.7kg / 16.3kg	15.3kg / 16.9kg
Product Size	360×285×564 mm	360×285×564 mm	360×285×564 mm
Packing Size	410×315×635 mm	410×315×635 mm	410×315×635 mm
Loading Quantity	306pcs / 633pcs / 20'GP / 40'GP / 40'HQ 844pcs	306pcs / 633pcs / 844pcs	306pcs / 633pcs / 844pcs



Y Series

AR-Y10 AR-Y12 AR-Y16
AR-Y20 AR-Y25 AR-Y50



24-HOUR
TIMING



CHILD
SAFETY LOCK



AIR
PURIFYING



AUTO
DEHUMIDIFYING



BUILT-IN
IONIZER




CLEANER AIR
A MORE COMFORTABLE LIFE

AIR SOLUTIONS
FOR A BRIGHTER TOMORROW

Features

- Air Purifying
- Clothes Drying
- Sleeping Mode
- Auto Dehumidifying
- Built - In Ionizer
- 24 Hours Timer - off
- Safety Child Lock



RoHS

Model	AR-Y10	AR-Y12	AR-Y16
Power Supply	220-240V~ 50Hz	220-240V~ 50Hz	220-240V~ 50Hz
Dehumidifying Capacity	10L/day(30°C RH80%) 6L/day(27°C RH60%)	12L/day(30°C RH80%) 7.5L/day(27°C RH60%)	16L/day(30°C RH80%) 9.5L/day(27°C RH60%)
Power	175W	175W	240W
Air Volume	95m³/h	95m³/h	110m³/h
Noise Level	36dB(A)	36dB(A)	40dB(A)
Water Tank	2.2L	2.2L	2.2L
Refrigerant	R290	R290 / R134a	R290
N.W. / G.W.	10.0kg / 11.0kg	10.1kg / 11.1kg	10.2kg / 11.2kg
Product Size	299×210×468 mm	299×210×468 mm	299×210×468 mm
Packing Size	360×270×530 mm	360×270×530 mm	360×270×530 mm
Loading Quantity 20'GP / 40'GP / 40'HQ	552pcs / 1144pcs / 1430pcs	552pcs / 1144pcs / 1430pcs	552pcs / 1144pcs / 1430pcs

Model	AR-Y20	AR-Y25	AR-Y50
Power Supply	220-240V~ 50Hz	220-240V~ 50Hz	220-240V~ 50Hz
Dehumidifying Capacity	20L/day(30°C RH80%) 12L/day(27°C RH60%)	25L/day(30°C RH80%) 15L/day(27°C RH60%)	50L/day(30°C RH80%) 30L/day(27°C RH60%)
Power	250W	300W	735W
Air Volume	155m³/h	140m³/h	260m³/h
Noise Level	40dB(A)	41dB(A)	46dB(A)
Water Tank	4.2L	4.2L	6.5L
Refrigerant	R290	R290	R290
N.W. / G.W.	12.2kg / 14.0kg	14.4kg / 16.2kg	20.7kg / 22.6kg
Product Size	336×237×519 mm	336×237×519 mm	407×286×618 mm
Packing Size	385×285×580 mm	385×285×580 mm	480×330×665 mm
Loading Quantity 20'GP / 40'GP / 40'HQ	480pcs / 1000pcs / 1000pcs	480pcs / 1000pcs / 1000pcs	216pcs / 450pcs / 600pcs

Z Series

AR-Z12A AR-Z16B AR-Z22B AR-Z26B



CLOTHES
DRYING



ENERGY
CONSERVATION



AUTO
STOP



AUTO
DEHUMIDIFYING



CLEANER AIR
A MORE COMFORTABLE LIFE

Features

- Auto Dehumidifying
- Clothes Drying
- Automatic Stop
- Energy Saving



AR-Z16B/Z22B/Z26B



AR-Z12A

Accessory Selectable

12mm HEPA Filter / 12mm Carbon Filter

Drainage Pipe 30cm / 60cm / Customized

CE CB RoHS

Model	AR-Z12A	AR-Z16B
Power Supply	220-240V~ 50Hz	220-240V~ 50Hz
Dehumidifying Capacity	12L/day(30°C RH80%) 7.5L/day(27°C RH60%)	16L/day(30°C RH80%) 9.5L/day(27°C RH60%)
Power	165W	215W
Air Volume	105m³/h	155m³/h
Noise Level	35dB(A)	42dB(A)
Water Tank	2.3L	4.5L
Refrigerant	R290 / R134a	R290 / R134a
N.W. / G.W.	10.5kg / 11.7kg	14.7kg / 16.7kg
Product Size / Packing Size	308×229×478 mm / 360×280×520 mm	360×242×548 mm / 437×307×587 mm
Loading Quantity 20'GP / 40'GP / 40'HQ	528pcs / 1092pcs / 1365pcs	288pcs / 600pcs / 800pcs

Model	AR-Z22B	AR-Z26B
Power Supply	220-240V~ 50Hz	220-240V~ 50Hz
Dehumidifying Capacity	22L/day(30°C RH80%) 13L/day(27°C RH60%)	26L/day(30°C RH80%) 16L/day(27°C RH60%)
Power	245W	320W
Air Volume	155m³/h	170m³/h
Noise Level	43dB(A)	44dB(A)
Water Tank	4.5L	4.5L
Refrigerant	R290 / R134a	R290
N.W. / G.W.	15.3kg / 17.3kg	15.4kg / 17.4kg
Product Size / Packing Size	360×242×548 mm / 437×307×587 mm	360×242×548 mm / 437×307×587 mm
Loading Quantity 20'GP / 40'GP / 40'HQ	288pcs / 600pcs / 800pcs	288pcs / 600pcs / 800pcs

02

Industrial Dehumidifier

Efficient Industrial Dehumidifier

AR-I55L	20	>
AR-I65L	21	>
AR-I65N AR-I80P	22	>
AR-I85L	23	>
AR-I90EB AR-I105EB AR-I120EB	24	>
AR-I220AW AR-I260AW AR-I520AW	25	>

High-end Industrial And Commercial Dehumidifier

AR-I870T AR-I110C AR-I120T	26	>
AR-I138A AR-I160A	27	>
AR-IC90 AR-IC138	28	>
AR-IC168 AR-IC240	29	>
AR-IC360 AR-IC480	30	>



Efficient Industrial Dehumidifier

Powerful, high-capacity dehumidifiers for commercial and industrial applications.



ROTARY
COMPRESSOR



LED DISPLAY
WITH SOFT
BUTTONS



CARBON AIR
FILTER



BIG AND STABLE
WHEELS



ELECTRONIC
CONTROL



REMOVABLE
WATER PUMP



AR-I55L



AR-I65L



AR-I65N



AR-I80P



AR-I85L



Efficient Industrial Dehumidifier

Powerful, high-capacity dehumidifiers for commercial and industrial applications.



ELECTRONIC CONTROL



WASHABLE AIR FILTER



REMOVABLE WATER PUMP



QUICK WATER PIPE CONNECTOR



BIG AND STABLE WHEELS



ROTARY COMPRESSOR



AR-I55L

AR-I65L

Features

- Electronic Control
- Washable Air Filter
- Removable Water Pump
- Quick Water Pipe Connector
- Vent Hose Can Be Connected
- Big And Stable Wheels
- LED Display With Soft Buttons
- Rotary Compressor
- Hot Gas Bypass System



LED Display With Soft Buttons



Quick Water Pipe Connector

Specifications

Model	AR-I55L	AR-I65L
Power Supply	220-240V~ 50Hz	220-240V~ 50Hz
Dehumidifying Capacity	55L/day(30°C RH80%) 30L/day(27°C RH60%)	65L/day(30°C RH80%) 38L/day(27°C RH60%)
Power Consumption	550W	750W
Air Volume	345m³/h	350m³/h
Noise Level	58dB(A)	60dB(A)
Refrigerant	R290	R290 / R410A
N.W. / G.W.	38.0kg / 41.0kg	37.5kg / 40.5kg
Product Size / Packing Size	545×500×638 mm / 605×540×700 mm	510×485×810 mm / 560×540×860 mm
Loading Quantity 20'GP / 40'GP / 40'HQ	114pcs / 246pcs / 246pcs	80pcs / 176pcs / 260pcs

Efficient Industrial Dehumidifier

Powerful, high-capacity dehumidifiers for commercial and industrial applications.



ELECTRONIC CONTROL



WASHABLE AIR FILTER



REMOVABLE WATER PUMP



QUICK WATER PIPE CONNECTOR



BIG AND STABLE WHEELS



ROTARY COMPRESSOR



AR-I65N



AR-I80P

Features

- Electronic Control
- Washable Air Filter
- Removable Water Pump
- Quick Water Pipe Connector
- Vent Hose Can Be Connected
- Big And Stable Wheels
- LED Display With Soft Buttons
- Rotary Compressor
- Hot Gas Bypass System



LED Display With Soft Buttons



Quick Water Pipe Connector

Specifications

Model	AR-I65N	AR-I80P
Power Supply	220-240V~ 50Hz	115V~ 60Hz
Dehumidifying Capacity	65L/day(30°C RH80%) 38L/day(27°C RH60%)	137pt./day(86°F 80%RH) 76pt./day(80°F 60%RH)
Power Consumption	750W	7.8A
Air Volume	350m³/h	235CFM
Noise Level	60dB(A)	58dB(A)
Refrigerant	R290 / R410A	R410A
N.W. / G.W.	38.5kg / 41.5kg	87.0lbs. / 94.0lbs.
Product Size / Packing Size	572×498×815 mm / 620×580×870 mm	22.5×19.5×32 in. / 24.5×23×34.5 in.
Loading Quantity 20'GP / 40'GP / 40'HQ	72pcs / 152pcs / 228pcs	72pcs / 152pcs / 228pcs

Efficient Industrial Dehumidifier

EB Series

Powerful, high-capacity dehumidifiers for commercial and industrial applications.



ELECTRONIC CONTROL



LED DISPLAY WITH SOFT BUTTONS



ROTARY COMPRESSOR



EASILY MOVE WITH CASTERS



WASHABLE AIR FILTER



AR-I90EB



AR-I105EB



AR-I120EB



Features

- Electronic Control
- LED Display With Soft Buttons
- Rotary Compressor
- Easily Move With Casters
- Washable Air Filter

Specifications

Model	AR-I90EB	AR-I105EB	AR-I120EB
Power Supply	220-240V~ 50Hz	220-240V~ 50Hz	220-240V~ 50Hz
Dehumidifying Capacity	90L/day(30°C RH80%) 55L/day(27°C RH60%)	105L/day(30°C RH80%) 65L/day(27°C RH60%)	120L/day(30°C RH80%) 70L/day(27°C RH60%)
Power Consumption	1120W	1160W	1190W
Air Volume	500m³/h	520m³/h	720m³/h
Noise Level	58dB(A)	60dB(A)	60dB(A)
Refrigerant	R410A	R410A	R410A
N.W. / G.W.	44.0kg / 48.0kg	47.0kg / 53.0kg	51.0kg / 57.5kg
Product Size	480×440×970 mm	540×410×990 mm	600×382×1000 mm
Packing Size	550×490×1080 mm	610×490×1100 mm	670×450×1100 mm
Loading Quantity	88pcs / 192pcs / 192pcs	84pcs / 182pcs / 182pcs	80pcs / 180pcs / 180pcs

Efficient Industrial Dehumidifier

Powerful, high-capacity dehumidifiers for commercial and industrial applications.



ROTARY
COMPRESSOR



LED DISPLAY
WITH TOUCH KEYS



WASHABLE
AIR FILTER



EASILY MOVE
WITH CASTERS



ELECTRONIC
CONTROL



AR-I220AW



AR-I260AW



AR-I520AW



Features

- Rotary Compressor
- LED Display With Touch Keys
- Washable Air Filter
- Easily Move With Casters
- Electronic Control

Specifications

Model	AR-I220AW	AR-I260AW	AR-I520AW
Power Supply	220-240V~ 50Hz	380V 3N~ 50Hz	380V 3N~ 50Hz
Dehumidifying Capacity	220L/day(30°C RH80%) 110L/day(27°C RH60%)	260L/day(30°C RH80%) 150L/day(27°C RH60%)	520L/day(30°C RH80%) 310L/day(27°C RH60%)
Power Consumption	2000W	2600W	5500W
Air Volume	1750m³/h	2000m³/h	3800m³/h
Noise Level	58dB(A)	60dB(A)	61dB(A)
Refrigerant	R32 / R410A	R32 / R410A	R32 / R410A
N.W. / G.W.	116.0kg / 131.0kg	122.0kg / 137.0kg	208.0kg / 228.0kg
Product Size	760×470×1700 mm	760×470×1700 mm	1190×545×1750 mm
Packing Size	800×510×1835 mm	800×510×1835 mm	1210×555×1920 mm
Loading Quantity 20'GP / 40'GP / 40'HQ	18pcs / 46pcs / 46pcs	18pcs / 46pcs / 46pcs	12pcs / 27pcs / 27pcs

High-end Industrial And Commercial Dehumidifier

AR-I870T AR-I110C AR-I120T



ROTARY COMPRESSOR



LED DISPLAY WITH TOUCH BUTTONS



WASHABLE AIR FILTER



BIG AND STABLE WHEELS



BIG METAL HANDLE



ELECTRONIC CONTROL



AR-I870T

AR-I110C

AR-I120T

Features

- Electronic Control
- LED Display With Touch Buttons
- Rotary Compressor
- Big And Stable Wheels
- Big Metal Handle
- Washable Air Filter

Specifications

Model	AR-I870T	AR-I110C	AR-I120T
Power Supply	220-240V~ 50Hz	220-240V~ 50Hz	220-240V~ 50Hz
Dehumidifying Capacity	70L/day(30°C RH80%) 36L/day(27°C RH60%)	110L/day(30°C RH80%) 65L/day(27°C RH60%)	120L/day(30°C RH80%) 65L/day(27°C RH60%)
Power Consumption	710W	1200W	1300W
Air Volume	650m³/h	660m³/h	930m³/h
Noise Level	56dB(A)	56dB(A)	58dB(A)
Refrigerant	R290 / R410A	R410A	R410A
N.W. / G.W.	44.0kg / 52.0kg	46.0kg / 51.0kg	51.0kg / 58.0kg
Product Size	613×433×864 mm	504×391×930 mm	650×480×955 mm
Packing Size	690×525×1050 mm	580×470×1030 mm	680×540×1050 mm
Loading Quantity	70pcs / 146pcs / 20'GP / 40'GP / 40'HQ 146pcs	100pcs / 200pcs / 200pcs	68pcs / 146pcs / 146pcs

High-end Industrial And Commercial Dehumidifier

Powerful dehumidifiers for industrial and commercial applications.



FAULT
SELF-CHECK



AUTOMATIC
DEFROSTING



OVER-TEMPERATURE
PROTECTION



COMPRESSOR
PROTECTION



FIREPROOF AND
FLAME-RETARDANT



AR-I138A



AR-I160A

Features

- Fault Self-check
- Automatic Defrosting
- Over-temperature Protection
- Compressor Protection
- Fireproof And Flame-retardant

Specifications

Model	AR-I138A	AR-I160A
Power Supply	220-240V~ 50Hz	220-240V~ 50Hz
Dehumidifying Capacity	138L/day(30°C RH80%) 85L/day(27°C RH60%)	160L/day(30°C RH80%) 95L/day(27°C RH60%)
Power Consumption	1450W	1650W
Air Volume	700m³/h	840m³/h
Noise Level	54dB(A)	57dB(A)
Refrigerant	R410A	R410A
N.W. / G.W.	49.5kg / 55.0kg	50.0kg / 55.5kg
Product Size / Packing Size	520×411×961 mm / 590×490×1080 mm	520×411×961 mm / 590×490×1080 mm
Loading Quantity 20'GP / 40'GP / 40'HQ	92pcs / 184pcs / 184pcs	92pcs / 184pcs / 184pcs

High-end Industrial And Commercial Dehumidifier

AR-IC90 AR-IC138



BRAND
COMPRESSOR



FULL TOUCH
CONTROL SCREEN



FAULT DETECTION
SYSTEM



HIGH QUALITY
SHEETMETAL CASING



ELECTRONIC
CONTROL



AR-IC90

AR-IC138

Features

- High Quality Sheet Metal Casing
- Fault Detection System
- Full Touch Control Screen
- Efficient Control Program
- Brand Compressor




AR-IC90



AR-IC138



Full Touch
Control Screen



High Quality
Sheet Metal Casing



Portable
Universal Wheels

Specifications

Model	AR-IC90	AR-IC138
Power Supply	220-240V~ 50Hz	220-240V~ 50Hz
Dehumidifying Capacity	90L/day(30°C RH80%)	138L/day(30°C RH80%)
Power Consumption	1030W	1380W
Air Volume	750m³/h	900m³/h
Refrigerant	R410A / 0.7kg	R410A / 1.1kg
N.W. / G.W.	60.0kg / 64.0kg	65.0kg / 76.0kg
Product Size / Packing Size	550×340×1045 mm / 615×415×1135 mm	600×400×1085 mm / 665×460×1195 mm

High-end Industrial And Commercial Dehumidifier

Powerful dehumidifiers for large spaces and demanding industrial applications.



HIGH QUALITY
SHEET METAL
CASING



FAULT
DETECTION
SYSTEM



FULL TOUCH
CONTROL
SCREEN



EFFICIENT
CONTROL
PROGRAM



BRAND
COMPRESSOR



AR-IC168



AR-IC240

Features

- High Quality Sheet Metal Casing
- Fault Detection System
- Full Touch Control Screen
- Efficient Control Program
- Brand Compressor



AR-IC168



AR-IC240



AR-IC360



AR-IC480

Specifications

Model	AR-IC168	AR-IC240	AR-IC360	AR-IC480
Power Supply	380V 3N~ 50Hz	380V 3N~ 50Hz	380V 3N~ 50Hz	380V 3N~ 50Hz
Dehumidifying Capacity	168L/day (30°C RH80%)	240L/day (30°C RH80%)	360L/day (30°C RH80%)	480L/day (30°C RH80%)
Power Consumption	2400W	2680W	4780W	5500W
Air Volume	1700m³/h	1700m³/h	2500m³/h	3300m³/h
Refrigerant	R410A / 1.45kg	R410A / 1.7kg	R410A / 1.45kg × 2	R410A / 1.65kg × 2
N.W. / G.W.	110.0kg / 132.0kg	128.0kg / 155.0kg	210.0kg / 230.0kg	240.0kg / 260.0kg
Product Size / Packing Size	780×465×1775 mm / 940×610×2000 mm	780×465×1775 mm / 940×610×2000 mm	1200×540×1740 mm / 1240×570×1900 mm	1200×540×1740 mm / 1240×570×1900 mm

03 Ceiling Dehumidifier

Efficient humidity control
for commercial and
industrial spaces.



POWERFUL
DEHUMIDIFICATION



RELIABLE
PERFORMANCE



FLEXIBLE
INSTALLATION



ENERGY
EFFICIENT



AR-C20ZA



AR-C50ZA



AR-C70ZA



AR-C95ZA



AR-C105ZB



AR-C150ZB



AR-C200ZB



AR-C240ZB



AR-C420ZB



AR-C480ZB

Ceiling Dehumidifier

Comprehensively solve the problem of air humidity.



Low Noise, Quiet Operation

Ceiling dehumidifier adopts low noise centrifugal fan, with the features of large air flow, stable and quiet operation, the whole machine quiet operation design makes home life environment more comfortable.



Maintain Easily

All the installation and maintenance of the ceiling dehumidifier can be carried out on the side of the ceiling dehumidifier, reducing the maintenance space. Using the ceiling dehumidifier to maintain more easily than others.



Easily Install

Beautiful and elegant design, compact structure, can be install as you please on the ceiling, fully in line with the interior design requirements.



Easy To Be Removed and washable Filter

Ceiling dehumidifier lightweight card access port parts design is easy for you to remove the filter plate when cleaning the filter.



Light and Compact Design

Thoroughly solve the problem of dehumidifier too height and not easy to install, make installation more convenient.




Electronic Control

Standard type 86 installation, large LCD display, standard 9 meters control line provided.

Working Principle

The whole dehumidification process of the dehumidifier is divided into two cycle processes: internal cycle and external cycle, so as to achieve the energy conversion and follow the law of conservation of energy, and finally complete the dehumidification process of the whole specific space.



Ceiling Dehumidifier

Concealed Humidity Control Solutions



SUPER
THIN DESIGN



PUMP
DRAINAGE



LOW
NOISE



HYDROPHILIC
ALUMINUM FOIL



ELECTRONIC
CONTROL



FAULT DETECTION
SYSTEM



EASY
MAINTENANCE

ZA Series

AR-C20ZA AR-C50ZA AR-C70ZA AR-C95ZA



Features

- Low Noise, Quiet Operation
- Maintain Easily
- Easily Install
- Intelligent Control
- Light And Compact Design
- Easy To Be Removed And Washable Filter

Model	AR-C20ZA	AR-C50ZA	AR-C70ZA	AR-C95ZA
Power Supply	220-240V~ 50Hz	220-240V~ 50Hz	220-240V~ 50Hz	220-240V~ 50Hz
Dehumidifying Capacity	20L/day(30°C RH80%) 10L/day(27°C RH60%)	50L/day(30°C RH80%) 30L/day(27°C RH60%)	70L/day(30°C RH80%) 45L/day(27°C RH60%)	92L/day(30°C RH80%) 45L/day(27°C RH60%)
Rated Power	190W	690W	830W	1070W
Air Flow(High Fan Speed)	170m³/h	390m³/h	485m³/h	620m³/h
Noise Level	40dB(A)	45dB(A)	50dB(A)	50dB(A)
Refrigerant	R134a / 0.27kg	R410A / 0.5kg	R410A / 0.45kg	R410A / 0.9kg
N.W.	29.0kg	35.0kg	41.5kg	63.0kg
Product Size	904×377×202 mm	950×436×228 mm	1010×500×240 mm	1075×745×310 mm

ZB Series

AR-C105ZB AR-C150ZB AR-C200ZB



Features

- Low Noise, Quiet Operation
- Maintain Easily
- Easily Install
- Intelligent Control
- Light And Compact Design
- Easy To Be Removed And Washable Filter

Model	AR-C105ZB	AR-C150ZB	AR-C200ZB
Power Supply	220-240V~ 50Hz	220-240V~ 50Hz	380V 3N~ 50Hz
Dehumidifying Capacity	105L/day(30°C RH80%) 58L/day(27°C RH60%)	150L/day(30°C RH80%) 80L/day(27°C RH60%)	200L/day(30°C RH80%) 115L/day(27°C RH60%)
Rated Power	1060W	1500W	2400W
Air Flow(High Fan Speed)	620m³/h	875m³/h	1700m³/h
Noise Level	55dB(A)	55dB(A)	55dB(A)
Refrigerant	R410A / 0.75kg	R410A / 1.2kg	R410A / 1.45kg
N.W.	53.0kg	67.0kg	90.0kg
Product Size	960×693×400 mm	1005×695×440 mm	1137×900×490 mm

AIR SOLUTIONS
FOR A BRIGHTER TOMORROW



Ceiling Dehumidifier

High-Capacity Ceiling Series

Features

- Low Noise, Quiet Operation
- Intelligent Control
- Maintain Easily
- Light And Compact Design
- Easily Install
- Easy To Be Removed And Washable Filter



AR-C240ZB



AR-C420ZB



AR-C480ZB



Warehouse



Archive



Museum



Indoor Pool

OPTIMAL HUMIDITY
FOR EVERY SPACE

Specifications

Model	AR-C240ZB	AR-C420ZB	AR-C480ZB
Power Supply	380V 3N~ 50Hz	380V 3N~ 50Hz	380V 3N~ 50Hz
Dehumidifying Capacity	240L/day(30°C RH80%) 145L/day(27°C RH60%)	420L/day(30°C RH80%) 255L/day(27°C RH60%)	480L/day(30°C RH80%) 290L/day(27°C RH60%)
Rated Power	2580W	4600W	4800W
Air Flow(High Fan Speed)	1700m³/h	3250m³/h	3250m³/h
Noise Level	55dB(A)	55dB(A)	55dB(A)
Refrigerant	R410A / 1.9kg	R410A / 1.9kg × 2	R410A / 2.2kg × 2
N.W.	108.0kg	180.0kg	193.0kg
Product Size	1137×900×540 mm	1270×1200×605 mm	1270×1200×605 mm

Dehumidifier Selection Guide

Choose the right Araki solution for your application.



Home Dehumidifier

Perfect for homes, offices and personal spaces to keep the air fresh, dry and healthy.



Application Area	Recommended Series	Typical Capacity Range	Typical Use
Small Room (10 – 20 m²)	Home Series (AR-R50)	10 – 20 L/day	Bedroom, study room, small apartment
Office (20 – 40 m²)	Home Series (AR-R50 / AR-R60)	20 – 40 L/day	Office, meeting room
Residence (40 – 80 m²)	Home Series (AR-R60)	40 – 60 L/day	Living room, whole house
Archive / Storage	Home Series (AR-R60)	20 – 60 L/day	Document room, archive, collection storage
Showroom	Home Series (AR-R60)	30 – 60 L/day	Showroom, retail space



Industrial Dehumidifier

High-performance solutions for demanding industrial and commercial environments.



Application Area	Recommended Series	Typical Capacity Range	Typical Use
Warehouse	Industrial Series (AR-IC90 / AR-IC138)	90 – 138 L/day	Warehouse, storage area
Workshop	Industrial Series (AR-IC90 / AR-IC138)	90 – 138 L/day	Workshop, production area
Factory	Industrial Series (AR-IC90 / AR-IC138)	90 – 138 L/day	Manufacturing, industrial process
Logistics Area	Industrial Series (AR-IC90 / AR-IC138)	90 – 138 L/day	Logistics center, distribution hub
Large Commercial Space	Industrial Series (AR-IC138)	100 – 138 L/day	Mall, supermarket, exhibition hall



Ceiling Dehumidifier

Concealed and high-capacity solutions for specialized and large-scale environments.



Application Area	Recommended Series	Typical Capacity Range	Typical Use
Indoor Pool	Ceiling Series (Duct Type)	100 – 500 L/day	Swimming pool, spa, recreation center
Museum / Gallery	Ceiling Series (Duct Type)	100 – 500 L/day	Museum, gallery, precious collection
Large Room	Ceiling Series (Duct Type)	100 – 500 L/day	Convention hall, large meeting room
Food Processing	Ceiling Series (Duct Type)	100 – 500 L/day	Food & beverage processing, cold room area
Concealed HVAC Projects	Ceiling Series (Duct Type)	100 – 500 L/day	Integrated building HVAC, concealed installation



Contact Us

Precision Air. Controlled Humidity.

Our Marketing Office and After Sales Service Center



Head Office

50/F, Menara BCA Grand Indonesia
Jl. M.H. Thamrin No.1
Jakarta Pusat 10310



021 - 5011 2228



dce@indotara.id



Marketing Office

Maggiore Business Loft No. 01-02
Gading Serpong
Tangerang - Banten 15332



021 - 5011 2228



dce@indotara.id



Graha Indotara

Millenium Industrial Estate
Jl. Millenium 22 Blok R3 No. 1
Cikupa, Tangerang - Banten 15720



021 - 5011 2228



dce@indotara.id



www.indotara.co.id

Head Office

Marketing Office

Showroom