

# Coffee Equipment

Solution For Your Business



Ferratti Ferro is made with complete features and affordable prices, Ferratti Ferro comes with various types and sizes to suit your needs.



..... **1-46**



..... **35-98**



..... **99-108**



..... **109-114**



..... **115-120**



..... **120-144**



..... **145-150**

COMMERCIAL  
MACHINE SERIES

HOME MACHINE  
SERIES

TEA AND COFFEE  
MAKER SERIES

K-CUP COFFEE  
MAKER SERIES

MILK FROTHER  
SERIES

GRINDING  
MACHINE SERIES

MILK STEAMER

*ferratti ferro*  
coffee espresso machine

## COMMERCIAL MACHINE SERIES

A strong mix of innovation and elegance,  
that satisfies every lover of real Italian coffee and suits any environment.

These semi-automatic professional  
coffee machines will be applicable in office, Ho, Re, Ca etc.





**COFFEE MACHINES FOR PROFESSIONAL & COMMERCIAL USE**



RoHS BSCI EMC CB LFGB ISO9001

PK	
<i>ferratti ferro</i> coffee espresso machine	TRADITIONAL BRANDS
<p>professional 304 stainless steelfilter with <math>\Phi 58\text{mm}</math></p>	<p>the first layer of screen is grafting onto it</p>
<p>single porta-filter</p>	<p>double filter</p> <p>the second layer is just a single hole to increase pres</p>
	<p>with a plastic base</p>
<p>corrima machine is with S.S. filter and pre-infusion system can extract per fect crema directly</p>	<p>others need a single-hole to increase pressure, crema looks thick, but actually have no crema</p>
<p>with our S.S. single filter and pre-infusion system to ensure perfect extraction and crema</p>	<p>others is with double filter, but there almost is no crema, just bubbles</p>


# COMMERCIAL MACHINE SERIES

A strong mix of innovation and elegance, that satisfies every lover of real Italian coffee and suits any environment. These semi-automatic professional coffee machines will be applicable in office, Ho, Re, Ca etc.





-  LED LAMP
-  MANUAL CONTROL
-  STEAM CONTROL CHART
-  COFFEE
-  COFFEE HEATING TUBE
-  MENU SETTINGS
-  LIGHTING CONTROL
-  DIGITAL DISPLAY
-  HOT WATER
-  STEAM
-  COFFEE HEATING POT BODY
-  COFFEE TABLE
-  PRIMARY AND SECONDARY BOILER
-  POWER CONTROL

## COMMERCIAL MACHINE SERIES




Model:	FCM3208
Description:	<ul style="list-style-type: none"> <li>• Stainless steel mirror housing;</li> <li>• Multifunction for making coffee, steam and hot water at the same time;</li> <li>• Resistive colorful touch screen with 4.3 inches;</li> <li>• Commercial rotary vane pump with 9bar pressure;</li> <li>• Inlet pipe to connect tap water &amp; Drain pipe to drain water directly;</li> <li>• With LED illuminator; Temperature and time can be adjusted when making coffee;</li> <li>• Different barometers show the pressure when making coffee and steam;</li> <li>• Dual boilers: one is 500ml s. s. boiler with s. s. heating tube to make temperature more stable for making coffee; another is full s. s. primary and secondary boiler with 7L capacity for making steam and hot water;</li> <li>• Professional s. s. porta-filter holder and filter with 58mm diameter;</li> <li>• Pre-infusion system to ensure perfect extraction and crema;</li> <li>• S. S. steam and water tube for cappuccino and hot water;</li> <li>• With flowmeter and full inner cooper pipe;</li> <li>• Top cover cup-warming plate &amp; Adjustable non-slip foot;</li> <li>• Level type steaming switch.</li> </ul>
Power Consumption	3450W
Voltage	220V
Frequency	50Hz
N.W	33KG/PCS
G.W	37KG/CTN
Unit Size	616*504*500mm
CTN Size	702*523*530mm
Package	1PCS/CTN
Loading Capacity(20'GP)	81PCS
Loading Capacity(40'GP)	171PCS
Loading Capacity(40'HQ)	228PCS



# COMMERCIAL MACHINE SERIES



Model:	FCM3100C
Description:	<ul style="list-style-type: none"> <li>• Stainless steel mirror housing &amp; plastic side cover;</li> <li>• Multifunction for making coffee, steam and hot water at the same time;</li> <li>• Touch electronic button for easy operation;</li> <li>• Italian ULKA pump with 15bar pressure;</li> <li>• Inlet pipe to connect tap water &amp; Drain pipe to drain water directly;</li> <li>• With LED illuminator; Temperature and time can be adjusted when making coffee;</li> <li>• Different barometers show the pressure when making coffee and steam;</li> <li>• Dual boilers: one is 500ml s. s. boiler with s. s. heating tube to make temperature more stable for making coffee; another is 7L s.s. boiler for making steam and hot water;</li> <li>• Professional s. s. porta-filter holder and filter with 58mm diameter;</li> <li>• Pre-infusion system to ensure perfect extraction and crema;</li> <li>• S. S. steam and water tube for cappuccino and hot water;</li> <li>• Top cover cup-warming plate &amp; Adjustable non-slip foot.</li> </ul>
Power Consumption	3450W
Voltage	220V
Frequency	50Hz
N.W	33KG/PCS
G.W	37KG/CTN
Unit Size	616*504*500mm
CTN Size	702*523*530mm
Package	1PCS/CTN
Loading Capacity(20'GP)	126PCS
Loading Capacity(40'GP)	255PCS
Loading Capacity(40'HQ)	317PCS



# COMMERCIAL MACHINE SERIES




Model:	FCM3100E
Description:	<ul style="list-style-type: none"> <li>• Stainless steel mirror housing &amp; Plastic side cover;</li> <li>• Multifunction for making coffee, steam and hot water at the same time;</li> <li>• Touch electronic button for easy operation;</li> <li>• Commercial rotary vane pump with 9 bar pressure;</li> <li>• Inlet pipe to connect tap water &amp; Drain pipe to drain water directly;</li> <li>• With LED illuminator; Temperature and time can be adjusted when making coffee;</li> <li>• Different barometers show the pressure when making coffee and steam;</li> <li>• Dual boilers: one is 500ml s. s. boiler with s. s. heating tube to make temperature more stable for making coffee; another is full or s. s. primary and secondary boiler with 7L capacity for making steam and hot water;</li> <li>• Professional s. s. porta-filter holder and filter with 58mm diameter;</li> <li>• Pre-infusion system to ensure perfect extraction and crema;</li> <li>• S.S. steam and water tube for cappuccino and hot water;</li> <li>• With flowmeter and full inner cooper pipe;</li> <li>• Top cover cup-warming plate &amp; adjustable non-slip foot.</li> </ul>
Power Consumption	3450W
Voltage	220V
Frequency	50Hz
N.W	35KG/PCS
G.W	40KG/CTN
Unit Size	616*504*500mm
CTN Size	702*523*530mm
Package	1PCS/CTN
Loading Capacity(20'GP)	126PCS
Loading Capacity(40'GP)	255PCS
Loading Capacity(40'HQ)	317PCS



# COMMERCIAL MACHINE SERIES



<b>Model:</b>	FCM3120C
<b>Description:</b>	<ul style="list-style-type: none"> <li>• Stainless steel mirror housing &amp; plastic side cover;</li> <li>• Multifunction for making coffee, steam and hot water at the same time;</li> <li>• Touch electronic button for easy operation;</li> <li>• Commercial rotary vane pump with 9bar pressure;</li> <li>• Inlet pipe to connect tap water &amp; drain pipe to drain water directly;</li> <li>• With LED illuminator; Temperature and time can be adjusted when making coffee;</li> <li>• Triple boilers: two 500ml s. s. boiler with s. s. heating tube to make temperature more stable for making coffee; another is 12L s.s. boiler for making steam and hot water;</li> <li>• Professional s.s. porta-filter holder and filter with 58mm diameter;</li> <li>• Pre-infusion system to ensure perfect extraction and crema;</li> <li>• S.S. steam and water tube for cappuccino and hot water;</li> <li>• Top cover cup-warming plate &amp; adjustable non-slip foot.</li> </ul>
<b>Power Consumption</b>	4900W
<b>Voltage</b>	220V
<b>Frequency</b>	50Hz
<b>N.W</b>	43KG/PCS
<b>G.W</b>	48KG/CTN
<b>Unit Size</b>	816*504*565mm
<b>CTN Size</b>	902*523*530mm
<b>Package</b>	1PCS/CTN
<b>Loading Capacity(20'GP)</b>	94PCS
<b>Loading Capacity(40'GP)</b>	184PCS
<b>Loading Capacity(40'HQ)</b>	224PCS




# COMMERCIAL MACHINE SERIES



<b>Model:</b>	FCM3120E
<b>Description:</b>	<ul style="list-style-type: none"> <li>• Stainless steel mirror housing &amp; plastic side cover;</li> <li>• Multifunction for making coffee, steam and hot water at the same time;</li> <li>• Touch electronic button for easy operation;</li> <li>• Commercial rotary vane pump with 9 bar pressure;</li> <li>• Inlet pipe to connect tap water &amp; drain pipe to drain water directly;</li> <li>• With LED illuminator; Temperature and time can be adjusted when making coffee;</li> <li>• Different barometers show the pressure when making coffee and steam;</li> <li>• Triple boilers: two 500ml heating tube to make temperature more stable for making coffee; another is 12L s.s. primary and secondary boiler for making steam and hot water;</li> <li>• Professional s.s. porta-filter holder and filter with 58mm diameter;</li> <li>• Pre-infusion system to ensure perfect extraction and crema;</li> <li>• S.S. steam and water tube for cappuccino and hot water;</li> <li>• With flowmeter and full inner cooper pipe;</li> <li>• Top cover cup-warming plate &amp; adjustable non-slip foot.</li> </ul>
<b>Power Consumption</b>	3800W
<b>Voltage</b>	220V
<b>Frequency</b>	50Hz
<b>N.W</b>	45KG/PCS
<b>G.W</b>	50KG/CTN
<b>Unit Size</b>	816*504*565mm
<b>CTN Size</b>	885*516*685mm
<b>Package</b>	1PCS/CTN
<b>Loading Capacity(20'GP)</b>	84PCS
<b>Loading Capacity(40'GP)</b>	171PCS
<b>Loading Capacity(40'HQ)</b>	171PCS




# COMMERCIAL MACHINE SERIES



Model:	FCM3103
Description:	<ul style="list-style-type: none"> <li>• Stainless steel mirror housing &amp; plastic side cover;</li> <li>• Resistive colorful touch screen with 4.3 inches;</li> <li>• Multifunction for making coffee, steam and hot water at the same time;</li> <li>• Commercial rotary vane pump with 9bar pressure;</li> <li>• Inlet pipe to connect tap water &amp; drain pipe to drain water directly;</li> <li>• With LED illuminator; Temperature and time can be adjusted when making coffee;</li> <li>• Different barometers show the pressure when making coffee and steam;</li> <li>• Dual boilers: one is 500ml s. s. boiler with s. s. heating tube to make temperature more stable for making coffee; another is full s. s. primary and secondary boiler with 7L capacity for making steam and hot water;</li> <li>• Professional s. s. porta-filter holder and filter with 58mm diameter;</li> <li>• Pre-infusion system to ensure perfect extraction and crema;</li> <li>• S. S. steam and water tube for cappuccino and hot water;</li> <li>• Top cover cup-warming plate &amp; Adjustable non-slip foot;</li> <li>• Level type steaming switch.</li> </ul>
Power Consumption	3450W
Voltage	220V
Frequency	50Hz
N.W	35KG/PCS
G.W	40KG/CTN
Unit Size	616*504*500mm
CTN Size	702*523*530mm
Package	1PCS/CTN
Loading Capacity(20'GP)	126PCS
Loading Capacity(40'GP)	255PCS
Loading Capacity(40'HQ)	317PCS



# COMMERCIAL MACHINE SERIES




Model:	FCM3203
Description:	<ul style="list-style-type: none"> <li>• Stainless steel mirror housing &amp; Plastic side cover;</li> <li>• Dual resistive colorful touch screen with 4.3 inches;</li> <li>• Multifunction for making coffee, steam and hot water at the same time;</li> <li>• Commercial rotary vane pump with 9 bar pressure;</li> <li>• Inlet pipe to connect tap water &amp; Drain pipe to drain water directly;</li> <li>• With LED illuminator; Temperature and time can be adjusted when making coffee;</li> <li>• Different barometers show the pressure when making coffee and steam;</li> <li>• Triple boilers: two 500ml s. s. boiler with s. s. heating tube to make temperature more stable for making coffee; another is full s. s. primary and secondary boiler with 12L capacity for making steam and hot water;</li> <li>• Professional s. s. porta-filter holder and filter with 58mm diameter;</li> <li>• Pre-infusion system to ensure perfect extraction and crema;</li> <li>• S. S. steam and water tube for cappuccino and hot water;</li> <li>• Top cover cup-warming plate &amp; Adjustable non-slip foot;</li> <li>• Level type steaming switch.</li> </ul>
Power Consumption	4900W
Voltage	220V
Frequency	50Hz
N.W	45KG/PCS
G.W	50KG/CTN
Unit Size	816*504*565mm
CTN Size	885*516*685mm
Package	1PCS/CTN
Loading Capacity(20'GP)	84PCS
Loading Capacity(40'GP)	171PCS
Loading Capacity(40'HQ)	171PCS



# COMMERCIAL MACHINE SERIES



<b>Model:</b>	FCM3101
<b>Description:</b>	<ul style="list-style-type: none"> <li>• Stainless steel mirror housing &amp; Plastic side cover;</li> <li>• Multifunction for making coffee, steam and hot water at the same time;</li> <li>• Touch electronic button for easy operation;</li> <li>• Commercial rotary vane pump with 9 bar pressure;</li> <li>• Inlet pipe to connect tap water &amp; Drain pipe to drain water directly;</li> <li>• With LED illuminator; Temperature and time can be adjusted when making coffee;</li> <li>• Different barometers show the pressure when making coffee and steam;</li> <li>• Dual boilers: one is 500ml s. s. boiler with s. s. heating tube to make temperature more stable for making coffee; another is full or s. s. primary and secondary boiler with 7L capacity for making steam and hot water;</li> <li>• Professional s. s. porta-filter holder and filter with 58mm diameter;</li> <li>• Pre-infusion system to ensure perfect extraction and crema;</li> <li>• S.S. steam and water tube for cappuccino and hot water;</li> <li>• With flowmeter and full inner cooper pipe;</li> <li>• Top cover cup-warming plate &amp; adjustable non-slip foot.</li> </ul>
<b>Power Consumption</b>	3000W
<b>Voltage</b>	220V
<b>Frequency</b>	50Hz
<b>N.W</b>	35KG/PCS
<b>G.W</b>	40KG/CTN
<b>Unit Size</b>	616*580*565mm
<b>CTN Size</b>	683*550*685mm
<b>Package</b>	1PCS/CTN
<b>Loading Capacity(20'GP)</b>	96PCS
<b>Loading Capacity(40'GP)</b>	204PCS
<b>Loading Capacity(40'HQ)</b>	204PCS



# COMMERCIAL MACHINE SERIES



<b>Model:</b>	FCM3201
<b>Description:</b>	<ul style="list-style-type: none"> <li>• Stainless steel mirror housing &amp; plastic side cover;</li> <li>• Multifunction for making coffee, steam and hot water at the same time;</li> <li>• Touch electronic button for easy operation;</li> <li>• Commercial rotary vane pump with 9 bar pressure;</li> <li>• Inlet pipe to connect tap water &amp; drain pipe to drain water directly;</li> <li>• With LED illuminator; Temperature and time can be adjusted when making coffee;</li> <li>• Different barometers show the pressure when making coffee and steam;</li> <li>• Triple boilers: two 500ml heating tube to make temperature more stable for making coffee; another is 12L s.s. primary and secondary boiler for making steam and hot water;</li> <li>• Professional s.s. porta-filter holder and filter with 58mm diameter;</li> <li>• Pre-infusion system to ensure perfect extraction and crema;</li> <li>• S.S. steam and water tube for cappuccino and hot water;</li> <li>• With flowmeter and full inner cooper pipe;</li> <li>• Top cover cup-warming plate &amp; adjustable non-slip foot.</li> </ul>
<b>Power Consumption</b>	3800W
<b>Voltage</b>	220V
<b>Frequency</b>	50Hz
<b>N.W</b>	45KG/PCS
<b>G.W</b>	50KG/CTN
<b>Unit Size</b>	816*580*565mm
<b>CTN Size</b>	885*550*685mm
<b>Package</b>	1PCS/CTN
<b>Loading Capacity(20'GP)</b>	72PCS
<b>Loading Capacity(40'GP)</b>	156PCS
<b>Loading Capacity(40'HQ)</b>	156PCS



# COMMERCIAL MACHINE SERIES



Model:	FCM3121	FCM3121A
--------	---------	----------

Description:	<ul style="list-style-type: none"> <li>Stainless steel mirror housing &amp; plastic side cover;</li> <li>Multifunction for making coffee, steam and hot water at the same time;</li> <li>Touch electronic button for easy operation;</li> <li>Italian pump with 15bar pressure (commercial pump with 9bar pressure for optional)</li> <li>Dual boilers: one is 550ml s. s. boiler with s. s. heating tube to make temperature more stable for making coffee; another is 5.25L s.s. boiler for making steam and hot water;</li> <li>Inter pipe to connet tap water&amp;drain pipe to drain water directly;</li> <li>Different barometers show the pressure of coffee and steam;</li> <li>Professional s. s. porta-filter holder and filter with 58mm diameter;</li> <li>With LED illuminator;</li> <li>Pre-infusion system to ensure perfect extraction and crema;</li> <li>S.s. steam and water tube for cappuccino and hot water;</li> <li>Top cover cup-warming plate &amp; Adjustable non-slip foot.</li> </ul>
--------------	--

Power Consumption	3050W;3200W
Voltage	220V/50Hz
N.W/G.W	26.5kg/29.5kg/PCS ; 27.5kg/30.5kg/PCS
Unit Size/CTN Size	478*578*520mm / 550*676*508mm
Package	1PCS/CTN
Loading Capacity 20'GP	132PCS
Loading Capacity 40'GP	264PCS
Loading Capacity 40'HP	264PCS



# COMMERCIAL MACHINE SERIES



Model:	FCM3122	FCM3122A
--------	---------	----------

Description:	<ul style="list-style-type: none"> <li>Stainless steel mirror housing &amp; plastic side cover;</li> <li>Multifunction for making coffee, steam and hot water at the same time;</li> <li>Touch electronic button for easy operation;</li> <li>Italian pump with 15bar pressure (commercial pump with 9bar pressure for optional)</li> <li>Dual boilers: one is 550ml s. s. boiler with s. s. heating tube to make temperature more stable for making coffee; another is 5.25L s.s. boiler for making steam and hot water;</li> <li>1.7L removable water reservoir;</li> <li>With a barometer, can know the pressure when making coffee;</li> <li>Professional s. s. porta-filter holder and filter with 58mm diameter;</li> <li>With LED illuminator;</li> <li>Pre-infusion system to ensure perfect extraction and crema;</li> <li>S.s. steam and water tube for cappuccino and hot water;</li> <li>Removable drip tray for easy cleaning;</li> <li>Also can connect drain pipe to drain water directly;</li> <li>Top cover cup-warming plate &amp; Adjustable non-slip foot.</li> </ul>
--------------	---

Power Consumption	2700W;2850W
Voltage	220V/50Hz
N.W/G.W	25kg/PCS ; 27.5kg/PCS
Unit Size/CTN Size	324*522*442mm / 428*567*545mm
Package	1PCS/CTN
Loading Capacity 20'GP	220PCS
Loading Capacity 40'GP	442PCS
Loading Capacity 40'HP	444PCS



# COMMERCIAL MACHINE SERIES



Model:	FCM3200	FCM3200C
Description:	<ul style="list-style-type: none"> <li>Stainless steel mirror housing &amp; plastic side cover;</li> <li>Multifunction for making coffee, steam and hot water;</li> <li>Touch electronic button for easy operation;</li> <li>Italian pump with 15bar pressure;</li> <li>Three thermo-block system can make coffee and steam at the same time;</li> <li>1.7L removable water reservoir;</li> <li>With a barometer, can know the pressure when making coffee;</li> <li>Professional s. s. porta-filter holder and filter with 58mm diameter;</li> <li>With LED illuminator;</li> <li>Pre-infusion system to ensure perfect extraction and crema;</li> <li>S.s. steam and water tube for cappuccino and hot water;</li> <li>Removable drip tray for easy cleaning;</li> <li>Top cover cup-warming plate &amp; Adjustable non-slip foot.</li> <li>Optional: FCM3200C</li> <li>Multi boilers: one thermo-blocks are for making coffee and hot water; the oth one is 1 L die-casting Aluminium boiler for making steam;</li> <li>Water shortage indication function.</li> </ul>	

Power Consumption	3000W;2950W
Voltage	220V/50Hz
N.W/G.W	16kg/PCS ; 18.5kg/PCS
Unit Size/CTN Size	345*485*432mm / 420*580*510mm
Package	1PCS/CTN
Loading Capacity 20'GP	220PCS
Loading Capacity 40'GP	418PCS
Loading Capacity 40'HP	484PCS



# COMMERCIAL MACHINE SERIES



Model:	FCM3200B	FCM3200D
Description:	<ul style="list-style-type: none"> <li>Stainless steel mirror housing &amp; plastic side cover;</li> <li>Multifunction for making coffee, steam and hot water;</li> <li>Touch electronic button for easy operation;</li> <li>Italian pump with 15bar pressure;</li> <li>Three thermo-block system can make coffee and steam at the same time;</li> <li>1.7L removable water reservoir;</li> <li>With a barometer, can know the pressure when making coffee;</li> <li>Professional s. s. porta-filter holder and filter with 58mm diameter;</li> <li>With LED illuminator;</li> <li>Pre-infusion system to ensure perfect extraction and crema;</li> <li>S.s. steam and water tube for cappuccino and hot water;</li> <li>Removable drip tray for easy cleaning;</li> <li>Top cover cup-warming plate &amp; Adjustable non-slip foot.</li> <li>Optional: FCM3200D</li> <li>Multi boilers: one thermo-blocks are for making coffee and hot water; the oth one is 1 L die-casting Aluminium boiler for making steam;</li> <li>Water shortage indication function.</li> </ul>	

Power Consumption	2700W;2650W
Voltage	220V/50Hz
N.W/G.W	16kg/PCS ; 18.5kg/PCS
Unit Size/CTN Size	345*485*432mm / 420*580*510mm
Package	1PCS/CTN
Loading Capacity 20'GP	220PCS
Loading Capacity 40'GP	418PCS
Loading Capacity 40'HP	484PCS



# COMMERCIAL MACHINE SERIES



<b>Model:</b>	FCM3107
<b>Description:</b>	<ul style="list-style-type: none"> <li>• Stainless steel mirror housing;</li> <li>• Multifunction for making coffee, steam and hot water at the same time;</li> <li>• Resistive colorful touch screen with 4.3 inches;</li> <li>• Commercial rotary vane pump with 9bar pressure;</li> <li>• Inlet pipe to connect tap water &amp; Drain pipe to drain water directly;</li> <li>• With LED illuminator; Temperature and time can be adjusted when making coffee;</li> <li>• Different barometers show the pressure when making coffee and steam;</li> <li>• Dual boilers: one is 550ml s. s. boiler with s. s. heating tube to make temperature more stable for making coffee; another is full s. s. primary and secondary boiler with 5.25L capacity for making steam and hot water;</li> <li>• Professional s. s. porta-filter holder and filter with 58mm diameter;</li> <li>• Pre-infusion system to ensure perfect extraction and crema;</li> <li>• S. S. steam and water tube for cappuccino and hot water;</li> <li>• With flowmeter and full inner copper pipe;</li> <li>• Top cover cup-warming plate &amp; Adjustable non-slip foot;</li> <li>• Lever type steaming switch.</li> </ul>

Power Consumption	3200W
Voltage	220V~50Hz
N.W/G.W	88KG / PCS
Unit Size/CTN Size	870*730*775 mm
Package	1PCS / CTN
Loading Capacity (20'GP/40'GP/40'HQ)	



# COMMERCIAL MACHINE SERIES



<b>Model:</b>	FCM3207
<b>Description:</b>	<ul style="list-style-type: none"> <li>• Stainless steel housing and artificial marble side panel;</li> <li>• Multifunction for making coffee, steam and hot water at the same time;</li> <li>• Resistive colorful touch screen with 4.3 inches;</li> <li>• Commercial rotary vane pump with 9 bar pressure;</li> <li>• Inlet pipe to connect tap water and drain pipe to drain water directly;</li> <li>• With LED illuminator, adjustable temperature and flow rate;</li> <li>• Different barometers show the pressure when making coffee and steam;</li> <li>• Triple boilers: two 550ml S.S boilers with s. s. heating tube to make temperature another is full ss primary and secondary boiler with 10.5L capacity for making steam and hot water;</li> <li>• Professional S.S porta-filter holder and filter with 58mm diameter;</li> <li>• Pre-infusion system to ensure perfect extraction and crema;</li> <li>• Removable drip tray for easy cleaning; also can connect drain pipe directly;</li> <li>• With flow meter and full inner cooper pipe;</li> <li>• Auto hot water and lever type steam function;</li> <li>• Auto pressure release to protect the machine;</li> <li>• Top cover cup-warming plate and adjustable non-slip foot.</li> <li>• FCM3207A: Pressure adjustable rotary vane pump (9 bar)</li> </ul>

Power Consumption	3200W
Voltage	220V~50Hz
N.W/G.W	88KG / PCS
Unit Size/CTN Size	870*730*775 mm
Package	1PCS / CTN
Loading Capacity (20'GP/40'GP/40'HQ)	28PCS / 56PCS / 56PCS



# COMMERCIAL MACHINE SERIES



Model:	FCM3202
Description:	<ul style="list-style-type: none"> <li>Stainless steel mirror housing;</li> <li>Multifunction for making coffee, steam and hot water at the same time;</li> <li>Resistive colorful touch screen with 4.3 inches;</li> <li>Commercial rotary vane pump with 9bar pressure;</li> <li>Inlet pipe to connect tap water &amp; Drain pipe to drain water directly;</li> <li>With LED illuminator; Temperature and time can be adjusted when making coffee;</li> <li>Different barometers show the pressure when making coffee and steam;</li> <li>Triple boilers: two 550ml S.S boilers with s.s. heating tube to make temperature another is full ss primary and secondary boiler with 10.5L capacity for making steam and hot water;</li> <li>Professional s. s. porta-filter holder and filter with 58mm diameter;</li> <li>Pre-infusion system to ensure perfect extraction and crema;</li> <li>S. S. steam and water tube for cappuccino and hot water;</li> <li>With flowmeter and full inner copper pipe;</li> <li>Top cover cup-warming plate &amp; Adjustable non-slip foot;</li> <li>Lever type steaming switch.</li> </ul>

Power Consumption	4200W
Voltage	220V~50Hz
N.W/G.W	119KG/PCS;155KG/PCS
Unit Size/CTN Size	980*680*590*mm / 1070*780*760mm
Package	1PCS/CTN
Loading Capacity (20'GP/40'GP/40'HQ)	28PCS/56PCS/56PCS



**ITALY TECHNOLOGY**

**BEST MATERIAL**

**RELIABLE GUARANTEED**

# COMMERCIAL MACHINE SERIES



Model:	FCM-3301 La Morelli Ultimo
Description:	<ul style="list-style-type: none"> <li>High Pressure Pure Copper Boiler By Bonventi, Italy</li> <li>Rotary Vane Pump By Procon, USA</li> <li>Water Flow Sensor By Digmesa, Switzerland</li> <li>Stainless Steel Food Grade By Otto Junker GmbH, Germany</li> <li>PID Controller System</li> <li>Brewing Pressure and Pressure Steam Gauge Display</li> <li>Adjustable Hot Water Time</li> <li>Adjustable Brewing Temperature and Brewing Time</li> <li>58MM Porta Filter Diameter</li> <li>Display Brewing Time</li> <li>Programmable And Memorized Brewing Time</li> <li>Porta Filter Double Basket Double Spout and Single Basket Single Spout</li> </ul>

Power Consumption	6300~7500 W / 220V / 50Hz
Material	Stainless Steel with Copper Piping
Brewing Boiler	3x550 ML Stainless Steel SUS304
Brewing Pressure	15 Bar
Capacity Cup 30 ML (1H/24H)	270/3000
Product Size	1100x523x532 MM
Carton Size	1167x612x740 MM
Colour	Raven Black Glossy+Mirror Chrome
Steam Boiler	up to 5 Bar and 4 hole of nozzle steam
Group	Triple Group, Boiler : Multi Boiler (4pcs)
Drink Setting	Volumetric
Steam and Hot Water boiler	16 L Heat Exchanger
N.W/G.W	79.5 Kgs/119.5 Kgs



# COMMERCIAL MACHINE SERIES



<b>Model:</b>	FCM3226
<b>Description:</b>	<ul style="list-style-type: none"> <li>• Stainless steel housing;</li> <li>• 10.5L S.S primary and secondary boiler and double E61 brewing head with electronic Control;</li> <li>• Connecting tap water</li> <li>• Rotary vane pump (9 bar);</li> <li>• Dual pressure gauge, dual temperature and time display;</li> <li>• PID temperature control technology;</li> <li>• Touch button operation or manual lever operation to make coffee;</li> <li>• Multifunction for automatic hot water and double manual steam;</li> <li>• Copper pipe connection;</li> <li>• With automatic pressure relief protection device;</li> <li>• With drainage function;</li> <li>• Removable drip tray;</li> <li>• Cup warmer design</li> </ul>

Power Consumption	3200W
Voltage	220V~50Hz
N.W/G.W	57.6 Kg / 67.4 Kg
Unit Size/CTN Size	700*450*510*mm / 900*650*710mm
Package	1PCS/CTN
Loading Capacity (20'GP/40'GP/40'HQ)	75PCS/156PCS/208PCS



# COMMERCIAL MACHINE SERIES



<b>Model:</b>	FCM3245
<b>Description:</b>	<ul style="list-style-type: none"> <li>• Stainless steel housing;</li> <li>• 10.5L S.S primary and secondary boiler and double E61 brewing head with electronic Control;</li> <li>• Connecting tap water</li> <li>• Rotary vane pump (9 bar);</li> <li>• Dual pressure gauge, dual temperature and time display;</li> <li>• PID temperature control technology;</li> <li>• Touch button operation or manual lever operation to make coffee;</li> <li>• Multifunction for automatic hot water and double manual steam;</li> <li>• Copper pipe connection;</li> <li>• With automatic pressure relief protection device;</li> <li>• With drainage function;</li> <li>• Removable drip tray;</li> <li>• Cup warmer design</li> </ul>

Power Consumption	3200W
Voltage	220V~50Hz
N.W/G.W	57.8KG/67.6KG
Unit Size/CTN Size	700*450*510mm / 900*650*710mm
Package	1PCS/CTN
Loading Capacity (20'GP/40'GP/40'HQ)	75PCS/156PCS/208PCS



# COMMERCIAL MACHINE SERIES



<b>Model:</b>	FCM3143 Le Gazzio Singola
<b>Description:</b>	<ul style="list-style-type: none"> <li>• Stainless steel housing with white or black color painting.</li> <li>• One 550ml S.S coffee boiler and 5.5L S.S steam boiler for making steam and hot water;</li> <li>• With inlet water pipe to connect tap water;</li> <li>• Rotatory pump;</li> <li>• Different barometers show the pressure of coffee and steam;</li> <li>• Multifunction for automatic hot water and manual steam;</li> <li>• The coffee brewing time can be adjusted with light touch button operation;</li> <li>• Digital display show brewing time and temperature, and the temperature can be set;</li> <li>• With automatic pressure release for protection;</li> <li>• Drainage function and removable drip tray;</li> </ul>

Power Consumption	3200W
Voltage	220V~50Hz
N.W/G.W	33.5 Kg / 42.1 Kg
Unit Size/CTN Size	535*400*568*mm / 650*480*600mm
Package	1PCS/CTN
Loading Capacity	130PCS/270PCS/273PCS
	(20'GP/40'GP/40'HQ)



# COMMERCIAL MACHINE SERIES



<b>Model:</b>	FCM3243 Le Gazzio Doppio
<b>Description:</b>	<ul style="list-style-type: none"> <li>• Stainless steel housing with white or black color painting.</li> <li>• Two 550ml S.S coffee boiler and 5.5L S.S steam boiler for making steam and hot water;</li> <li>• With inlet water pipe to connect tap water;</li> <li>• Rotatory pump;</li> <li>• Different barometers show the pressure of coffee and steam;</li> <li>• Multifunction for automatic hot water and manual steam;</li> <li>• The coffee brewing time can be adjusted with light touch button operation;</li> <li>• Digital display show brewing time and temperature, and the temperature can be set;</li> <li>• With automatic pressure release for protection;</li> <li>• Drainage function and removable drip tray;</li> </ul>

Power Consumption	4200W
Voltage	220V~50Hz
N.W/G.W	43.3KG/52.9KG
Unit Size/CTN Size	760*400*568mm / 840*460*600mm
Package	1PCS/CTN
Loading Capacity	65PCS/130PCS/140PCS
	(20'GP/40'GP/40'HQ)



# COMMERCIAL MACHINE SERIES



<b>Model:</b>	FCM3100C
<b>Description:</b>	<ul style="list-style-type: none"> <li>• Stainless steel mirror housing &amp; Plastic side cover;</li> <li>• Multifunction for making coffee, steam and hot water at the same time;</li> <li>• Touch electronic button for easy operation;</li> <li>• Italian pump with 15 bar pressure or Commercial rotary pump with 9 bar pressure for optional;</li> <li>• Inlet pipe to connect tap water &amp; Drain pipe to drain water directly;</li> <li>• With LED illuminator; Temperature and time can be adjusted when making coffee;</li> <li>• Different barometers show the pressure when making coffee and steam;</li> <li>• Dual boilers: one is 550m1 s.s. boiler with s.s.heating tube to make temperature more stable for making coffee; another is 5.25 L s.s. boiler for making steam and hot water;</li> <li>• Professional s. s. porta-filter holder and filter with 58mm diameter;</li> <li>• Pre-infusion system to ensure perfect extraction and crema;</li> <li>• S.S. steam and water tube for cappuccino and hot water;</li> <li>• Top cover cup-warming plate &amp; adjustable non-slip foot.</li> </ul>

Power Consumption	3050W
Voltage	220V~50Hz
N.W/G.W	32.5KG / 39KG / PCS
Unit Size/CTN Size	616*504*500*mm / 695*560*580mm 816*504*500*mm / 895*560*580mm
Package	1PCS / CTN
Loading Capacity (20'GP/40'GP/40'HQ)	120PCS / 263PCS / 264PCS 72PCS / 150PCS / 200PCS



# COMMERCIAL MACHINE SERIES



<b>Model:</b>	FCM3120C
<b>Description:</b>	<ul style="list-style-type: none"> <li>• Stainless steel mirror housing &amp; Plastic side cover;</li> <li>• Multifunction for making coffee, steam and hot water at the same time;</li> <li>• Touch electronic button for easy operation;</li> <li>• Italian pump with 15 bar pressure or Commercial rotary pump with 9 bar pressure for optional;</li> <li>• Inlet pipe to connect tap water &amp; Drain pipe to drain water directly;</li> <li>• With LED illuminator; Temperature and time can be adjusted when making coffee;</li> <li>• Different barometers show the pressure when making coffee and steam;</li> <li>• Dual boilers: one is 550m1 s.s. boiler with s.s.heating tube to make temperature more stable for making coffee; another is 5.25 L s.s. boiler for making steam and hot water;</li> <li>• Professional s. s. porta-filter holder and filter with 58mm diameter;</li> <li>• Pre-infusion system to ensure perfect extraction and crema;</li> <li>• S.S. steam and water tube for cappuccino and hot water;</li> <li>• Top cover cup-warming plate &amp; adjustable non-slip foot.</li> </ul>

Power Consumption	4200W
Voltage	220V~50Hz
N.W/G.W	52.4KG / 63KG / PCS
Unit Size/CTN Size	616*504*500*mm / 695*560*580mm 816*504*500*mm / 895*560*580mm
Package	1PCS / CTN
Loading Capacity (20'GP/40'GP/40'HQ)	120PCS / 263PCS / 264PCS 72PCS / 150PCS / 200PCS



# COMMERCIAL MACHINE SERIES



<b>Model:</b>	FCM3100E
<b>Description:</b>	<ul style="list-style-type: none"> <li>Stainless steel mirror housing &amp; Plastic side cover;</li> <li>Multifunction for making coffee, steam and hot water at the same time;</li> <li>Touch electronic button for easy operation;</li> <li>Commercial rotary pump with 9 bar pressure for optional;</li> <li>Inlet pipe to connect tap water &amp; Drain pipe to drain water directly;</li> <li>With LED illuminator; Temperature and time can be adjusted when making coffee;</li> <li>Different barometers show the pressure when making coffee and steam;</li> <li>Triple boilers: two 550ml heating tube to make temperature more stable for making coffee; another is 10.5L s.s. primary and secondary boiler for making steam and hot water.</li> <li>Professional s. s. porta-filter holder and filter with 58mm diameter;</li> <li>Pre-infusion system to ensure perfect extraction and crema;</li> <li>S.S. steam and water tube for cappuccino and hot water;</li> <li>Top cover cup-warming plate &amp; adjustable non-slip foot.</li> </ul>

Power Consumption	3200W
Voltage	220V~50Hz
N.W/G.W	32.5KG / 39KG / PCS
Unit Size/CTN Size	616*504*500*mm / 695*560*580mm 816*504*500*mm / 895*560*580mm
Package	1PCS / CTN
Loading Capacity	127PCS / 263PCS / 264PCS
(20'GP/40'GP/40'HQ)	72PCS / 150PCS / 200PCS



# COMMERCIAL MACHINE SERIES




<b>Model:</b>	FCM3120C
<b>Description:</b>	<ul style="list-style-type: none"> <li>Stainless steel mirror housing &amp; Plastic side cover;</li> <li>Multifunction for making coffee, steam and hot water at the same time;</li> <li>Touch electronic button for easy operation;</li> <li>Commercial rotary pump with 9 bar pressure for optional;</li> <li>Inlet pipe to connect tap water &amp; Drain pipe to drain water directly;</li> <li>With LED illuminator; Temperature and time can be adjusted when making coffee;</li> <li>Different barometers show the pressure when making coffee and steam;</li> <li>Triple boilers: two 550ml heating tube to make temperature more stable for making coffee; another is 10.5L s.s. primary and secondary boiler for making steam and hot water.</li> <li>Professional s. s. porta-filter holder and filter with 58mm diameter;</li> <li>Pre-infusion system to ensure perfect extraction and crema;</li> <li>S.S. steam and water tube for cappuccino and hot water;</li> <li>Top cover cup-warming plate &amp; adjustable non-slip foot.</li> </ul>

Power Consumption	4200W
Voltage	220V~50Hz
N.W/G.W	52.4KG / 63KG / PCS
Unit Size/CTN Size	616*504*500*mm / 695*560*580mm 816*504*500*mm / 895*560*580mm
Package	1PCS / CTN
Loading Capacity	127PCS / 263PCS / 264PCS
(20'GP/40'GP/40'HQ)	72PCS / 150PCS / 200PCS



# COMMERCIAL MACHINE SERIES



<b>Model:</b>	FCM3109
<b>Description:</b>	<ul style="list-style-type: none"> <li>Stainless steel mirror housing &amp; Plastic side cover;</li> <li>Multifunction for making coffee, steam and hot water at the same time;</li> <li>Touch electronic button for easy operation;</li> <li>Commercial rotary pump with 9 bar pressure for optional;</li> <li>Inlet pipe to connect tap water &amp; Drain pipe to drain water directly;</li> <li>With LED illuminator; Temperature and time can be adjusted when making coffee;</li> <li>Different barometers show the pressure when making coffee and steam;</li> <li>Double boilers: two 550ml S.S boiler with S.S heating tube to make temperature more stable for make coffee; another is full of S.S primary and secondary boiler with 5.25L capacity for making steam and hot water.</li> <li>Professional S.S porta-filter holder and S.S filter with 58mm diameter;</li> <li>Pre-infusion system to ensure perfect extraction and crema;</li> <li>S.S. steam and water tube for cappuccino and hot water;</li> <li>Top cover cup-warming plate &amp; adjustable non-slip foot.</li> </ul>

Power Consumption	3200W
Voltage	220V~50Hz
N.W/G.W	49KG / PCS; 56.5KG / PCS
Unit Size/CTN Size	703*605*555mm / 780*670*685mm
Package	1PCS / CTN
Loading Capacity (20'GP/40'GP/40'HQ)	69PCS / 144 PCS / 144 PCS



# COMMERCIAL MACHINE SERIES



<b>Model:</b>	FCM3120C
<b>Description:</b>	<ul style="list-style-type: none"> <li>Stainless steel mirror housing &amp; Plastic side cover;</li> <li>Multifunction for making coffee, steam and hot water at the same time;</li> <li>Touch electronic button for easy operation;</li> <li>Commercial rotary pump with 9 bar pressure for optional;</li> <li>Inlet pipe to connect tap water &amp; Drain pipe to drain water directly;</li> <li>With LED illuminator; Temperature and time can be adjusted when making coffee;</li> <li>Different barometers show the pressure when making coffee and steam;</li> <li>Triple boilers: two 550ml heating tube to make temperature more stable for making coffee; another is 10.5L S.S primary and secondary boiler for making steam and hot water.</li> <li>Professional S.S porta-filter holder and S.S filter with 58mm diameter;</li> <li>Pre-infusion system to ensure perfect extraction and crema;</li> <li>S.S. steam and water tube for cappuccino and hot water;</li> <li>With flowmeter and fell inner copper pipe;</li> <li>Top cover cup-warming plate &amp; adjustable non-slip foot.</li> </ul>

Power Consumption	4200W
Voltage	220V~50Hz
N.W/G.W	56KG / PCS; 68.5KG / PCS
Unit Size/CTN Size	905*605*555*mm / 980*670*685mm
Package	1PCS / CTN
Loading Capacity (20'GP/40'GP/40'HQ)	61PCS / 105PCS / 105PCS



# COMMERCIAL MACHINE SERIES



<b>Model:</b>	FCM3101
<b>Description:</b>	<ul style="list-style-type: none"> <li>Stainless steel mirror housing &amp; Plastic side cover;</li> <li>Multifunction for making coffee, steam and hot water at the same time;</li> <li>Touch electronic button for easy operation;</li> <li>Commercial rotary pump with 9 bar pressure for optional;</li> <li>Inlet pipe to connect tap water &amp; Drain pipe to drain water directly;</li> <li>With LED illuminator; Temperature and time can be adjusted when making coffee;</li> <li>Different barometers show the pressure when making coffee and steam;</li> <li>Triple boilers: two 550ml heating tube to make temperature more stable for making coffee; another is 10.5L S.S primary and secondary boiler for making steam and hot water.</li> <li>Professional S.S porta-filter holder and S.S filter with 58mm diameter;</li> <li>Pre-infusion system to ensure perfect extraction and crema;</li> <li>S.S. steam and water tube for cappuccino and hot water;</li> <li>With flowmeter and fell inner copper pipe;</li> <li>Top cover cup-warming plate &amp; adjustable non-slip foot.</li> </ul>

Power Consumption	3200W
Voltage	220V~50Hz
N.W/G.W	40KG / PCS; 48KG / PCS
Unit Size/CTN Size	650*565*525*mm
Package	1PCS / CTN
Loading Capacity (20'GP/40'GP/40'HQ)	72PCS / 162PCS / 216PCS



# COMMERCIAL MACHINE SERIES



<b>Model:</b>	FCM3201
<b>Description:</b>	<ul style="list-style-type: none"> <li>Stainless steel mirror housing &amp; Plastic side cover;</li> <li>Multifunction for making coffee, steam and hot water at the same time;</li> <li>Touch electronic button for easy operation;</li> <li>Commercial rotary pump with 9 bar pressure for optional;</li> <li>Inlet pipe to connect tap water &amp; Drain pipe to drain water directly;</li> <li>With LED illuminator; Temperature and time can be adjusted when making coffee;</li> <li>Different barometers show the pressure when making coffee and steam;</li> <li>Triple boilers: two 550ml heating tube to make temperature more stable for making coffee; another is 10.5L S.S primary and secondary boiler for making steam and hot water.</li> <li>Professional S.S porta-filter holder and S.S filter with 58mm diameter;</li> <li>Pre-infusion system to ensure perfect extraction and crema;</li> <li>S.S. steam and water tube for cappuccino and hot water;</li> <li>With flowmeter and fell inner copper pipe;</li> <li>Top cover cup-warming plate &amp; adjustable non-slip foot.</li> </ul>

Power Consumption	4200W
Voltage	220V~50Hz
N.W/G.W	54KG / PCS; 65KG / PCS
Unit Size/CTN Size	850*565*525mm / 934*655*710mm
Package	1PCS / CTN
Loading Capacity (20'GP/40'GP/40'HQ)	50PCS / 123PCS / 123PCS



# COMMERCIAL MACHINE SERIES



A strong mix of innovation and elegance, that satisfies every lover of real Italian Coffee and suits any environment. These semi-automatic professional Coffee machines will be applicable in coffee, HORECA etc.



# COMMERCIAL MACHINE SERIES



COMMERCIAL MACHINE SERIES



Model:	FCM3506
Description:	<ul style="list-style-type: none"> <li>• Desktop metal spray housing with spray color;</li> <li>• Multifunction for making coffee steam and hot water at the same time;</li> <li>• Touch screen for easy operation, adjustable temperature and flow rate;</li> <li>• Dual boilers: one is 550ml s.s boiler with s.s heating tube to make; temperature more stable for making coffee; Another is full or s.s primary and secondary boiler with 5.25L capacity for making steam and hot water;</li> <li>• Commercial rotary vane pump with 9 bar pressure;</li> <li>• Inlet pipe to connect tap water and drain pipe to drain water directly;</li> <li>• Professional s.s porta-filter holder and filter with 58mm diameter;</li> <li>• Manual control for hot water and steam function;</li> <li>• With barometer shows the pressure when making coffee;</li> <li>• With flow meter and full inner cooper pipe;</li> <li>• Auto-pressure release to protect the machine;</li> <li>• S.S steam and water tube for cappuccino and hot water;</li> <li>• Pre-infusion system to ensure perfect extraction and crema.</li> </ul>

Power Consumption	3200W
Voltage	220V~50Hz
N.W/G.W	40.8KG / PCS; 59.5KG / PCS
Unit Size/CTN Size	560*400*790mm / 640*485*975mm
Package	1PCS / CTN
Loading Capacity (20'GP/40'GP/40'HQ)	72PCS / 152PCS / 152PCS



ITALY TECHNOLOGY



BEST MATERIAL



RELIABLE GUARANTEED



ITALY TECHNOLOGY



BEST MATERIAL



RELIABLE GUARANTEED

# TEA AND COFFEE MAKER SERIES



Modern, stylish, compact: style stands out at first glance.  
The entire loose-leaf tea experience, recreated and automated.  
Tea-square, professional craft tea & coffee brewer.



**NEW**



FCM3533	
Power Consumption	4200W
Voltage	220V
Frequency	50Hz



ITALY TECHNOLOGY



BEST MATERIAL



RELIABLE GUARANTEED

## COMMERCIAL MACHINE SERIES



COMMERCIAL MACHINE SERIES



**NEW**



Model:	FCM3131 Allora	FCM3131A Allora
Description:	<ul style="list-style-type: none"> <li>Stainless steel housing;</li> <li>Dual boilers: one 550mls s.boiler with s.s. heating tube to make the temperature more stable for making coffee, another is 2L s.s primary and secondary boiler for making steam and hot water;</li> <li>Detachable water tank with of 2.5L capacity;</li> <li>Italian ULKA pump with 15bar pressure or Rotary vane pump with 9bar pressure for optional;</li> <li>With a barometer, can show the pressure when making coffee;</li> <li>Top cup warmer design;</li> <li>Professional s.s porta-filter holder and filter with 58mm diameter;</li> <li>Touch screen for easy operation, adjustable temperature and flowing capacity;</li> <li>Leva type manual hot water and manual steam functions;</li> <li>Automatic pressure release to protect the machine;</li> <li>Removable drip tray for easy cleaning; also can connect drain pipe directly.</li> </ul> <p><b>FCM3131:</b> Italian pump with 15bar pressure; <b>FCM3131A:</b> Commercial rotary vane pump with 9bar pressure;</p>	
Power Consumption	2510W / 2650W	
Voltage	220V~50Hz	
N.W/G.W	26.8KG / 32.6KG / PCS; 31.2KG / 37KG / PCS	
Unit Size/CTN Size	520*330*476mm / 586*396*598mm	
Package	1PCS / CTN	
Loading Capacity (20'GP/40'GP/40'HQ)	156PCS / 327PCS / 436PCS	



# COMMERCIAL MACHINE SERIES



Model:	FCM3124	FCM3124A
Description:	<ul style="list-style-type: none"> <li>Stainless steel housing;</li> <li>With 2L stainless steel primary and secondary boiler;</li> <li>With 2.5L detachable water tank;</li> <li>Italian pump with 15bar pressure;</li> <li>With coffee pressure showing;</li> <li>Knob type manual hot water and manual steam function;</li> <li>Light touch button operation, coffee time adjustable;</li> <li>Teflon pipe connecting;</li> <li>Automatic pressure release and keep safety;</li> <li>With water drainage function;</li> <li>With detachable drip try;</li> <li>Top cup warmer function.</li> <li>FCM3124: Italian pump with 15bar pressure;</li> <li>FCM3124A: Commercial rotary vane pump with 9bar pressure;</li> </ul>	

Power Consumption	1510W / 1660W
Voltage	220V~50Hz
N.W/G.W	23KG/28.1KG/PCS / 29.1KG/33.5KG/PCS
Unit Size/CTN Size	517*297*410mm / 616*386*562/mm
Package	1PCS / CTN
Loading Capacity (20'GP/40'GP/40'HQ)	156PCS/327PCS/327PCS



# COMMERCIAL MACHINE SERIES



Model:	FCM3137A
Description:	<ul style="list-style-type: none"> <li>Stainless steel housing;</li> <li>2L S.S primary and secondary boiler;</li> <li>Detachable water tank, capacity 2.5L;</li> <li>Rotary vane pump (9 bar);</li> <li>Display for coffee and steam pressure;</li> <li>Turn knob of manual hot water and manual steam function;</li> <li>Leva handle operation, adjustable temperature &amp; pre-infusion time;</li> <li>Copper pipe connection;</li> <li>With automatic pressure release for protection device;</li> <li>With drainage function;</li> <li>Removable drip tray;</li> <li>Cup warmer design</li> </ul>

Power Consumption	1650W
Voltage	220V~50Hz
N.W/G.W	25.6kg/31.7kg
Unit Size/CTN Size	537*335*405mm / 600*400*540 mm
Package	1PCS / CTN
Loading Capacity (20'GP/40'GP/40'HQ)	216PCS/452PCS/452PCS



# COMMERCIAL MACHINE SERIES



<b>Model:</b>	FCM3139 Luga Vanini
<b>Description:</b>	<ul style="list-style-type: none"> <li>• Stainless steel housing;</li> <li>• 2L S.S primary and secondary steam boiler and 500ml S.S coffee boilers;</li> <li>• Detachable water tank, capacity 2.5L;</li> <li>• Italian vibration pump (15bar);</li> <li>• Display shows coffee and steam pressure;</li> <li>• Turn knob for manual hot water and manual steam function;</li> <li>• Leva handle operation, adjustable temperature and pre-infusion time</li> <li>• Copper pipe connection;</li> <li>• With automatic pressure protection device;</li> <li>• With drainage function;</li> <li>• Removable drip tray;</li> <li>• Cup warmer design.</li> </ul>

Power Consumption	1650W
Voltage	220V~50Hz
N.W/G.W	21.4kg / 25.7kg
Unit Size/CTN Size	537*335*405 / mm/600*400*540mm
Package	1PCS / CTN
Loading Capacity	216PCS / 452PCS / 452PCS
(20'GP/40'GP/40'HQ)	



# COMMERCIAL MACHINE SERIES



<b>Model:</b>	FCM3129 Allegrio
<b>Description:</b>	<ul style="list-style-type: none"> <li>• Stainless steel housing;</li> <li>• Multifunction for making coffee, steam and hot water;</li> <li>• Touch electronic button for easy operation, adjustable coffee brewing time;</li> <li>• Italian pump with 15bar pressure;</li> <li>• Dual-boilers: One thermo block is for making coffee and hot water ; and one is 1L die-casting boiler for making steam;</li> <li>• Auto- hot water and manual steam function;</li> <li>• 1.7L removable water reservoir;</li> <li>• With a barometer, can know the pressure when making coffee;</li> <li>• Professional s.s. porta-filter holder and filter with 58mm diameter;</li> <li>• S.S. steam and water pipe for cappuccino and hot water;</li> <li>• Removable drip tray for easy cleaning: also can connect drain pipe directly;</li> <li>• Auto-pressure release to protect the machine;</li> <li>• Top cover cup-warming plate &amp; Adjustable non-slip foot.</li> </ul>

Power Consumption	2950W
Voltage	220V~50Hz
N.W/G.W	26.6kg/32.7kg
Unit Size/CTN Size	410*320*515mm / 567*428*545 mm
Package	1PCS / CTN
Loading Capacity	220PCS/442PCS/444PCS
(20'GP/40'GP/40'HQ)	



# COMMERCIAL MACHINE SERIES



<b>Model:</b>	FCM3812 Garazzi
<b>Description:</b>	<ul style="list-style-type: none"> <li>• Stainless steel mirror housing &amp; plastic side cover ;</li> <li>• Dual boilers: one is 5.5L S.S boiler for making steam, another is thermo-block for making coffee ;</li> <li>• Tap water connection ;</li> <li>• Italian 15 bar vibration pump ;</li> <li>• With barometer for steam display ;</li> <li>• Steam temperature setting function ;</li> <li>• Easy operation, setting brewing time and steam temperature by touch button ;</li> <li>• Inside teflon pipe ;</li> <li>• With auto-pressure release function to protect the machine ;</li> <li>• Also can connect drain pipe to drain water directly ;</li> <li>• Removable drip tray ;</li> <li>• Cup warmer on the top plate ;</li> </ul>

Power Consumption	3200W
Voltage	220V~50Hz
N.W/G.W	17.2KG/21.34KG
Unit Size/CTN Size	410*350*547mm / 426*413*620mm
Package	1PCS / CTN
Loading Capacity (20'GP/40'GP/40'HQ)	



# COMMERCIAL MACHINE SERIES



<b>Model:</b>	FCM3125A
<b>Description:</b>	<ul style="list-style-type: none"> <li>• Stainless steel mirror housing&amp;plastic side cover ;</li> <li>• Dual boilers: one is 5.5L S.S boiler for making steam, another is thermo-block for making coffee ;</li> <li>• Tap water connection ;</li> <li>• Italian 15 bar vibration pump ;</li> <li>• With barometer for steam display ;</li> <li>• Steam temperature setting function ;</li> <li>• Easy operation, setting brewing time and steam temperature by touch button ;</li> <li>• Inside teflon pipe ;</li> <li>• With auto-pressure release function to protect the machine ;</li> <li>• Also can connect drain pipe to drain water directly ;</li> <li>• Removable drip tray ;</li> <li>• Cup warmer on the top plate ;</li> </ul>

Power Consumption	3350W
Voltage	220V~50Hz
N.W/G.W	20.5kg/26.0kg
Unit Size/CTN Size	442*324*520mm / 428*545*576mm
Package	1PCS / CTN
Loading Capacity (20'GP/40'GP/40'HQ)	218PCS/450PCS/450PCS



# COMMERCIAL MACHINE SERIES



<b>Model:</b>	FCM3130
<b>Description:</b>	<ul style="list-style-type: none"> <li>• Stainless steel housing and wood grain side panel ;</li> <li>• Multifunction for making coffee, steam and hot water;</li> <li>• Touch electronic button for easy operation, adjustable coffee brewing time;</li> <li>• Italian pump with 15bar pressure;</li> <li>• Dual-boilers: One thermo block is for making coffee and hot water and one is 1L die-casting AL boiler for making steam;</li> <li>• Auto- hot water and manual steam function;</li> <li>• 1.7L removable water reservoir;</li> <li>• With a barometer, can know the pressure when making coffee;</li> <li>• Professional s. s. porta-filter holder and filter with 58mm diameter;</li> <li>• S. S. steam and water pipe for cappuccino and hot water;</li> <li>• Removable drip tray for easy cleaning;</li> <li>• Auto-pressure release to protect the machine;</li> <li>• Top cover cup-warming plate &amp; Adjustable non-slip foot.</li> </ul>

Power Consumption	2950W
Voltage	220V/50Hz
N.W/G.W	
Unit Size/CTN Size	348*273*407mm / 400*32*462mm
Package	1PCS/CTN
Loading Capacity	220PCS / 750PCS / 750PCS
(20'GP/40'GP/40'HQ)	



# COMMERCIAL MACHINE SERIES



<b>Model:</b>	FCM3128
<b>Description:</b>	<ul style="list-style-type: none"> <li>• Stainless steel housing ;</li> <li>• Multifunction for making coffee, steam and hot water at the same time;</li> <li>• Commercial pump with 9bar pressure ;</li> <li>• Dual boilers: one is 550m1 S.S boiler with S.S heating tube to make temperature more stable for making coffee;</li> <li>• Another 1L boiler for making steam and hot water;</li> <li>• 1.7L removable water reservoir;</li> <li>• With barometer, show the pressure of coffee;</li> <li>• Professional S.S. porta-filter holder and filter with 58mm diameter ;</li> <li>• Pre-infusion system to ensure perfect extraction and crema;</li> <li>• S.S. steam and water tube for cappuccino and hot water ;</li> <li>• Removable drip tray for easy cleaning</li> <li>• Also can connect drain pipe to drain water directly ;</li> <li>• Top cover cup-warming plate&amp; adjustable non-slip feet.</li> </ul>

Power Consumption	2950W
Voltage	220V~50Hz
N.W/G.W	23.5kg/PCS;28.5kg/PCS
Unit Size/CTN Size	410*320*515mm/526*376*610 mm
Package	1PCS / CTN
Loading Capacity	220PCS/442PCS/444PCS
(20'GP/40'GP/40'HQ)	



*ferratti ferro*  
coffee espresso machine

## HOME MACHINE SERIES

A real espresso machine for real coffee,  
you can drink espresso every day in home.  
Innovative s.s. boiler technology & Pre-infusion system  
to ensure perfect extraction and cream.



# HOME MACHINE SERIES

A strong mix of innovation and elegance, that satisfies every lover of real Italian coffee and suits any environment. These semi-automatic professional coffee machines will be applicable in office, Ho, Re, Ca etc.



MANUAL CONTROL



POWER CONTROL



COFFEE HEATING TUBE



HOT WATER




STEAM



COFFEE TABLE




COFFEE



COFFEE HEATING POT BODY



## HOME MACHINE SERIES



Model:	FCM3005C
Description:	<ul style="list-style-type: none"> <li>• Stainless steel housing;</li> <li>• Italian ULKA pump with 15 bar pressure;</li> <li>• 1.7L removable water reservoir;</li> <li>• Thermoblock with s. s. heating tube to prevent aluminum oxidizing and healthier;</li> <li>• With a barometer, can know the pressure when making coffee;</li> <li>• Professional s. s. porta-filter holder and filter with 58mm diameter;</li> <li>• Pre-infusion system to ensure perfect extraction and crema;</li> <li>• S.s. steam nozzle for cappuccino or latte;</li> <li>• Removable drip tray &amp; top cup-warming plate.</li> </ul>
Power Consumption	1450W
Voltage	220-240V
Frequency	50Hz
N.W	6.8KG/PCS
G.W	8KG/CTN
Unit Size	290*255*325mm
G.B Size	357*287*367mm
CTN Size	370*300*380mm
Package	1PCS/CTN
Loading Capacity(20'GP)	622PCS
Loading Capacity(40'GP)	1314PCS
Loading Capacity(40'HQ)	1542PCS



# HOME MACHINE SERIES



Model:	FCM3005	FCM3005A
Description:	<ul style="list-style-type: none"> <li>• Stainless steel housing;</li> <li>• Italian ULKA pump with 15 bar pressure;</li> <li>• 1.7L removable water reservoir;</li> <li>• Thermoblock with s. s. heating tube to prevent aluminum oxidizing and healthier;</li> <li>• Professional s. s. porta-filter holder and filter with 58mm diameter;</li> <li>• Pre-infusion system to ensure perfect extraction and crema;</li> <li>• S.s. steam nozzle for cappuccino or latte;</li> <li>• Removable drip tray &amp; top cup-warming plate.</li> </ul>	
Power Consumption	1450W	
Voltage	220-240V	
Frequency	50Hz	
N.W	6.8KG/PCS	
G.W	8KG/CTN	
Unit Size	290*255*325mm	
G.B Size	357*287*367mm	
CTN Size	370*300*380mm	
Package	1PCS/CTN	
Loading Capacity(20'GP)	622PCS	
Loading Capacity(40'GP)	1314PCS	
Loading Capacity(40'HQ)	1542PCS	



# HOME MACHINE SERIES



Model:	FCM3007	FCM3007A	FCM3007C
Description:	<ul style="list-style-type: none"> <li>• Multifunction for making coffee, steam and hot water;</li> <li>• Stainless steel housing ;</li> <li>• Italian pump with 15 bar pressure;</li> <li>• 1.7 removable water reservoir;</li> <li>• 550ml s.s boiler with s.s. heating tube to make temperature more stable;</li> <li>• Professional s.s. porta-filter holder and filter with 58mm diameter;</li> <li>• Pre-infAusion system to ensure perfect extraction and crema;</li> <li>• S.S. steam nozzle for cappuccino or latte;</li> <li>• Removable drip try&amp; top cup-warming plate.</li> <li>• FCM3007A: With barometer, can know the pressure when making coffee.</li> <li>• FCM3007C: With automatic and manual control function.</li> </ul>		
Power	1240~1450 W		
Voltage	220~240V, 50Hz~60Hz		
Power Pump	19 BAR		
Water Tank	1.4 L		
Loading Capacity (20'GP)	790 PCS		
Loading Capacity (40'GP)	1628 PCS		
Loading Capacity (40'HQ)	1790 PCS		



# HOME MACHINE SERIES



<b>Model:</b>	FCM3009
<b>Description:</b>	<ul style="list-style-type: none"> <li>• Stainless steel housing;</li> <li>• Multifunction for making coffee, steam and hot water;</li> <li>• Italian ULKA pump with 15 bar pressure;</li> <li>• 1.7L removable water reservoir;</li> <li>• 500ml s.s.boiler with s.s.heating tube to make temperature more stable;</li> <li>• Professional s.s.porta-filter holder and filter with 58mm diameter;</li> <li>• Pre-infusion system to ensure perfect extraction and crema;</li> <li>• S.s. steam nozzle for cappuccino or latte;</li> <li>• With a barometer, can know the pressure when making coffee;</li> <li>• Removable drip tray &amp; top cup-warming plate.</li> </ul>
<b>Power Consumption</b>	1500W
<b>Voltage</b>	220-240V
<b>Frequency</b>	50Hz
<b>N.W</b>	13KG/PCS
<b>G.W</b>	15.6KG/CTN
<b>Unit Size</b>	315*313*425mm
<b>G.B Size</b>	388*355*464mm
<b>CTN Size</b>	402*369*474mm
<b>Package</b>	1PCS/CTN
<b>Loading Capacity(20'GP)</b>	403PCS
<b>Loading Capacity(40'GP)</b>	819PCS
<b>Loading Capacity(40'HQ)</b>	873PCS



# HOME MACHINE SERIES



<b>Model:</b>	FCM3009A
<b>Description:</b>	<ul style="list-style-type: none"> <li>• Stainless steel housing;</li> <li>• Multifunction for making coffee, steam and hot water;</li> <li>• Italian ULKA pump with 15 bar pressure;</li> <li>• 1.7L removable water reservoir;</li> <li>• 500ml s.s.boiler with s.s.heating tube to make temperature more stable;</li> <li>• Professional s.s.porta-filter holder and filter with 58mm diameter;</li> <li>• Pre-infusion system to ensure perfect extraction and crema;</li> <li>• S.s. steam nozzle for cappuccino or latte;</li> <li>• With a barometer, can know the pressure when making coffee;</li> <li>• With separate hot water pipe to make hot water easily;</li> <li>• Removable drip tray &amp; top cup-warming plate.</li> </ul>
<b>Power Consumption</b>	1500W
<b>Voltage</b>	220-240V
<b>Frequency</b>	50Hz
<b>N.W</b>	13KG/PCS
<b>G.W</b>	15.6KG/CTN
<b>Unit Size</b>	315*313*425mm
<b>G.B Size</b>	388*355*464mm
<b>CTN Size</b>	402*369*474mm
<b>Package</b>	1PCS/CTN
<b>Loading Capacity(20'GP)</b>	403PCS
<b>Loading Capacity(40'GP)</b>	819PCS
<b>Loading Capacity(40'HQ)</b>	873PCS



# HOME MACHINE SERIES



<b>Model:</b>	FCM3009B
<b>Description:</b>	<ul style="list-style-type: none"> <li>• Stainless steel housing;</li> <li>• Multifunction for making coffee, steam and hot water at the same time;</li> <li>• Italian ULKA pump with 15 bar pressure;</li> <li>• 1.7L removable water reservoir;</li> <li>• Dual boilers: one is 500ml s. s. boiler with s. s. heating tube to make temperature more stable for making coffee; another is thermoblock for making steam and hot water;</li> <li>• Professional s. s. porta-filter holder and filter with 58mm diameter;</li> <li>• Pre-infusion system to ensure perfect extraction and crema;</li> <li>• With a barometer, can know the pressure when making coffee;</li> <li>• S.S. steam and water tube for cappuccino and hot water;</li> <li>• With descale function, can clean the boiler easily;</li> <li>• Removable drip tray &amp; Top cup-warming plate.</li> </ul>
<b>Power Consumption</b>	3000W
<b>Voltage</b>	220-240V
<b>Frequency</b>	50Hz
<b>N.W</b>	15KG/PCS
<b>G.W</b>	17.2KG/CTN
<b>Unit Size</b>	315*313*425mm
<b>G.B Size</b>	388*355*464mm
<b>CTN Size</b>	402*369*474mm
<b>Package</b>	1PCS/CTN
<b>Loading Capacity(20'GP)</b>	403PCS
<b>Loading Capacity(40'GP)</b>	819PCS
<b>Loading Capacity(40'HQ)</b>	873PCS




# HOME MACHINE SERIES



<b>Model:</b>	FCM3012
<b>Description:</b>	<ul style="list-style-type: none"> <li>• Stainless steel housing;</li> <li>• Multifunction for making coffee, steam and hot water at the same time;</li> <li>• Italian ULKA pump with 15 bar pressure;</li> <li>• 1.7L removable water reservoir;</li> <li>• Professional s. s. porta-filter holder and filter with 58mm diameter;</li> <li>• Pre-infusion system to ensure perfect extraction and crema;</li> <li>• Independent multi-thermoblock system for making coffee and steam;</li> <li>• With a barometer, can know the pressure when making coffee;</li> <li>• S. S. steam and water tube for cappuccino and hot water;</li> <li>• With descale function, can clean the boiler easily.</li> </ul>
<b>Power Consumption</b>	3000W
<b>Voltage</b>	220-240V
<b>Frequency</b>	50Hz
<b>N.W</b>	12KG/PCS
<b>G.W</b>	14KG/CTN
<b>Unit Size</b>	320*360*400mm
<b>G.B Size</b>	
<b>CTN Size</b>	396*396*450mm
<b>Package</b>	1PCS/CTN
<b>Loading Capacity(20'GP)</b>	335PCS
<b>Loading Capacity(40'GP)</b>	687PCS
<b>Loading Capacity(40'HQ)</b>	740PCS



# HOME MACHINE SERIES



Model:	FCM3605
Description:	<ul style="list-style-type: none"> <li>• Multifunction for making coffee, steam and hot water;</li> <li>• Plastic housing with brushed S.S. decorative panel;</li> <li>• Italian ULKA pump with 15 bar pressure;</li> <li>• 1.7L removable water reservoir;</li> <li>• Thermoblock with s. s. heating tube to prevent aluminum oxidizing and healthier;</li> <li>• Professional s. s. porta-filter holder and filter with 58mm diameter;</li> <li>• With a barometer, can know the pressure when making coffee;</li> <li>• With separate hot water pipe to make water;</li> <li>• Electronic switch, microcomputer temperature control;</li> <li>• S.S. steaming nozzle for cappuccino or latte;</li> <li>• Removable drip tray &amp; warm cup function.</li> </ul>
Power Consumption	1450W
Voltage	220-240V
Frequency	50Hz
N.W	4.8KG/PCS
G.W	11KG/CTN
Unit Size	285*257*315mm
G.B Size	
CTN Size	521*438*395mm
Package	2PCS/CTN
Loading Capacity(20'GP)	792PCS
Loading Capacity(40'GP)	1680PCS
Loading Capacity(40'HQ)	1960PCS



# HOME MACHINE SERIES



Model:	FCM3006	FCM3601
Description:	<ul style="list-style-type: none"> <li>• Multifunction for making coffee, steam and hot water;</li> <li>• Plastic housing with brushed S.S. decorative panel;</li> <li>• Italian ULKA pump with 15 bar pressure;</li> <li>• 1.7L removable water reservoir;</li> <li>• Thermoblock with s. s. heating tube to prevent aluminum oxidizing and healthier;</li> <li>• Die - casting aluminum filter holder and s.s. filter with 58mm diameter;</li> <li>• Electronic switch, microcomputer temperature control;</li> <li>• S.S. steaming nozzle for cappuccino or latte;</li> <li>• Removable drip tray &amp; warm cup function.</li> </ul>	
Power Consumption	1450W	
Voltage	220-240V	
Frequency	50Hz	
N.W	4.8KG/PCS	
G.W	11KG/CTN	
Unit Size	285*257*315mm	
G.B Size	318*384*355mm	
CTN Size	521*438*395mm	
Package	2PCS/CTN	
Loading Capacity(20'GP)	792PCS	
Loading Capacity(40'GP)	1680PCS	
Loading Capacity(40'HQ)	1960PCS	



# HOME MACHINE SERIES



<b>Model:</b>	FCM3602
<b>Description:</b>	<ul style="list-style-type: none"> <li>• Stainless steel housing;</li> <li>• Italian ULKA pump with 15 bar pressure;</li> <li>• 1.7L removable water reservoir;</li> <li>• 500ml s. s. boiler with s.s.heating tube to make temperature more stable;</li> <li>• Professional s. s. porta-filter holder and filter with 58mm diameter;</li> <li>• S.s. steam nozzle for cappuccino or latte;</li> <li>• Removable drip tray &amp; top cup-warming plate.</li> </ul>
<b>Power Consumption</b>	850-1000W
<b>Voltage</b>	220-240V
<b>Frequency</b>	50Hz
<b>N.W</b>	7.8KG/PCS
<b>G.W</b>	9KG/CTN
<b>Unit Size</b>	270*220*330mm
<b>G.B Size</b>	303*253*335mm
<b>CTN Size</b>	521*318*355mm
<b>Package</b>	2PCS/CTN
<b>Loading Capacity(20'GP)</b>	924PCS
<b>Loading Capacity(40'GP)</b>	1860PCS
<b>Loading Capacity(40'HQ)</b>	2170PCS



# HOME MACHINE SERIES



<b>Model:</b>	FCM3606
<b>Description:</b>	<ul style="list-style-type: none"> <li>• Stainless steel housing;</li> <li>• Italian ULKA pump with 15 bar pressure;</li> <li>• 1.7L removable water reservoir;</li> <li>• Thermoblock with s. s. heating tube to prevent aluminum oxidizing and healthier;</li> <li>• Professional s. s. porta-filter holder and filter with 58mm diameter;</li> <li>• S.s. steam nozzle for cappuccino or latte;</li> <li>• Removable drip tray &amp; top cup-warming plate.</li> </ul>
<b>Power Consumption</b>	850-1000W
<b>Voltage</b>	220-240V
<b>Frequency</b>	50Hz
<b>N.W</b>	7.8KG/PCS
<b>G.W</b>	9KG/CTN
<b>Unit Size</b>	270*220*330mm
<b>G.B Size</b>	303*253*335mm
<b>CTN Size</b>	521*318*355mm
<b>Package</b>	2PCS/CTN
<b>Loading Capacity(20'GP)</b>	924PCS
<b>Loading Capacity(40'GP)</b>	1860PCS
<b>Loading Capacity(40'HQ)</b>	2170PCS



# HOME MACHINE SERIES



Model:	FCM2001	FCM2008
Description:	<ul style="list-style-type: none"> <li>• With 5 bar pressure;</li> <li>• Capacity: 240ML/4 cups;</li> <li>• Dual functions: espresso, cappuccino or latte;</li> <li>• Steam/boiler system with built-in safety valve;</li> <li>• Over-heat &amp; over-pressure protection;</li> <li>• With safe device and automatic pressure-releasing protecting device;</li> <li>• Illuminated on/off switch;</li> <li>• Removable drip tray for easy clean-up;</li> <li>• Accessories: 4-cup s.s. filter, dc aluminum filter holder, tamper &amp; glass carafe.</li> </ul>	
Power Consumption	730-870W	
Voltage	220-240V	
Frequency	50Hz	
N.W	1.6KG/PCS	
G.W	4.9KG/CTN	
Unit Size	235*165*300mm	
G.B Size	269*213*331mm	
CTN Size	441*284*351mm	
Package	2PCS/CTN	
Loading Capacity(20'GP)	1236PCS	
Loading Capacity(40'GP)	2520PCS	
Loading Capacity(40'HQ)	2940PCS	



# HOME MACHINE SERIES



Model:	FCM2002	FCM2008B
Description:	<ul style="list-style-type: none"> <li>• With 5 bar pressure;</li> <li>• Capacity: 240ML/4 cups;</li> <li>• Dual functions: espresso, cappuccino or latte;</li> <li>• Steam/boiler system with built-in safety valve;</li> <li>• Over-heat &amp; over-pressure protection;</li> <li>• With safe device and automatic pressure-releasing protecting device;</li> <li>• Illuminated on/off switch;</li> <li>• Removable drip tray for easy clean-up;</li> <li>• Accessories: 4-cup s.s. filter, dc aluminum filter holder, tamper &amp; glass carafe.</li> </ul>	
Power Consumption	730-870W	
Voltage	220-240V	
Frequency	50Hz	
N.W	1.6KG/PCS	
G.W	4.9KG/CTN	
Unit Size	235*165*300mm	
G.B Size	269*213*331mm	
CTN Size	441*284*351mm	
Package	2PCS/CTN	
Loading Capacity(20'GP)	1236PCS	
Loading Capacity(40'GP)	2520PCS	
Loading Capacity(40'HQ)	2940PCS	




# HOME MACHINE SERIES



<b>Model:</b>	FCM4682
<b>Description:</b>	<ul style="list-style-type: none"> <li>• Stainless steel housing;</li> <li>• ULKA pump</li> <li>• 15Bar Capacity of water tank 1.25L</li> <li>• No water drip during preheating;</li> <li>• less pressure loss during brewing to improve coffee extraction</li> <li>• More stable coffee temperature, comparable to commercial coffee machine.</li> <li>• Working principle similar to commercial coffee machine, single layer filter and good brewing result.</li> </ul>
Power Consumption	1050W
Voltage	220-240V
Frequency	50Hz
Loading Capacity (20'GP)	890PCS
Loading Capacity (40'GP)	1840PCS
Loading Capacity (40'GP)	2130PCS




# HOME MACHINE SERIES



<b>Model:</b>	FCM5003
<b>Description:</b>	<ul style="list-style-type: none"> <li>• Stainless steel housing;</li> <li>• ULKA pump</li> <li>• Italian -style steam Milk Frothing system</li> <li>• Built-in water filtering installation with modular filter cartridge, allows safe water usages as well as raising the coffe quality.</li> <li>• Preheating drip prevention Function.</li> <li>• Temperature control technology.</li> <li>• Overheating protection and excessive pressure protection to guarantee safety.</li> <li>• Cup warming funtion.</li> <li>• Double servings of espresso can be extracted at once.</li> <li>• Professional grade coffee filter handle.</li> </ul>
Power Consumption	1050W
Voltage	220-240V
Frequency	50Hz
Loading Capacity (20'GP)	788PCS
Loading Capacity (40'GP)	1604PCS
Loading Capacity (40'GP)	1760PCS




# HOME MACHINE SERIES



<b>Model:</b>	FCM5013
<b>Description:</b>	<ul style="list-style-type: none"> <li>• 15bar powerful pressure pump</li> <li>• Die-casting aluminum alloy boiler</li> <li>• 1.2L detachable transparent water tank</li> <li>• 1 or 2 cups dual-stainless steel filter</li> <li>• With high pressure frothing function</li> <li>• With overheating and overpressure protected device</li> <li>• Detachable drop tray for easy cleaning</li> <li>• Adjustable steam knob</li> <li>• With thermometer to show the temperature clearly</li> </ul>
Power Consumption	1100W
Voltage	220-240V
Pressure	15 BAR
Water Tank	1.2 L
Frequency	50Hz
Loading Capacity (20'GP)	860PCS
Loading Capacity (40'GP)	1760PCS
Loading Capacity (40'GP)	1960PCS



# HOME MACHINE SERIES



<b>Model:</b>	FCM5013B
<b>Description:</b>	<ul style="list-style-type: none"> <li>• Cup warmer</li> <li>• Adjustable steam</li> <li>• Aluminum die-casting boiler</li> <li>• 15Bar ITALY ULKA pump pressure</li> <li>• Control Panel with chrome plated decoration</li> <li>• Removable transparent water tank</li> <li>• Removable and washable drip tray</li> <li>• With milk frothing function to make cappuccino</li> <li>• With over-heat &amp; over-pressure protecting device</li> <li>• Coffee options: espresso, cappuccino and latte</li> <li>• Thermometer helps you monitor boiler water temperature</li> <li>• 1 &amp; 2 cups ground coffee SUS 304 filter and aluminum die-casting filter holder</li> </ul>
Power Consumption	1000W
Voltage	220V
Frequency	50Hz
N.W/G.W	5/6 Kgs
Water Tank	1000ML
Heating Time	45 Seconds
Brewing Pressure	5/6 Kgs
Dimension	272 x 207.5 x 292 mm
Basket Filter	Stainless Steel SUS304 Double Basket
Loading Capacity (20'GP)	850PCS
Loading Capacity (40'GP)	1820PCS
Loading Capacity (40'GP)	2100PCS




# HOME MACHINE SERIES



<b>Model:</b>	FCM5013C
<b>Description:</b>	<ul style="list-style-type: none"> <li>• Cup warmer</li> <li>• Adjustable steam</li> <li>• Aluminum die-casting boiler</li> <li>• 15Bar ITALY ULKA pump pressure</li> <li>• Control Panel with chrome plated decoration</li> <li>• Removable transparent water tank</li> <li>• Removable and washable drip tray</li> <li>• With milk frothing function to make cappuccino</li> <li>• With over-heat &amp; over-pressure protecting device</li> <li>• Coffee options : espresso, cappuccino and latte</li> <li>• Thermometer helps you monitor boiler water temperature</li> <li>• 1 &amp; 2 cups ground coffee SUS 304 filter and aluminum die-casting filter holder</li> </ul>
Power Consumption	1050W
Voltage	220-240V
Frequency	50/60Hz
N.W/G.W	5/6 Kgs
Water Tank	1000ML
Heating Time	45 Seconds
Brewing Pressure	5/6 Kgs
Dimension	272 x 207.5 x 292 mm
Basket Filter	Stainless Steel SUS304 Double Basket
Loading Capacity (20'GP)	850PCS
Loading Capacity (40'GP)	1820PCS
Loading Capacity (40'GP)	2100PCS



# HOME MACHINE SERIES



<b>Model:</b>	FCM54001
<b>Description:</b>	<ul style="list-style-type: none"> <li>• Appearance</li> <li>• Power switch, knob to control coffee vapor</li> <li>• The overall dimensions are 300x150x307mm</li> <li>• Water tank AS transparent, capacity 1.25L</li> <li>• With pressure relief box function</li> <li>• Contains espresso and cappuccino</li> <li>• Dismountable water connection tray for easy cleaning, convenient and practical</li> <li>• Equipped with 2 cups of filter, make coffee sanitary and easy to clean</li> <li>• Electromagnetic pressure pump with 15bar (48w)</li> <li>• The amount of coffee produced is manual</li> <li>• Thermometer helps you monitor boiler water temperature</li> <li>• With overheat protection device, safe and reliable</li> </ul>
Capacity	1.25L
Voltage	100-240v
Wattage	1250=1450w
Loading Capacity (20'GP)	1150PCS
Loading Capacity (40'GP)	2390PCS
Loading Capacity (40'GP)	2668PCS




# HOME MACHINE SERIES



<b>Model:</b>	FCM7401
<b>Description:</b>	<ul style="list-style-type: none"> <li>• One button operation for brewing coffee with modes of small cup volume, big cup volume, and adjustable cup volume.</li> <li>• Instant-heating boiler with SS pipe, more clean, no scale accurate NTC temperature control.</li> <li>• Flowmeter for controlling accurate coffee amount.</li> <li>• Preheating time ≤90S.</li> <li>• Suitable for tall, middle and short cups.</li> <li>• With detachable milk tank and water tank.</li> <li>• Funnel and filter can be stored at back of the unit.</li> <li>• New frothing system can make fine crema.</li> </ul>
<b>Water capacity</b>	1.7L
<b>Milk tank capacity</b>	500ML
<b>Voltage</b>	100V/120V/220V
<b>Wattage</b>	1230-1470W
<b>Loading Capacity (20'GP)</b>	600PCS
<b>Loading Capacity (40'GP)</b>	1200PCS
<b>Loading Capacity (40'GP)</b>	1400PCS



# HOME MACHINE SERIES



<b>Model:</b>	FCM4622
<b>Description:</b>	<ul style="list-style-type: none"> <li>• Pump can provide 15bar powerful pressure for rich taste.</li> <li>• Die-casting aluminum alloy boiler.</li> <li>• 1.5L large removable water tank with closing lid.</li> <li>• 1 or 2 cups dual-stainless steel filter with patent design to make perfect crema.</li> <li>• Can make coffee with coffee pod of ground coffee.</li> <li>• High pressure frothing function for making cappuccino or other hot beverage.</li> <li>• 3 switches with indicator lights to make coffee or steam convenient.</li> <li>• Elegant design with ABS spraying color decoration.</li> <li>• With overheating and overpressure protected eace, safe and reliable.</li> <li>• Detachable frothing device and drip tray for easy cleaning.</li> <li>• Warming coffee cups pre-heating.</li> </ul>
<b>Power</b>	1050W
<b>Voltage</b>	230V
<b>Pressure</b>	15BAR
<b>Capacity</b>	1.5L
<b>Loading Capacity (20'GP)</b>	938PCS
<b>Loading Capacity (40'GP)</b>	1998PCS
<b>Loading Capacity (40'GP)</b>	2190PCS




# HOME MACHINE SERIES



<b>Model:</b>	FCM4621
<b>Description:</b>	<ul style="list-style-type: none"> <li>• Pump can provide 15 bar powerful pressure for rich taste.</li> <li>• 1.5L large removable water tank with closing lid.</li> <li>• 1 or 2 cups dual-stainless steel filter with patent design to make perfect crema.</li> <li>• Elegant design with stainless steel decoration</li> <li>• With overheating and overpressure protected device, safe and reliable.</li> <li>• Can make coffee with coffee pod or ground coffee.</li> <li>• With high pressure frothing.</li> <li>• Function for making cappuccino or other hot beverage.</li> <li>• Die-casting aluminum alloy boiler.</li> <li>• Detachable frothing device and drip tray and for easy cleaning.</li> </ul>
<b>Voltage</b>	100V~120V
<b>Frequency</b>	50/60 Hz
<b>Power Pump</b>	15 BAR
<b>Water Tank</b>	1.5L
<b>Loading Capacity (20'GP)</b>	1006PCS
<b>Loading Capacity (40'GP)</b>	2042PCS
<b>Loading Capacity (40'GP)</b>	2316PCS



# HOME MACHINE SERIES



<b>Model:</b>	FCM4695D
<b>Description:</b>	<ul style="list-style-type: none"> <li>• 15bar powerful pressure pump.</li> <li>• Die-casting aluminum alloy boiler.</li> <li>• 1.5L detachable transparent water tank.</li> <li>• 1 or 2 cups dual-stainless steel filter.</li> <li>• With high pressure frothing function.</li> <li>• With overheating and overpressure protected device.</li> <li>• Detachable drip tray for easy cleaning.</li> <li>• Adjustable steam knob.</li> </ul>
<b>Power</b>	850W
<b>Voltage</b>	220v-240v
<b>Frequency</b>	50Hz
<b>Power Pump</b>	15 BAR
<b>Water Tank</b>	1.5L
<b>Loading Capacity (20'GP)</b>	810PCS
<b>Loading Capacity (40'GP)</b>	1698PCS
<b>Loading Capacity (40'GP)</b>	1760PCS



# HOME MACHINE SERIES



**Model:** FCM5005


**Description:**

- Can add water filter.
- Die-casting aluminum alloy boiler.
- 1 or 2 cups dual-stainless steel filter.
- Coffee brewing system with patent design.
- Detachable frothing nozzle and drip tray.
- With overheating and verpressure protected device.

Voltage	100v - 240v
Wattage	1050 W
Powe Working	15 Bar
Loading Capacity (20'GP)	858PCS
Loading Capacity (40'GP)	1772PCS
Loading Capacity (40'HQ)	1960PCS



# HOME MACHINE SERIES



**Model:** FCM5700


**Description:**

- Grinding Bean Gear: 15 Gears Manual Adjustable (tentative), 5 Gears Brewing Pressure (>9bar).
- Flowmeter precise control, can automatically brew large and small cups of coffee (large 60 ml,small 30 ml).
- Cone mill direct powder dropping system, no powder outlet, no powder hiding, removable grinding head, easy cleaning Central temperature of coffee funnel : 92±2°C.
- The thermal efficiency of brewing system can reach more than 90%.
- With automatic power-off function, economize on environmental protection.
- Double NTC High Precision PID Precise Temperature Control.

Type	Coffee Machine with Built-in Grinder
Power	1470W
Voltage	230V
Frequency	50Hz
Size	L348 x W322 x H410 MM
Brewing Pressure	20BAR
Water Tank	2.7 L
Bean Hopper capacity	250 GRAM
Material	STAINLESS STEEL
Loading Capacity (20'GP)	435PCS
Loading Capacity (40'GP)	820PCS
Loading Capacity (40'HQ)	830PCS




# HOME MACHINE SERIES



<b>Model:</b>	FCM4675
<b>Description:</b>	<ul style="list-style-type: none"> <li>• 15 bar powerful pressure pump</li> <li>• Thermoblock fast heating system to ensure the precise temperature and instant steam.</li> <li>• Aluminum alloy boiler with stainless steel heating channel to prevent aluminum oxidating.</li> <li>• 1.5L removable transparent water tank.</li> <li>• Dual-stainless steel filter with patent design to make perfect cream.</li> <li>• Can make coffee with coffee pod or ground coffee.</li> <li>• With high pressure frothing function to make cappuccino.</li> <li>• Elegant design with stainless steel decoration.</li> <li>• With overheating and overpressure protected device safe and reliable.</li> <li>• Elegant design with stainless steel decoration.</li> <li>• Detachable frothing device and drip tray.</li> </ul>
Power Pump	15 Bar
Water Tank	1.5L
Loading Capacity (20'GP)	740PCS
Loading Capacity (40'GP)	1556PCS
Loading Capacity (40'HQ)	1820PCS




# HOME MACHINE SERIES



<b>Model:</b>	FCM4629
<b>Description:</b>	<ul style="list-style-type: none"> <li>• Pump can provide 15bar powerful pressure for rich taste.</li> <li>• Die-casting aluminum alloy boiler.</li> <li>• 1.0L detachable transparent water tank.</li> <li>• 1-2 cups dual-stainless steel filter with patent design to make perfect crema.</li> <li>• With high pressure frothing function for making cappuccino or other hot beverage.</li> <li>• With overheating and overpressure protected device safe and reliable.</li> <li>• Detachable drip tray for your easy cleaning.</li> <li>• Warming plate for coffee cups pre-heating.</li> </ul>
Power Pump	15 BAR
Water Tank	1.0 L
Voltage	230V
Frequency	50Hz
Loading Capacity (20'GP)	435PCS
Loading Capacity (40'GP)	820PCS
Loading Capacity (40'HQ)	830PCS



# HOME MACHINE SERIES



**Model:** FCM4602S


**Description:**

- Pump Can provide 15bar powerful pressure for rich taste.
- Die-casting aluminum alloy boiler.
- 1.4L large detachable water tank.
- Aluminum alloy filter holder attached with dual-stainless filter.
- Can make coffee with coffee pod or ground coffee.
- Make espresso with perfect crema.
- With high pressure frothing function.
- 3 switches with indicator lights.
- With 2 independent thermostats to ensure the temperatures of water and steam more accurate.
- Detachable frothing nozzle and drip tray for easy cleaning Metallic cup plate for coffee cups pre-heating.

Power Pump	15 BAR
Water Tank	1.4L
Loading Capacity (20'GP)	910PCS
Loading Capacity (40'GP)	1866PCS
Loading Capacity (40'HQ)	2102PCS



# HOME MACHINE SERIES



**Model:** FCM4626

**Description:**

- Pump can provide 15 bar powerful pressure for rich taste.
- Die-casting aluminum alloy boiler.
- 1.5L large removable water tank.
- 1-2cups dual-stainless steel filter with patent design to make perfect crema.
- Can make coffee with coffee pod or ground coffee with high pressure frothing function for making.
- Cappuccino or other hot beverage.
- Elegant design with ABS spraying color decoration with overheating and overpressure protected device.
- safe and reliable.
- Adjustable steam knob for convenient operation.
- Detachable frothing device and drip tray for easy cleaning.

Power Pump	15 BAR
Water Tank	1.5 L
Loading Capacity (20'GP)	990PCS
Loading Capacity (40'GP)	2050PCS
Loading Capacity (40'HQ)	2218PCS




# HOME MACHINE SERIES



<b>Model:</b>	FCM4656
<b>Description:</b>	<ul style="list-style-type: none"> <li>• With rotary high pressure steam-spouting pipe, can choose to make espresso and cappuccino at will with aluminum diecasting boiler (800w).</li> <li>• With two independent thermostats to control the temperatures of water and steam.</li> <li>• With overheating protecting device for safe and reliable using.</li> <li>• With thermometer on the front of the body to show the temperature clearly.</li> <li>• With detachable drip tray for convenient cleaning.</li> <li>• With safe device and automatic pressurereleasing protecting device.</li> <li>• With safe device and automatic pressurereleasing protecting device.</li> <li>• With detachable drip tray and high pressure funnel for convenient cleaning.</li> </ul>
Power Consumption	800 W
Brewing Pressure	15 Bar
Voltage	220V/50Hz
Water Tank	240 ML
Heating Time	45 Seconds
Porta Filter	Unpressurised
Portafilter	Die Cast Aluminium Diameter 52mm
Basket Filter	Stainless Steel SUS304 Single Basket
Dimension	237 x 210 x 310 mm
Loading Capacity (20'GP)	1132PCS
Loading Capacity (40'GP)	2340PCS
Loading Capacity (40'HQ)	2596PCS



# HOME MACHINE SERIES



<b>Model:</b>	FCM5018-GS
<b>Description:</b>	<ul style="list-style-type: none"> <li>• 220-240V/50Hz/1100W.</li> <li>• 15bar powerful pressure pump.</li> <li>• Die-casting aluminum alloy boiler.</li> <li>• 1.2L detachable transparent water tank.</li> <li>• 2 cups dual-stainless steel filter.</li> <li>• With high pressure frothing function.</li> <li>• With overheating and overpressure protected device.</li> <li>• Detachable drop tray for easy cleaning.</li> <li>• Adjustable steam knob.</li> <li>• With thermometer to show the temperature clearly.</li> </ul>
Power	1100W
Voltage	220-240V/50Hz
Power Pump	15 BAR
Water Tank	1.2 L
Loading Capacity (20'GP)	990PCS
Loading Capacity (40'GP)	2050PCS
Loading Capacity (40'HQ)	2218PCS




# HOME MACHINE SERIES



<b>Model:</b>	FCM5002
<b>Description:</b>	<ul style="list-style-type: none"> <li>• 220-240V/50Hz/1100W.</li> <li>• 15bar powerful pressure pump.</li> <li>• Die-casting aluminum alloy boiler.</li> <li>• 1.2L detachable transparent water tank.</li> <li>• 2 cups dual-stainless steel filter.</li> <li>• With high pressure frothing function.</li> <li>• With overheating and overpressure protected device.</li> <li>• Detachable drop tray for easy cleaning.</li> <li>• Adjustable steam knob.</li> <li>• With thermometer to show the temperature clearly.</li> </ul>
Power	1100W
Voltage	220-240V/50Hz
Power Pump	15 BAR
Water Tank	1.2 L
Loading Capacity (20'GP)	890PCS
Loading Capacity (40'GP)	1840PCS
Loading Capacity (40'HQ)	2130PCS




# HOME MACHINE SERIES



<b>Model:</b>	FCM5002A
<b>Description:</b>	<ul style="list-style-type: none"> <li>• With 15 Bar Italy Ulka Pump.</li> <li>• Capacity : 1.0L</li> <li>• Aluminum die-casting boiler.</li> <li>• Coffee options: espresso, cappuccino and latte.</li> <li>• 1 or 2 cups ground coffee S/S filter.</li> <li>• Pod S/S filter is optional.</li> <li>• Removable transparent water tank.</li> <li>• Removable and washable drip tray, S/S filter and aluminum die-casting filter holder.</li> <li>• With milk frothing function to make cappuccino.</li> <li>• Adjustable steam.</li> <li>• With over-heat &amp; over-pressure protecting device.</li> <li>• Cup warmer.</li> <li>• With chrome plated decoration.</li> </ul>
Power	1050W
Voltage	220-240V
Power Pump	15 BAR
Water Tank	1.0 L
Loading Capacity (20'GP)	850PCS
Loading Capacity (40'GP)	1820PCS
Loading Capacity (40'HQ)	2100PCS




# HOME MACHINE SERIES



<b>Model:</b>	FCM4682GA
<b>Description:</b>	<ul style="list-style-type: none"> <li>• 15Bar Capacity of water tank 1.25L</li> <li>• No water drip during preheating;</li> <li>• Less pressure loss during brewing to improve coffee extraction.</li> <li>• More stable coffee temperature, comparable to commercial coffee machine.</li> <li>• Working principle similar to commercial coffee machine, single layer filter and good brewing result.</li> </ul>
<b>Power</b>	1050W
<b>Voltage</b>	220-240V/50Hz
<b>Power Pump</b>	15 BAR
<b>Water Tank</b>	1.25 L
<b>Loading Capacity (20'GP)</b>	890PCS
<b>Loading Capacity (40'GP)</b>	1840PCS
<b>Loading Capacity (40'HQ)</b>	2130PCS




# HOME MACHINE SERIES



<b>Model:</b>	FCM5411A-GS
<b>Description:</b>	<ul style="list-style-type: none"> <li>• 220-240V/50Hz/1230-1470W.</li> <li>• 15 bar powerful pressure pump.</li> <li>• Thermo block fast heating system with SS pipe, more clean, no scale.</li> <li>• 1.7L water tank, 500ML milk tank.</li> <li>• One button operation for brewing coffee with modes of small cup volume, big cup volume for espresso, cappuccino and latte.</li> <li>• Accurate NTC temperature control.</li> <li>• Flow meter for controlling accurate coffee amount.</li> <li>• Preheating time ≤90S.</li> <li>• Detachable milk tank, water tank and adjustable drip tray.</li> </ul>
<b>Power</b>	1470W
<b>Voltage</b>	220-240V
<b>Power Pump</b>	15 BAR
<b>Water Tank</b>	1.7 L
<b>Loading Capacity (20'GP)</b>	860PCS
<b>Loading Capacity (40'GP)</b>	1760PCS
<b>Loading Capacity (40'HQ)</b>	1960PCS




# HOME MACHINE SERIES




<b>Model:</b>	FCM2009B
<b>Description:</b>	<ul style="list-style-type: none"> <li>• Removable and washable drip tray, S/S filter and aluminum die-casting filter holder.</li> <li>• Coffee options: espresso, cappuccino and latte.</li> <li>• 1 or 2 cups ground coffee S/S filter.</li> <li>• With milk frothing function to make cappuccino.</li> <li>• Pod S/S filter is optional (with extra cost).</li> <li>• Over-heat &amp; over-pressure protecting device.</li> <li>• Adjustable steam.</li> <li>• Cup warmer.</li> </ul>
<b>Power</b>	1050 W
<b>Voltage</b>	220V/50Hz
<b>Power Pump</b>	15 BAR
<b>Water Tank</b>	1500 ML
<b>Heating Time</b>	45 Seconds
<b>Porta Filter</b>	Unpressurised
<b>Portafilter</b>	Die Cast Aluminium Diameter 52mm
<b>Basket Filter</b>	Stainless Steel SUS Single Basket
<b>Colour</b>	Silver+Black
<b>Loading Capacity (20'GP)</b>	354 CTN / 708 PCS
<b>Loading Capacity (40'GP)</b>	751 CTN / 1502 PCS
<b>Loading Capacity (40'HQ)</b>	840 CTN / 1680 PCS



# HOME MACHINE SERIES



<b>Model:</b>	FCM2010A
<b>Description:</b>	<ul style="list-style-type: none"> <li>• 15 bar Italian pump pressure.</li> <li>• Aluminum die-casting boiler.</li> <li>• With 76 cm export carton Drop testing.</li> <li>• Coffee options: espresso, cappuccino and latte.</li> <li>• 1 or 2 cups ground coffee s/s filter.</li> <li>• Pod S/S filter is optional.</li> <li>• Removable and washable drip tray, S/S filter and aluminum die-casting filter holder.</li> <li>• With milk frothing function to make cappuccino</li> <li>• Adjustable steam.</li> <li>• With over-heat &amp; over pressure protecting device.</li> <li>• Thermometer helps you monitor boiler water temperature.</li> <li>• Removable transparent water tank.</li> <li>• With S/S decoration plate.</li> </ul>
<b>Power Pump</b>	15 BAR
<b>Loading Capacity (20'GP)</b>	314 CTN / 628 PCS
<b>Loading Capacity (40'GP)</b>	660 CTN / 1320 PCS
<b>Loading Capacity (40'HQ)</b>	744 CTN / 1488 PCS




# HOME MACHINE SERIES



<b>Model:</b>	FCM2011
<b>Description:</b>	<ul style="list-style-type: none"> <li>• 220-240V/ 50Hz /1050W.</li> <li>• Capacity : 1.1L , slim style.</li> <li>• Italian pump 15 bar pressure.</li> <li>• Thermal block heating system, S/S water tube.</li> <li>• Coffee options : espresso, cappuccino and latte.</li> <li>• 1 or 2 cups ground coffee S/S filter, optional Pod S/S filter.</li> <li>• Removable transparent water tank.</li> <li>• Removable and washable drip tray, S/S filter and aluminum die-casting filter holder.</li> <li>• With milk frothing function to make cappuccino.</li> <li>• Adjustable steam.</li> <li>• With over-heat &amp; over-pressure protecting device Cup warmer.</li> <li>• With painted S/S decoration plate (red, blue, natural, etc).</li> <li>• With plated Top Rim decoration.</li> </ul>
Power	1050 W
Voltage	220-240V/50Hz
Power Pump	15 BAR
Water Tank	1.1 L
Loading Capacity (20'GP)	880 PCS
Loading Capacity (40'GP)	1888 PCS




# HOME MACHINE SERIES



<b>Model:</b>	FCM265E1
<b>Description:</b>	<ul style="list-style-type: none"> <li>• Rating :120V, 60Hz,1300W.</li> <li>• 900ml removable transparent water reservoir.</li> <li>• High performance pump with max.15 bar Defond pump.</li> <li>• Make the nice Espresso and Cappuccino.</li> <li>• Integrated cup warmer on housing top.</li> <li>• Thermostatic controlled hot water system (thermoblock) with automatic emptying of remaining water.</li> <li>• Cool-touch steam nozzle with frothing function.</li> <li>• ON/OFF switch on side panel.</li> <li>• On the top side, multifunction knobs of 4-ways valve integrated 3 micro switches for espresso or steam/hot water.</li> <li>• Removable drip tray for easy cleaning.</li> <li>• Non-slip foot pads.</li> <li>• Portafilter polished.</li> <li>• Accessory: measuring spoon, single and double cup coffee filter .</li> <li>• Product size: 266x205x285mm.</li> </ul>
Power	1300 W
Voltage	120V/60Hz
Power Pump	15 BAR
Loading Capacity (20'GP)	314 CTN / 628 PCS
Loading Capacity (40'GP)	660 CTN / 1320 PCS
Loading Capacity (40'HQ)	744 CTN / 1488 PCS




# HOME MACHINE SERIES



<b>Model:</b>	FCM265B
<b>Description:</b>	<ul style="list-style-type: none"> <li>• Rating : 120V, 60Hz ,1300W</li> <li>• 900ml removable transparent water reservoir</li> <li>• High performance pump with max.15 bar Defond pump</li> <li>• Make the nice Espresso and Cappuccino.</li> <li>• Integrated cup warmer on housing top</li> <li>• Thermostatic controlled hot water system (thermoblock) with automatic emptying of remaining water.</li> <li>• Cool-touch steam nozzle with frothing function</li> <li>• ON/OFF switch on side panel</li> <li>• On the top side, multifunction knobs of 4-ways valve integrated 3 micro switches for espresso or steam/hot water.</li> <li>• Removable drip tray for easy cleaning</li> <li>• Non-slip foot pads.</li> <li>• Portafilter polished.</li> <li>• Accessory: measuring spoon , single and double cup coffee filter .</li> <li>• Product size: 266x205x285mm.</li> </ul>
Power	1300 W
Voltage	120V/60Hz
Power Pump	15 BAR
Water Tank	900 ML
Loading Capacity (20'GP)	882 PCS
Loading Capacity (40'GP)	1826 PCS
Loading Capacity (40'HQ)	2114 PCS



# HOME MACHINE SERIES



<b>Model:</b>	FCM265E1
<b>Description:</b>	<ul style="list-style-type: none"> <li>• Rating : 120V/220v, 50Hz/60Hz,1300W.</li> <li>• 900ml removable transparent water reservoir.</li> <li>• High performance pump with max.15 bar Defond pump.</li> <li>• Make the nice Espresso and Cappuccino.</li> <li>• Integrated cup warmer on housing top.</li> <li>• Thermostatic controlled hot water system (thermoblock) with automatic emptying of remaining water.</li> <li>• Cool-touch steam nozzle with frothing function.</li> <li>• ON/OFF switch on side panel.</li> <li>• Removable drip tray for easy cleaning.</li> <li>• Non-slip foot pads.</li> <li>• Portafilter polished.</li> <li>• Accessory : measuring spoon , single and double cup coffee filter.</li> <li>• Product size : 266x205x285mm.</li> </ul>
Power	1300 W
Voltage	120V220V 50/60Hz
Power Pump	15 BAR
Water Tank	900 ML
Loading Capacity (20'GP)	882 PCS
Loading Capacity (40'GP)	1826 PCS
Loading Capacity (40'HQ)	2114 PCS




# HOME MACHINE SERIES



<b>Model:</b>	FCM265E
<b>Description:</b>	<ul style="list-style-type: none"> <li>• Rating : 120V/220v, 50Hz/60Hz,1300W.</li> <li>• 900ml removable transparent water reservoir.</li> <li>• High performance pump with max.15 bar Defond pump.</li> <li>• Make the nice Espresso and Cappuccino.</li> <li>• Integrated cup warmer on housing top.</li> <li>• Thermostatic controlled hot water system (thermoblock) with automatic emptying of remaining water.</li> <li>• Cool-touch steam nozzle with frothing function.</li> <li>• ON/OFF switch on side panel.</li> <li>• Removable drip tray for easy cleaning.</li> <li>• Non-slip foot pads.</li> <li>• Portafilter polished.</li> <li>• Accessory : measuring spoon, single and double cup coffee filter.</li> <li>• Product size : 266x205x285mm.</li> </ul>
Power	1300 W
Voltage	120V/220V, 50Hz/60Hz
Power Pump	15 BAR
Water Tank	900 ML
Loading Capacity (20'GP)	882 PCS
Loading Capacity (40'GP)	1826 PCS
Loading Capacity (40'HQ)	2114 PCS




# HOME MACHINE SERIES




<b>Model:</b>	FCM265A
<b>Description:</b>	<p>Power rating :120V,60Hz,1250W          Material : S.S. front panel &amp;drip tray cover; AS milk tank &amp; water tank; ABS water tank lid &amp; drip tray;PP plastic of main body frame &amp; base &amp; top lid &amp; water tank lid; 19 bar Defond pump, thermo block heating element with S.S. water pipe heating system, PCB electronic controller to ensure more accurate beverage temperature.</p> <p>One button operation for single cup espresso, double cup espresso, cappuccino, latte, milk foam, self cleaning, every button with illumination light.</p> <p>With detachable milk frothing device and transparent milk tank for easy cleaning and store, special design for direct using milk box.</p> <p>1.4L detachable &amp; transparent water tank, 390ml milk tank.</p> <p>Rolling-over drip tray cover for espresso coffee cup, removable drip tray with S.S. cover for easy clean up.</p> <p>With overheating and over-pressure</p>
Power	1250 W
Voltage	120V/60Hz
Power Pump	19 BAR
Water Tank	1.4 L
Loading Capacity (20'GP)	882 PCS
Loading Capacity (40'GP)	1706 PCS
Loading Capacity (40'HQ)	1876 PCS




# HOME MACHINE SERIES




<b>Model:</b>	FCM265C
<b>Description:</b>	<ul style="list-style-type: none"> <li>• Power rating : 220~240V, 50~60Hz, 1240~1450W ;</li> <li>• Measurement : L265*W220*H326mm</li> <li>• Water capacity : 1.4L; removable transparent water tank, with filter and handle, easy to operate and clean.</li> <li>• Milk box capacity: 390ML</li> <li>• 19 bar Defond pump, thermo block heating element with S.S. Water pipe heating system, PCB electronic controller to ensure more accurate beverage temperature.</li> <li>• Three interchangeable stainless steel strainer can be used to brew single cup (7g);</li> <li>• double cups (14g) One button operation three kinds of beverages (Espresso/ Cappuccino/ Latte)</li> <li>• Espresso: 40ML (single cup)/80ML (double cup)</li> <li>• Control panel with stainless steel panels embedded silicone keypad.</li> <li>• Automatic boil-dry protection, auto shutoff after 30 minutes standby, conserve energy.</li> <li>• Removable milk emulsifier, can adjust the size of milk foam, easy to operate</li> </ul>
Power	1240~1450 W
Voltage	220~240V, 50Hz~60Hz
Power Pump	19 BAR
Water Tank	1.4 L
Loading Capacity (20'GP)	790 PCS
Loading Capacity (40'GP)	1628 PCS
Loading Capacity (40'HQ)	1790 PCS



# HOME MACHINE SERIES



<b>Model:</b>	FCM6861
<b>Description:</b>	<ul style="list-style-type: none"> <li>• 220V 850W 15bar high pressure pump.</li> <li>• 1.6L detachable transparent water tank.</li> <li>• With safety valve can release pressure automatically.</li> <li>• Die-casting aluminum alloy boiler.</li> <li>• Aluminum alloy filter holder attached with dual-stainless filter to improve coffee quality.</li> <li>• Can use for coffee pod or ground coffee.</li> <li>• Can make coffee or steam conveniently.</li> <li>• Safe and reliable, with overheating and overpressure protected device.</li> <li>• Detachable frothing nazzle and drip tray for easy cleaning.</li> <li>• Durable stainless cup plate for coffee cups preheating.</li> <li>• With pressure meter on front body to show the display.</li> </ul>
Power	850 W
Voltage	220V
Power Pump	15 BAR
Water Tank	1.6 L
Loading Capacity (20'GP)	1062 PCS



# HOME MACHINE SERIES



Model:	FCM3007D	FCM3007G
--------	----------	----------

Description:	<ul style="list-style-type: none"> <li>• Multifunction for making coffee, steam.</li> <li>• Stainless steel housing;</li> <li>• Italian pump with 15bar pressure;</li> <li>• 1.7L removable water reservoir;</li> <li>• Dual boiler: 550ml S.S. boiler to make coffee temperature more stable;</li> <li>• Thermoblock for making steam drier;</li> <li>• Set the boiler temperature from 85-102 ;</li> <li>• Professional s.s porta filter holder with 58mm diameter S.S. filter;</li> <li>• With a timer, can see the brewing time</li> <li>• With indication light when machine heating</li> <li>• Pre-infusion system to ensure perfect extraction and crema;</li> <li>• S.S steam nozzle for cappuccino or latte;</li> <li>• Removable drip tray &amp; top cup-warming plate.</li> </ul>
	<p>FCM3007-G: With PID display, Adjustable temperature and time</p>

Power Consumption	1500W / 1850W
Voltage	220-2240V/50Hz
N.W/G.W	8.8Kg/PCS ; 10Kg/CTN
Unit Size/CTN Size	310*220*370 / 380*280*430 mm
Package	1PCS/CTN
Loading Capacity (20'GP/40'GP/40'HQ)	600PCS / 1230PCS / 1474 PCS



# HOME MACHINE SERIES




Model:	FCM3005E	FCM3005H
--------	----------	----------

Description:	<ul style="list-style-type: none"> <li>• Stainless steel housing;</li> <li>• Italian pump with 15 bar pressure;</li> <li>• 1.7L removable water reservoir;</li> <li>• Thermoblock with s.s. heating tube to prevent aluminum oxidizing and healthier;</li> <li>• Professional s.s.porta-filter holder and filter with 58mm diameter;</li> <li>• Pre-infusion system to ensure perfect extraction and crema;</li> <li>• S.s. steam nozzle for cappuccino or latte;</li> <li>• Removable drip tray &amp; top cup-warming plate.</li> </ul>
	<p>FCM3005H: With a barometer, can know the pressure when making coffee;</p>

Power Consumption	1450W
Voltage	220-2240V/50Hz/60Hz
N.W/G.W	6.8Kg/PCS ; 8.3Kg/CTN
Unit Size/CTN Size	290*255*325 / 370*300*390 mm
Package	1PCS/CTN
Loading Capacity (20'GP/40'GP/40'HQ)	670PCS / 1384PCS / 1557PCS



# HOME MACHINE SERIES



**NEW**



**Model:** FCM3603


**Description:**

- Multifunction for making coffee, steam and hot water;
- Plastic housing with brushed S.S decorative panel;
- Italian pump with 15bar pressure;
- 1.7L removable water tank ;
- Thermoblock with S.S heating tube to prevent aluminum oxidizing and healthier;
- Professional S.S. porta-filter
- With a barometer, can know the pressure when making coffee;
- Electronic switch, microcomputer temperature control;
- Brewing time can be adjustable;
- S.S steaming nozzle for cappuccino or latte;
- Removable drip tray & warm cup function;
- Option: top cover with detachable S/S. decoration for warming cup;
- S.S porta filter holder;
- With Separate hot water function.

Power Consumption	1500W / 1850W
Voltage	220-2240V/50Hz
N.W/G.W	8.8Kg/PCS ; 10Kg/CTN
Unit Size/CTN Size	310*220*370 / 380*280*430 mm
Package	1PCS/CTN
Loading Capacity (20'GP/40'GP/40'HQ)	600PCS / 1230PCS / 1474 PCS



# HOME MACHINE SERIES



**NEW**



**Model:** FCM3016

**Description:**

- Elegant and retro design;
- Italian pump with 15 bar pressure;
- Adjustable steam knob;
- Three classical buttons with 3 indicators;
- Power ON/OFF function;
- Espresso brewing function;
- Detachable water tank 1.0L;
- With milk frothing nozzle;
- With detachable drip tray;
- Including measuring spoon and tamper.


Power Consumption	1100W
Voltage	220-240V/50Hz
N.W/G.W	6.8Kg/PCS ; 8.3Kg/CTN
Unit Size/CTN Size	
Package	
Loading Capacity (20'GP/40'GP/40'HQ)	




*ferretti ferro*  
coffee espresso machine

## TEA AND COFFEE MAKER SERIES

Modern, stylish, compact: style stands out at first glance .  
The entire loose-leaf tea experience, recreated and automated.  
Tea-square, professional craft tea & coffee brewer.




# TEA AND COFFEE MAKER SERIES



Model:	FCM1016
Description:	<ul style="list-style-type: none"> <li>• Elegant design with plastic housing;</li> <li>• Dual functions: both for tea and coffee;</li> <li>• Electronic panel operation &amp; keeping warm function;</li> <li>• 1.8L removable water reservoir;</li> <li>• With water level detection switch, water shortage prompt;</li> <li>• Multiple electrical and mechanical safety protection;</li> <li>• With automatic pumping water function, can connect bottled water to fill water;</li> <li>• Transparent glass cup &amp; s.s. filter;</li> </ul>
Power Consumption	1000W
Voltage	220-240V
Frequency	50Hz
N.W	7.2KG/PCS
G.W	11.5KG/CTN
Unit Size	275*140*340mm
G.B Size	325*185*395mm
CTN Size	570*340*410mm
Package	3PCS/CTN
Loading Capacity(20'GP)	990PCS
Loading Capacity(40'GP)	2040PCS
Loading Capacity(40'HQ)	2448PCS



# TEA AND COFFEE MAKER SERIES



Model:	FCM4106
Description:	<ul style="list-style-type: none"> <li>• Plastic housing &amp; Stainless steel decorative sheet</li> <li>• Rotary brewing head for making coffee;</li> <li>• Electronic panel operation &amp; keeping warm function;</li> <li>• 1.8L removable water reservoir;</li> <li>• With water level detection switch, water shortage prompt;</li> <li>• Multiple electrical and mechanical safety protection;</li> <li>• With automatic pumping water function, can connect bottled water to fill water;</li> <li>• Transparent glass cup &amp; s.s. filter.</li> </ul>
Power Consumption	1000W / 2000W
Voltage	120V / 220V
Frequency	60Hz
N.W	3.1KG/PCS
G.W	7KG/CTN
Unit Size	360*190*330mm
G.B Size	325*185*395mm
CTN Size	475*415*394mm
Package	2PCS/CTN
Loading Capacity(20'GP)	640PCS
Loading Capacity(40'GP)	1360PCS
Loading Capacity(40'HQ)	1632PCS



# TEA AND COFFEE MAKER SERIES

Modern, stylish, compact: style stands out at first glance .  
The entire loose-leaf tea experience, recreated and automated.  
Tea-square, professional craft tea & coffee brewer.



MANUAL CONTROL



POWER CONTROL




COFFEE HEATING TUBE



TEMPERATURE CONTROL



TEACUP



HEATING ASSEMBLY



COFFEE




## TEA AND COFFEE MAKER SERIES



Model:	FCM1018
Description:	<ul style="list-style-type: none"> <li>• One-touch start/off switch;</li> <li>• Dual functions: both for tea and coffee;</li> <li>• Water temperature: 98 degree;</li> <li>• Water tank capacity: 800ml;</li> <li>• Tea cup capacity: 600ml;</li> <li>• Lack cup warning function: there is a sensor on the bottom of machine, it will not work when out of cup;</li> <li>• Four settings for boiled time for different kinds tea: refresh tea, light tea, medium tea and strong tea;</li> <li>• Removable glass and s.s. tea basket, easy for cleaning;</li> <li>• With a high temperature resistant glass cup.</li> </ul>
Power Consumption	1000W
Voltage	220-240V
Frequency	50Hz
N.W	7.2KG/PCS
G.W	11.5KG/CTN
Unit Size	275*140*340mm
G.B Size	325*185*395mm
CTN Size	570*340*410mm
Package	3PCS/CTN
Loading Capacity(20'GP)	1000PCS
Loading Capacity(40'GP)	2040PCS
Loading Capacity(40'HQ)	2448PCS



# TEA AND COFFEE MAKER SERIES




Model: FCM1019

<b>Description:</b>	<ul style="list-style-type: none"> <li>• Plastic housing;</li> <li>• Rotary brewing head for making coffee;</li> <li>• Electronic panel with four mode: hot water, keeping warm;</li> <li>• 2 cups / 4cups function;</li> <li>• Brewing procedure can be setting according to different request;</li> <li>• 1.8L removable water tank;</li> <li>• with water level detection switch, water shortage warning;</li> <li>• With fuse and dry boil protection device;</li> <li>• Multiple electrical and mechanical safety protection;</li> <li>• Transparent glass cup &amp; S/S filter.</li> </ul>
---------------------	--

Power Consumption	1600 W
Voltage	220-240V 50 Hz
N.W/G.W	
Unit Size/CTN Size	
Package	
Loading Capacity	
(20'GP/40'GP/40'HQ)	



# TEA AND COFFEE MAKER SERIES



Model: FCM4109

<b>Description:</b>	<ul style="list-style-type: none"> <li>• Plastic housing;</li> <li>• Rotary brewing head for making coffee;</li> <li>• Electronic panel with four mode: hot water, keeping warm;</li> <li>• 2 cups / 4cups function;</li> <li>• Brewing procedure can be setting according to different request;</li> <li>• 1.8L removable water tank;</li> <li>• with water level detection switch, water shortage warning;</li> <li>• With fuse and dry boil protection device;</li> <li>• Multiple electrical and mechanical safety protection;</li> <li>• Transparent glass cup &amp; S/S filter.</li> </ul>
---------------------	--

Power Consumption	1250 W / 1800 W
Voltage	120V/60Hz; 220-240V/50Hz
N.W/G.W	
Unit Size/CTN Size	
Package	
Loading Capacity	
(20'GP/40'GP/40'HQ)	



# TEA AND COFFEE MAKER SERIES




360°  
rotare 360° degrees

Model:	FCM4106B
Description:	<ul style="list-style-type: none"> <li>• Plastic housing;</li> <li>• Rotary brewing head for making coffee;</li> <li>• Electronic panel with four mode: hot water, keeping warm;</li> <li>• 2 cups / 4 cups function;</li> <li>• Brewing procedure can be setting according to different request;</li> <li>• 1.8L removable water tank;</li> <li>• with water level detection switch, water shortage warning;</li> <li>• With fuse and dry boil protection device;</li> <li>• Multiple electrical and mechanical safety protection;</li> <li>• Transparent glass cup &amp; S/S filter.</li> <li>• Option : Ceramic filter &amp; glass cup.</li> </ul>
Power Consumption	1250W / 1800W
Voltage	120V/60Hz; 220-240V/50Hz
N.W/G.W	3.6 Kg/PCS; 5.2Kg/PCS
Unit Size/CTN Size	340*150*358mm / 403*230*435mm
Package	1PCS/CTN
Loading Capacity (20'GP/40'GP/40'HQ)	679PCS/1386PCS/1660PCS



# TEA AND COFFEE MAKER SERIES



360°  
rotare 360° degrees



Model:	FCM1701
Description:	<ul style="list-style-type: none"> <li>• Touch button and digital display;</li> <li>• Accurately control the water temperature by NTC;</li> <li>• Automatic detection of empty cup;</li> <li>• Automatic water outlet function;</li> <li>• Accurately control the water amount by electronic scale;</li> <li>• Triple safety protection (water shortage protection, dry burning protection and abnormal using protection);</li> <li>• Stainless steel heating plate and high borosilicate glass water tank for high temperature resistance;</li> </ul>
Power Consumption	800W
Voltage	220V/50Hz
N.W/G.W	
Jug Max Capacity	800 ML
Unit Size/CTN Size	200*142*329 mm
Package	
Loading Capacity (20'GP/40'GP/40'HQ)	



*ferratti ferro*  
coffee espresso machine

## K-CUP COFFEE MAKER SERIES

The simplicity of its design shows sleek finishes and stylish details, available for various k-cup capsules, designed to make a one-off piece for its style, compactness and features. A real pleasure.



# K-CUP COFFEE MAKER SERIES

The simplicity of its design shows sleek finishes and stylish details, available for various k-cup capsules, designed to make a one-off piece for its style, compactness and features. A real pleasure.



KEY CONTROL



POWER CONTROL



COFFEE HEATING TUBE



TEMPERATURE CONTROL




COFFEE



## K-CUP COFFEE MAKER SERIES



Model:	FCM6101A
Description:	<ul style="list-style-type: none"> <li>• Single cup brewer ;</li> <li>• With patented capsule system;</li> <li>• With elegant design;</li> <li>• With s.s.boiler;</li> <li>• Adjustment solutions are available for various k-cup capsules;</li> <li>• One-button operation,with indicator;</li> <li>• Over-heat &amp; over-pressure protection;</li> <li>• With device and automatic pressure-releasing protecting device;</li> <li>• With removable capsule holder.</li> </ul>
Power Consumption	650W
Voltage	AC120V
Frequency	60Hz
N.W	1.45KG/PCS
G.W	9.26KG/CTN
Unit Size	195*123*243mm
G.B Size	205*130*257mm
CTN Size	408*220*529mm
Package	6PCS/CTN
Loading Capacity(20'GP)	3336PCS
Loading Capacity(40'GP)	7008PCS
Loading Capacity(40'HQ)	8346PCS



# K-CUP COFFEE MAKER SERIES



Model:	FCM6601
Description:	<ul style="list-style-type: none"> <li>• With patented capsule system;</li> <li>• With three groups for convenient making coffee, can connect to tap water directly;</li> <li>• With s.s.boiler;</li> <li>• Adjustment solutions are available for various k-cup capsules;</li> <li>• One-button operation, with indicator;</li> <li>• Over-heat &amp; over-pressure protection;</li> <li>• With safe device and automatic pressure-releasing protecting device;</li> <li>• With a removable capsule holder.</li> </ul>
Power Consumption	2000W
Voltage	AC120V
Frequency	60Hz
N.W	25KG/PCS
G.W	37KG/CTN
Unit Size	616*504*500mm
G.B Size	
CTN Size	702*523*530mm
Package	1PCS/CTN
Loading Capacity(20'GP)	136PCS
Loading Capacity(40'GP)	284PCS
Loading Capacity(40'HQ)	284PCS



# K-CUP COFFEE MAKER SERIES



Model:	FCM6107
Description:	<ul style="list-style-type: none"> <li>• With patented capsule system;</li> <li>• With elegant design;</li> <li>• With s.s.boiler;</li> <li>• Adjustment solutions are available for various k-cup capsules;</li> <li>• One-button operation, with indicator;</li> <li>• Over-heat &amp; over-pressure protection;</li> <li>• With safe device and automatic pressure-releasing protecting device;</li> <li>• With a removable capsule holder;</li> <li>• 1.7L removable water reservoir.</li> </ul>
Power Consumption	600W
Voltage	AC120V
Frequency	60Hz
N.W	1.45KG/PCS
G.W	9.26KG/CTN
Unit Size	195*123*243mm
G.B Size	205*130*257mm
CTN Size	408*220*529mm
Package	6PCS/CTN
Loading Capacity(20'GP)	3336PCS
Loading Capacity(40'GP)	7008PCS
Loading Capacity(40'HQ)	8346PCS



*ferretti ferro*  
coffee espresso machine

## MILK FROTHER SERIES

To make your favorite milk based coffee Cappuccino or Latte,  
with this easy-to-use fully automatic milk frother  
It will be a great addition to your kitchen décor and your idea implement  
to any coffee makers or espresso machines.



# GRINDING AND MILK FROTHING MACHINE SERIES

Simple and elegant design, ideal complement to coffee maker or espresso machines.  
Flat burr coffee grinder, available for various home-use and commercial-use.  
Large capacity design, adjustable thickness to meet any types of coffee machine.

Power Consumption	120W
Voltage	220-240V
Frequency	50/60Hz



FCM9055



FCM8010

NEW

Power Consumption	600W
Voltage	220-240V
Frequency	50/60Hz



## MILK FROTHER SERIES

*ferratti ferro*  
coffee espresso machine

MILK FROTHER SERIES



Model:	FCM8002
Description:	<ul style="list-style-type: none"> <li>• Compact design, ideal complement for coffee maker;</li> <li>• Four settings: milk frothing, heating or both;</li> <li>• Latte art function-perfect balance between milk &amp; foam for cappuccino;</li> <li>• Soft touch on/off button with automatic shut-off;</li> <li>• Dual wall design: s.s.304 inner layer and cold touch plastic housing;</li> <li>• Non-stick teflon coating interior for easy cleaning;</li> <li>• With detachable base, power cord with 0.7m exposed length.</li> </ul>
Power Consumption	600W
Voltage	220V-240V
Frequency	50Hz/60Hz
Milk Frothing/Heating Capacity	160/260ML
Jug Max Capacity	580ML
N.W	0.8KG/PCS
G.W	8.2KG/CTN
Unit Size	174*110*206mm
G.B Size	174*128*200mm
CTN Size	364*272*415mm
Package	8PCS/CTN
Loading Capacity(20'GP)	5120PCS
Loading Capacity(40'GP)	10560PCS
Loading Capacity(40'HQ)	12672PCS



# MILK FROTHER SERIES



Model:	FCM8008
Description:	<ul style="list-style-type: none"> <li>• Compact design, ideal complement for coffee maker;</li> <li>• Soft on/off touch button with automatic shut-off;</li> <li>• Triple settings with one button: milk frothing, heating or both;</li> <li>• Dual wall design: s.s. 304 inner layer and cold touch plastic housing;</li> <li>• With non-stick teflon coating interior for easy cleaning;</li> <li>• With 360° detachable base, power cord with 0.7m exposed length.</li> <li>• Push one time, is for hot frothing, it can make kinds of art latte; (blue indicator always light)</li> <li>• Push two times is for heating milk; (blue indicator always light)</li> <li>• Push three times is for cold frothing; (blue indicator is flashing)</li> </ul>
Power Consumption	600W
Voltage	220V-240V
Frequency	50Hz/60Hz
Milk Frothing/Heating Capacity	160/260ML
Jug Max Capacity	580ML
N.W	0.8KG/PCS
G.W	8KG/CTN
Unit Size	156*112*200mm
G.B Size	160*120*200mm
CTN Size	340*260*420mm
Package	8PCS/CTN
Loading Capacity(20'GP)	6000PCS
Loading Capacity(40'GP)	12200PCS
Loading Capacity(40'HQ)	14300PCS



# MILK FROTHER SERIES



Model:	FCM8008A
Description:	<ul style="list-style-type: none"> <li>• Compact design, ideal complement for coffee maker;</li> <li>• Soft on/off touch button with automatic shut-off;</li> <li>• Triple settings with one button: milk frothing, heating or both;</li> <li>• Dual wall design: s.s. 304 inner layer and cold touch plastic housing;</li> <li>• With non-stick teflon coating interior for easy cleaning;</li> <li>• With 360° detachable base, power cord with 0.7m exposed length.</li> <li>• Push one time, is for hot frothing, it can make kinds of art latte; (blue indicator always light)</li> <li>• Push two times is for heating milk; (blue indicator always light)</li> <li>• Push three times is for cold frothing; (blue indicator is flashing)</li> </ul>
Power Consumption	600W
Voltage	220V-240V
Frequency	50Hz/60Hz
Milk Frothing/Heating Capacity	160/260ML
Jug Max Capacity	580ML
N.W	0.8KG/PCS
G.W	8KG/CTN
Unit Size	156*112*200mm
G.B Size	160*120*200mm
CTN Size	340*260*420mm
Package	8PCS/CTN
Loading Capacity(20'GP)	6000PCS
Loading Capacity(40'GP)	12200PCS
Loading Capacity(40'HQ)	14300PCS



*ferratti ferro*  
coffee espresso machine

## GRINDING MACHINE SERIES

Simple and elegant design, ideal complement to coffee maker or espresso machines.  
Flat burr coffee grinder, available for various home-use and commercial-use.  
Large capacity design, adjustable thickness to meet any types of coffee machine.



# GRINDING MACHINE SERIES

Simple and elegant design, ideal complement to coffee maker or espresso machines. Flat burr coffee grinder, available for various home-use and commercial-use. Large capacity design, adjustable thickness to meet any types of coffee machine.



KEY CONTROL



POWER CONTROL



BEAN GRINDING SYSTEM



TIMING



COFFEE POWDER



## GRINDING MACHINE SERIES



Model:	FGM9083
Description:	<ul style="list-style-type: none"> <li>• 8-gear coarse setting as per your requirement;</li> <li>• S.s. Flat burr make coffee bean grind easily and fast;</li> <li>• Speed: 1400 r/min;</li> <li>• With 1200g capacity holder;</li> <li>• With control button for the quantitative of powder;</li> <li>• Grinding capacity: 10-15kg/hour;</li> <li>• Hopper capacity: 1.2kg;</li> <li>• Hp: 1/2hp.</li> </ul>
Power Consumption	360W
Voltage	220V
Frequency	50Hz
Bean hopper capacity	1.2KG
Color	black or red (original color)
N.W	14KG
G.W	14.5KG
Size	598x272x425mm



# GRINDING MACHINE SERIES



**Model:** FGM9091


**Description:**

- Dispenser capacity: 250gr. (powder coffee);
- Dispensing capacity: 5-9.5gr/cup;
- Grinding stones diameter:64mm;
- Aluminum body;
- Specially hardened tooling steel grindstones;
- Micro adjust high resolution knob for accurate grinding setting;
- 3 optional mode: continues/single cup/double cup;
- Grinding capacity: 4-7kg/hour;
- Heavy duty cast.

Power Consumption	350W
Voltage	2200V
Frequency	50Hz
N.W	10.5KG
G.W	15KG
Grinding capacity	4-7Kg/hour
Bean Hopper capacity	1.2KG
Product size	425*210*330mm
CTN size	400*250*500mm
Package	1PCS/CTN
Loading Capacity(20'GP)	560PCS
Loading Capacity(40'GP)	1164PCS
Loading Capacity(40'HQ)	1455PCS



# GRINDING MACHINE SERIES



**Model:** FGM9092

**Description:**

- Grinding stones diameter:58mm;
- Dispenser capacity: 250gr. (powder coffee);
- Dispensing capacity: 5-9.5gr/cup;
- Industrial extruded aluminum body;
- All Aluminum alloy casted dispenser, right/left hand handle;
- Specially hardened tooling steel grindstones;
- Micro adjust high resolution knob for accurate grinding setting;
- Grinding capacity: 4-7kg/hour.

Power Consumption	350W
Voltage	220V
Frequency	50Hz
N.W	8.87KG
G.W	12KG
Grinding capacity	4-7Kg/hour
Bean Hopper capacity	1.2KG
Product size	450*210*330mm
CTN size	340*250*500mm
Package	1PCS/CTN
Loading Capacity(20'GP)	464PCS
Loading Capacity(40'GP)	968PCS
Loading Capacity(40'HQ)	1210PCS



# GRINDING MACHINE SERIES



**Model:** FGM9008


**Description:**

- Compact design with touch switch;
- Bean hopper with 250g capacity;
- Can adjust the fineness as you required with 8-gear coarse setting;
- With s.s. flat burr can grind coffee bean more fast and smooth;
- Removable coffee powder box for easily use.

Power Consumption	100W
Voltage	220V
Frequency	50Hz
N.W	14.5KG/PCS
G.W	15.5KG/CTN
Grinding capacity	
Bean Hopper capacity	
Product size	380*180*280mm
CTN size	600*380*270mm
Package	4PCS/CTN
Loading Capacity(20'GP)	1824PCS
Loading Capacity(40'GP)	3648PCS
Loading Capacity(40'HQ)	4104PCS



# GRINDING MACHINE SERIES



**Model:** FGM9053


**Description:**

- Transparent beans coffee cover;
- Stainless-steel blades ensure uniform grinding;
- Compact with touch switch;
- High speed grinds;
- Safty lock system;
- Grinds up to 30g of coffee beans at a time;
- Can easily use for spices,nuts and grains;
- Recessed cord storage in the base of grinder.


Power Consumption	130W
Voltage	220V
Frequency	50Hz
N.W	0.6KG/PCS
G.W	8.5KG/CTN
Grinding capacity	
Unit Size	105*102*181mm
G.B Size	110*110*193mm
CTN size	345*235*410mm
Package	12PCS/CTN
Loading Capacity(20'GP)	9780PCS
Loading Capacity(40'GP)	20340PCS
Loading Capacity(40'HQ)	22536PCS



# GRINDING MACHINE SERIES



NEW



Model: FGM9015A


Description:

- Full stainless steel housing;
- Electronic control and time setting for single cup/double cup / manual function;
- Easy to operate and convenient use;
- Adjustable roughness of 1-8 gear grinding for different kinds of coffee;
- Fast grinding speed with dia.60mm S.S flat burr and smooth Bean hopper with 250g capacity;
- With porta-filter holder;


Power Consumption	250W
Voltage	220V/50Hz
N.W/G.W	5.18kG / 6.08KG
Unit Size/CTN Size	212*175*361mm / 297*237*450 mm
Package	1PCS/CTN
Loading Capacity (20'GP/40'GP/40'HQ)	684PCS/1376PCS/1676PCS



# GRINDING MACHINE SERIES



NEW



Model: FGM9009


Description:

- Compact design with ABS housing;
- Easy to operate and convenient use;
- Adjustable roughness of 1-8 gear grinding for different kinds of coffee;
- Fast grinding speed with dia.60mm S.S flat burr and smooth;
- Bean hopper with 120g capacity;

Power Consumption	180W
Voltage	220V/50Hz
N.W/G.W	2.7KG/PCS;3.1KG/CTN
Unit Size/CTN Size	218*122*312mm / 630*370*268mm
Package	4PCS/CTN
Loading Capacity (20'GP/40'GP/40'HQ)	1800PCS/3708PCS/4152PCS



# GRINDING MACHINE SERIES



NEW



Model:	FGM90112	FGM90112A
Description:	<ul style="list-style-type: none"> <li>64mm Italian stainless steel blade</li> <li>Strong hardness grinding discs.</li> <li>Accurate grinding and durable.</li> <li>Strong and low speed induction motor.</li> <li>Adjustable roughness of 1-8 gear grinding for different kinds of coffee.</li> <li>Bean hopper capacity: 1.2L</li> </ul> <p><b>FGM9012A</b></p> <ul style="list-style-type: none"> <li>Low-speed DC motor</li> <li>LCD display</li> <li>Inching button for powder output, manual control the amount flexibly</li> </ul>	

Power Consumption	360W	365W
Voltage	220V/50Hz	220V/50Hz
N.W/G.W		9.17KG/12.2KG
Unit Size/CTN Size	569*220*360 mm	316*288*678 mm
Package	1PCS/CTN	1PCS/CTN
Loading Capacity (20'GP/40'GP/40'HQ)	479PCS/963PCS/1086PCS	479PCS/963PCS/1086PCS



ITALY TECHNOLOGY





BEST MATERIAL



RELIABLE GUARANTEED

# GRINDING MACHINE SERIES



NEW



Model:	FGM9016
Description:	<ul style="list-style-type: none"> <li>64mm stainless steel grinding disc;</li> <li>Strong hardness grinding disc and is not easy to wear;</li> <li>Accurate grinding, sturdiness and durability, ensuring uniform thickness;</li> <li>Tough low-speed induction motor;</li> <li>LCD screen display;</li> <li>Manual inching model, can control the amount of powder;</li> <li>Transparent bean hopper with 280g capacity;</li> <li>Adjustable roughness of 1-11 gear grinding ofr different kinds of coffee;</li> </ul>

Electric power:	250W
Voltage/Hz :	220V50Hz
Grinding discs diameter:	64mm
Bean hopper capacity:	1.65kg
Unit size:	327*237*482mm
N.W./G.W:	8.6kg/11.2kg
Loading Capacity (20GP/40GP/40HQ)	



ITALY TECHNOLOGY




BEST MATERIAL




RELIABLE GUARANTEED

# GRINDING MACHINE SERIES



NEW




Model:	FGM-S60 Raven Matte Black	FGM-S60 Platinum Glossy Silver
Description:	<ul style="list-style-type: none"> <li>• Model : Ferratti Ferro Non Automatic Coffee Grinder.</li> <li>• Strong hardness grinding discs.</li> <li>• Accurate grinding and durable.</li> <li>• Strong and low speed induction motor.</li> <li>• Single, Double dose and manual operation.</li> <li>• Bean hopper capacity: 1.650 grams.</li> </ul> <p><b>FGM-S60 Raven Matte Black &amp; FGSM-S60 Platinum Glossy Silver</b></p> <ul style="list-style-type: none"> <li>• Alumunium body material with high quality coating.</li> <li>• 12 Gear coarse degree powder amount.</li> <li>• Fitness gear adjustable.</li> </ul>	


Rated Power	420 W
Voltage	220V/50Hz
N.W/G.W	12 Kgs/14 Kgs
Dimension	23x40x60 cm
Packing Box	29x40x66 cm
Rotation Performance	1360 RPM



# GRINDING MACHINE SERIES



NEW




Model:	FGM-S60 Bumble Bee Glossy Yellow	FGM-S60 Pearl Glossy White
Description:	<ul style="list-style-type: none"> <li>• Model : Ferratti Ferro Non Automatic Coffee Grinder.</li> <li>• Strong hardness grinding discs.</li> <li>• Accurate grinding and durable.</li> <li>• Strong and low speed induction motor.</li> <li>• Single, Double dose and manual operation.</li> <li>• Bean hopper capacity: 1.650 grams.</li> </ul> <p><b>FGM-S60 Bumble Bee Glossy Yellow &amp; Pearl Glossy White</b></p> <ul style="list-style-type: none"> <li>• Alumunium body material with high quality coating.</li> <li>• 12 Gear coarse degree powder amount.</li> <li>• Fitness gear adjustable.</li> </ul>	


Rated Power	420 W
Voltage	220V/50Hz
N.W/G.W	12 Kgs/14 Kgs
Dimension	23x40x60 cm
Packing Box	29x40x66 cm
Rotation Performance	1360 RPM



# GRINDING MACHINE SERIES



NEW




Model:	FGM-S60 Azure Glossy Blue	FGM-S60 Tangerine Glossy Orange
Description:	<ul style="list-style-type: none"> <li>Model : Ferratti Ferro Non Automatic Coffee Grinder.</li> <li>Strong hardness grinding discs.</li> <li>Accurate grinding and durable.</li> <li>Strong and low speed induction motor.</li> <li>Single, Double dose and manual operation.</li> <li>Bean hopper capacity: 1.650 grams.</li> </ul> <p><b>FGM-S60 Azure Glossy Blue &amp; FGSM-S60 Tangerine Glossy Orange</b></p> <ul style="list-style-type: none"> <li>Alumunium body material with high quality coating.</li> <li>12 Gear coarse degree powder amount.</li> <li>Fitness gear adjustable.</li> </ul>	


Rated Power	420 W
Voltage	220V/50Hz
N.W/G.W	12 Kgs/14 Kgs
Dimension	23x40x60 cm
Packing Box	29x40x66 cm
Rotation Performance	1360 RPM



# GRINDING MACHINE SERIES



NEW




Model:	FGM-AF68 Raven Matte Black	FGM-AF68 Platinum Glossy Silver
Description:	<ul style="list-style-type: none"> <li>Model : Ferratti Ferro Heavy Duty On Demand Coffee Grinder.</li> <li>Digital tube display.</li> <li>Adjustable portafilter support.</li> <li>Good coolant performance.</li> <li>Single, Double doses, Manual grinding and time adjustable.</li> <li>Bean hopper capacity: 850 grams.</li> </ul> <p><b>FGM-AF68 Raven Matte Black &amp; Platinum Glossy Silver</b></p> <ul style="list-style-type: none"> <li>Alumunium body material with high quality coating.</li> <li>Large powder outlet.</li> <li>Anti static and fly powder designed.</li> </ul>	


Rated Power (At 1360 RPM)	420 W
Voltage	220V/50Hz
N.W/G.W	13 Kgs/15 Kgs
Dimension	40x23x60 cm
Packing Box	40x30x60 cm
Touch screen	Yes with multilingual



# GRINDING MACHINE SERIES



NEW



Model: FGM-AF68 Bumblee Bee Glossy Yellow FGM-AF68 Tangerine Glossy Orange FGM-AF68 Pearl Glossy White

**Description:**


- Model : Ferratti Ferro Heavy Duty On Demand Coffee Grinder.
- Digital tube display.
- Adjustable portafilter support.
- Good coolant performance.
- Single, Double doses, Manual grinding and time adjustable.
- Bean hopper capacity: 850 grams.

- FGM-AF68 Bumblee Bee Glossy Yellow, Tangerine Glossy Orange, Pearl Glossy White**
- Alumunium body material with high quality coating.
  - Large powder outlet.


Rated Power (At 1360 RPM)	420 W
Voltage	220V/50Hz
N.W/G.W	13 Kgs/15 Kgs
Dimension	40x23x60 cm
Packing Box	40x30x60 cm
Touch screen	Yes with multilingual



# GRINDING MACHINE SERIES



NEW



Model: FGM-AF83 Raven Matte Black FGM-AF83 Platinum Glossy Silver

**Description:**


- Model : Ferratti Ferro Heavy Duty On Demand Coffee Grinder.
- Digital tube display.
- Adjustable portafilter support.
- Good coolant performance.
- Single, Double doses, Manual grinding and time adjustable.
- Bean hopper capacity: 850 grams.

- FGM-AF83 Raven Matte Black & Platinum Glossy Silver**
- Alumunium body material with high quality coating.
  - Large powder outlet.
  - Anti static and fly powder designed.


Rated Power (1400 RPM)	550 W
Voltage	220V/50Hz
N.W/G.W	12.5 Kgs/14 Kgs
Dimension	188x300x540 cm
Packing Box	228x410x650 cm
Display	Digital tube display



# GRINDING MACHINE SERIES



NEW



Model: FGM-AF83 Bumblee Bee Glossy Yellow FGM-AF83 Tangerine Glossy Orange FGM-AF83 Pearl Glossy White

Description:

- Model : Ferratti Ferro Heavy Duty On Demand Coffee Grinder.
- Digital tube display.
- Adjustable portafilter support.
- Good coolant performance.
- Single, Double doses, Manual grinding and time adjustable.
- Bean hopper capacity: 850 grams.

**FGM-AF8 Bumblee Bee Glossy Yellow, Tangerine Glossy Orange, Pearl Glossy White**

- Alumunium body material with high quality coating.
- Large powder outlet.

Rated Power (1400 RPM)	550 W
Voltage	220V/50Hz
N.W/G.W	12.5 Kgs/14 Kgs
Dimension	188x300x540 cm
Packing Box	228x410x650 cm
Touch screen	Digital tube display



ITALY TECHNOLOGY




BEST MATERIAL




RELIABLE GUARANTEED

# GRINDING MACHINE SERIES



NEW



Model: FGM-AF74 Raven Matte Black FGM-AF74 Platinum Glossy Silver

Description:

- Model : Ferratti Ferro Heavy Duty On Demand Coffee Grinder.
- Adjustable Portafilter Support.
- Coareness adjusting knob.
- Good coolant performance.
- Single, Double doses, Manual grinding and time adjustable.
- Bean hopper capacity: 850 grams.

**FGM-AF74 Raven Matte Black & Platinum Glossy Silver**

- Alumunium body material with high quality coating.
- Large powder outlet.
- Anti static and fly powder designed.

Rated Power (1400 RPM)	550 W
Voltage	220V/50Hz
N.W/G.W	16 Kgs/17 Kgs
Dimension	230x300x540 cm
Packing Box	290x390x660 cm
Display	Full colour touch screen



ITALY TECHNOLOGY




BEST MATERIAL




RELIABLE GUARANTEED

# GRINDING MACHINE SERIES



NEW




Model:	FGM-AF74 Bumblee Bee Glossy Yellow	FGM-AF874 Tangerine Glossy Orange
Description:	<ul style="list-style-type: none"> <li>• Model : Ferratti Ferro Heavy Duty On Demand Coffee Grinder.</li> <li>• Adjustable Portafilter Support.</li> <li>• Coareness adjusting knob.</li> <li>• Good coolant performance.</li> <li>• Single, Double doses, Manual grinding and time adjustable.</li> <li>• Bean hopper capacity: 850 grams.</li> </ul> <p><b>FGM-AF74 Bumble Bee Glossy Yellow &amp; Tangerine Glossy Orange</b></p> <ul style="list-style-type: none"> <li>• Alumunium body material with high quality coating.</li> <li>• Large powder outlet.</li> <li>• Anti static and fly powder designed.</li> </ul>	


Rated Power (1400 RPM)	550 W
Voltage	220V/50Hz
N.W/G.W	16 Kgs/17 Kgs
Dimension	230x300x540 cm
Packing Box	290x390x660 cm
Touch screen	Full colour touch screen



# GRINDING MACHINE SERIES



NEW




Model:	FGM-AF74 Pearl Glossy White
Description:	<ul style="list-style-type: none"> <li>• Model : Ferratti Ferro Heavy Duty On Demand Coffee Grinder.</li> <li>• Adjustable Portafilter Support.</li> <li>• Coareness adjusting knob.</li> <li>• Good coolant performance.</li> <li>• Single, Double doses, Manual grinding and time adjustable.</li> <li>• Bean hopper capacity: 850 grams.</li> </ul> <p><b>FGM-AF74 Pearl Glossy White</b></p> <ul style="list-style-type: none"> <li>• Alumunium body material with high quality coating.</li> <li>• Large powder outlet.</li> <li>• Anti static and fly powder designed.</li> </ul>


Rated Power (1400 RPM)	550 W
Voltage	220V/50Hz
N.W/G.W	16 Kgs/17 Kgs
Dimension	230x300x540 cm
Packing Box	290x390x660 cm
Display	Full colour touch screen



# GRINDING MACHINE SERIES



NEW



Model: FGM-S85 Raven Glossy Black FGM-S85 Raven Glossy Black

**Description:**

- Model : Ferratti Ferro E-control Quantity Coffee Grinder.
- Strong hardness grinding discs.
- Accurate grinding and durable.
- Strong and low speed induction motor.
- Single, Double dose and manual operation.
- Bean hopper capacity: 850 grams.

**FGM-S85 Glossy Black & FGM-S85 Glossy White**

- Aluminium body material with high quality coating.
- 12 Gear coarse degree powder amount.
- Fitness gear adjustable.

Rated Power	550 W
Voltage	220V/50Hz
N.W/G.W	12 Kgs/14 Kgs
Dimension	23x40x60 cm
Packing Box	29x40x66 cm
Color Option	5 Variation



ITALY TECHNOLOGY




BEST MATERIAL




RELIABLE GUARANTEED

# GRINDING MACHINE SERIES



NEW



Model: FGM-S85 Raven Glossy Red FGM-S85 Raven Glossy Silver FGM-S85 Raven Matte Black

**Description:**

- Model : Ferratti Ferro E-control Quantity Coffee Grinder.
- Strong hardness grinding discs.
- Accurate grinding and durable.
- Strong and low speed induction motor.
- Single, Double dose and manual operation.
- Bean hopper capacity: 850 grams.

**FGM-S85 (Raven Glossy Red, Raven Glossy Silver & Raven Matte Black)**

- Aluminium body material with high quality coating.
- 12 Gear coarse degree powder amount.
- Fitness gear adjustable.

Rated Power	550 W
Voltage	220V/50Hz
N.W/G.W	12 Kgs/14 Kgs
Dimension	23x40x60 cm
Packing Box	29x40x66 cm
Color Option	5 Variation



ITALY TECHNOLOGY





BEST MATERIAL



RELIABLE GUARANTEED

# STEAM MAKER



Model:	FCM1206
Description:	<ul style="list-style-type: none"> <li>• Multi-purpose: can make Cappuccino/Latte and different kinds of hot drink;</li> <li>• Easy for operation with touch button and light indicator;</li> <li>• Professional rotary steam nozzle;</li> <li>• Italian ULKA pump 15 bar;</li> <li>• Dual thermoblocks heating system with stronger steam and more efficiency.</li> <li>• With double thermostats for temperature control protection;</li> <li>• Automatic pressure release and keep safety;</li> <li>• With detachable water tank and drip tray;</li> <li>• With temperature sensor, can set the temperature and stop automatically;</li> <li>• Cup warmer function.</li> </ul>



Power Consumption	1650W
Voltage	220V/50Hz
N.W/G.W	7.2KG/PCS ; 8.7 KG/PCS
Unit Size/CTN Size	310*220*381 mm / 380*280*430 mm
Package	1PCS/CTN
Loading Capacity (20'GP/40'GP/40'HQ)	600PCS/1230PCS/1474PCS



# STEAM MAKER



MILK STEAMER




Model:	FCM1207
Description:	<ul style="list-style-type: none"> <li>• Multi-purpose: can make Cappuccino/Latte and different kinds of hot drink;</li> <li>• Easy for operation with touch button and light indicator;</li> <li>• Professional rotary steam nozzle;</li> <li>• Italian ULKA pump 15 bar;</li> <li>• 1L AL-boiler with stronger steam and more efficiency;</li> <li>• With double thermostats for temperature control protection;</li> <li>• Automatic pressure release and keep safety;</li> <li>• With detachable water tank and drip tray;</li> <li>• With temperature sensor, can set the temperature and stop automatically;</li> <li>• Cup warmer function.</li> </ul>


Power Consumption	1650W
Voltage/Hz	220V/50Hz
N.W/G.W	6.8KG/PCS ; 7.8KG/CTN
Unit Size/CTN Size	301*232*394mm / 288*288*502mm
Package	1PCS/CTN
Loading Capacity (20GP/40GP/40HQ)	613PCS/1291PCS/1463PCS



# STEAM MAKER




**NEW**




Model:	FCM1208
Description:	<ul style="list-style-type: none"> <li>• Stainless steel housing;</li> <li>• With 5.25L stainless steel boiler;</li> <li>• With self-priming pump (self-priming height 2M);</li> <li>• With steam pressure showing;</li> <li>• Electronic timing hot water function and automatic constant temperature steam function (adjustable fixed temperature);</li> <li>• External water source;</li> <li>• Automatic pressure release and keep safety;</li> <li>• With water drainage function;</li> <li>• With detachable drip tray;</li> <li>• Cup warmer function;</li> <li>• With leakage of electricity protection switch.</li> </ul>
Power Consumption	2000W
Voltage/Hz	220V/50Hz
N.W/G.W	
Unit Size/CTN Size	370*260*550 mm / 420*310*590 mm
Package	1PCS/CTN
Loading Capacity	210PCS/420PCS/560PCS
(20GP/40GP/40HQ)	



# STEAM MAKER



**NEW**




Model:	FCM1209
Description:	<ul style="list-style-type: none"> <li>• Stainless steel housing;</li> <li>• With 5.25L stainless steel boiler;</li> <li>• With self-priming pump (self-priming height 2M);</li> <li>• Knob type manual hot water and knob type manual steam function;</li> <li>• External water source;</li> <li>• Automatic pressure release and keep safety;</li> <li>• With water drainage function;</li> <li>• With detachable drip tray;</li> <li>• Cup warmer function;</li> <li>• With leakage of electricity protection switch.</li> </ul>
Power Consumption	2000W
Voltage/Hz	220V/50Hz
N.W/G.W	
Unit Size/CTN Size	370*260*550 mm / 420*310*590 mm
Package	1PCS/CTN
Loading Capacity	210PCS/420PCS/560PCS
(20GP/40GP/40HQ)	




MILK STEAMER

# STEAM MAKER

*ferratti ferro*  
coffee espresso machine



**NEW**




*ferratti ferro*  
coffee espresso machine

MILK STEAMER

Model:	FCM1201
Description:	<ul style="list-style-type: none"> <li>• Stainless steel housing;</li> <li>• 2.5Bar steam pressure;</li> <li>• 5.25L S.S boiler to ensure temperature more stable;</li> <li>• Professional rotary steam nozzle;</li> <li>• Independent system can make steam and hot water at the same time;</li> <li>• Can connect tap water and bottled water to fill water;</li> <li>• Over-heat &amp; over-pressure protection;</li> <li>• With safe device and automatic pressure-releasing protect device;</li> </ul>

Power Consumption	2000W
Voltage/Hz	220V/50Hz
N.W/G.W	15KG/PCS;17.5KG/CTN
Unit Size/CTN Size	420*295*520mm / 492*377*582 mm
Package	1PCS/CTN
Loading Capacity (20GP/40GP/40HQ)	240PCS/502PCS/590PCS



**ITALY TECHNOLOGY**

**BEST MATERIAL**

**RELIABLE GUARANTEED**





P0101

SINGLE PORTA  
FILTER HOLDER



P0100

DOUBLE PORTA  
FILTER HOLDER



P0103

CRM2008 PORTA  
FILTER HOLDER



P0102

BOTTOMLESS PORTA  
FILTER HOLDER



P0510

TAMPING BASE



P0450

CRM2008 CARAFE



P0201/P0200

58MM SINGLE &  
DOUBLE PORTA FILTER



P0202

CRM2008 SINGLE  
FILTER



P0300

COFFEE SPOON



P0191/P0190

SINGEL & DOUBLE TIP



CRM3963

1000ML  
LATTE ART CUP



P0400

600ML  
LATTE ART CUP



P0501

SMALL SIZE  
SLAT POT



P0500

BIG SIZE SLAT POT



P0591

58MM CLEANING PIN



P0312/P0310

STAINLESS STEEL  
TAMPER



P0301/P0311

PLASTIC TAMPER



CRM1902

1000G COFFEE  
BEAN JAR



CRM1901

500G COFFEE  
BEAN JAR



P0590

58MM PORTA FILTER  
HOLDER COVER



P0511

TAMPER BASE



# INDOTARA®

PT. INDOTARA PERSADA

## Our Marketing Office and After Sales Service Center

### Head Office

50/F, Menara BCA Grand Indonesia  
Jl. M.H. Thamrin No.1  
Jakarta Pusat 10310  
021 - 5011 2223  
horeca@indotara.id



### Surabaya Office

Bumi Mandiri Tower I Lt. 10 Suite 1008  
Jl. Jend. Basuki Rachmat 129-137  
Surabaya 60271  
031 - 3313 3333  
sby.horeca@indotara.id



### Makassar Office

Fajar Graha Pena Lt. 5  
Jl. Urip Sumoharjo No. 20,  
Makassar - South Sulawesi 90234  
021 - 5011 2223  
mks.horeca@indotara.id



### Marketing Office

Graha Kencana Building, Lt.10 Suite 10F  
Jl. Raya Perjuangan No. 88,  
Kebon Jeruk - Jakarta Barat 11530  
021 - 5011 2223  
horeca@indotara.id



### Yogyakarta Office

Hartono Mall Yogyakarta Lt. 3  
Kaliwaru, Condongcatur,  
Sleman, Yogyakarta 55281  
021 - 5011 2223  
yog.horeca@indotara.id



### Balikpapan Office

Panin Tower Lt. 8 - Grand Sudirman  
Jl. Jendral Sudirman No.7 Klandasan Ilir,  
Balikpapan Kota, Kalimantan Timur 76114  
021 - 5011 2223  
bpp.horeca@indotara.id



### Graha Indotara

Millenium Industrial Estate  
Jl. Millenium 22 Blok R3 No. 1  
Cikupa, Tangerang - Banten 15720  
021 - 5011 2223  
horeca@indotara.id



### Semarang Office

Wisma HSBC Lt. 6 Suite 609  
Jl. Gajah Mada No.135  
Semarang, Jawa Tengah 50134  
024 - 40 33 88 99  
smg.horeca@indotara.id



### Bali Office

Benoa Square Lt. 2  
Jl. Bypass Ngurah Rai No. 21 A Kedonganan,  
Kuta Badung - Bali Indonesia 80361  
021 - 5011 2223  
bali.horeca@indotara.id



### Bandung Office

Wisma HSBC Lt. 6 Suite B  
Jl. Asia Afrika No. 116  
Bandung, Jawa Barat 40112  
021 - 5011 2223  
bdg.horeca@indotara.id



### Medan Office

Sutomo Tower Lantai 5H  
Jl. Sutomo Ujung No.28,  
Kota Medan, Sumatera Utara 20235  
061 - 50 300 600  
mdn.horeca@indotara.id



### Singapore Office

MBFC Tower 3  
17F, 12 Marina Boulevard  
Singapore - 018982  
021 - 5011 2223  
sing.horeca@indotara.id

