

# CORNA

## FOOD DEHYDRATION Equipment

### H SERIES SLICER MACHINE



Food Dehydration Equipment is a device used to preserve food by removing its water content through low-temperature heating and air circulation. By reducing the water content, the growth of bacteria, mold, and yeast can be suppressed, thereby extending the shelf life of food without the need for chemical preservatives.

# LIST OF CONTENTS

## SS-H Series

CHD-06H .....	1
CHD-08H .....	2
CHD-10H .....	3
CHD-10HB .....	4
CHD-12H .....	5
CHD-16H .....	6
CHD-20H .....	7
CHD-24H .....	8
CHD-32H .....	9
CHD-40H .....	10
CHD-48H .....	11
CHD-80H .....	12
CHD-96H .....	13
CHD-108H .....	14
CHD-116H .....	15

## Slicer Machine

CFS-02 .....	17
CFS-04 .....	18
CFS-02S .....	19
CFS-07 .....	20
CFS-05 .....	21
CFS-05S .....	22
CFS-08 .....	23
CFS-07S .....	24
CFS-06 .....	25
CFS-09 .....	26
CFS-10 .....	27
CFS-11 .....	28
CFS-12 .....	29
CFS-300A .....	30
CFS-300B .....	31
CFS-20 .....	32
CFS-40 .....	33
CFS-60 .....	34
CFS-80 .....	35

# FOOD HOT DEHYDRATION EQUIPMENT H SERIES



Corna Food Drying Equipment is a food drying machine designed to evenly reduce the moisture content of food using a controlled flow of warm air. This drying process helps extend the shelf life of food without preservatives, while maintaining its flavor, color, and nutritional content. This equipment is suitable for drying various types of food such as fruits, vegetables, meat, fish, spices, and herbs. With a stable and consistent drying system, the end result is more hygienic, perfectly dry, and ready for storage or further processing.



## TYPE : CHD-06H

Specification	Detail
Power	500W (Integrated power consumption: approx. 400W per hour)
Quantity of Trays	6 trays (Rack gap: 35 mm)
Tray Size	30x28 cm
Voltage	220–240V / 50Hz
Temperature Range	30–90 °C
Time Range	0–24 hours
Noise Level	45–50 dB
Product Size	34.5 × 39.5x28.5 cm
Warranty	1 year (Heating element: 3 years)

### Features:

- Double layer housing
- With an inner LED light
- With additional 1pc crumb tray
- SUS304 trays
- SUS201 housing and liner
- Aluminum Handle



## TYPE : CHD-08H

Specification	Detail
Power	800W (Integrated power consumption: approx. 640W per hour)
Quantity of Trays	8 trays (Rack gap: 38 mm)
Tray Size	30 × 28 cm
Voltage	220–240V / 50Hz
Temperature Range	30–90 °C
Time Range	0–24 hours
Noise Level	45–50 dB
Product Size	34.5 × 39.5 × 42.7 cm
Warranty	1 year (Heating element: 3 years)

### Features:

- Double layer housing
- With an inner LED light
- With additional 1pc crumb tray
- SUS304 trays
- SUS201 housing and liner
- Aluminum Handle



## TYPE : CHD-10H

Specification	Detail
Power	800W (Integrated power consumption: approx. 640W per hour)
Quantity of Trays	10 trays (Rack gap: 30 mm)
Tray Size	30 × 28 cm
Voltage	220–240V / 50Hz
Temperature Range	30–90 °C
Time Range	0–24 hours
Noise Level	45–50 dB
Product Size	34.5 × 39.5 × 42.7 cm
Warranty	1 year (Heating element: 3 years)

### Features:

- Double layer housing
- With an inner LED light
- With additional 1pc crumb tray
- SUS304 trays
- SUS201 housing and liner
- Aluminum Handle



## TYPE : CHD-10HB

Specification	Detail
Power	1000W (Integrated power consumption: approx. 800W per hour)
Quantity of Trays	10 trays (Rack gap: 38 mm)
Tray Size	40 × 38 cm
Voltage	220–240V / 50Hz–60Hz, 110V / 60Hz
Temperature Range	30–90 °C
Time Range	0–24 hours
Noise Level	45–50 dB
Product Size	46.5 × 57 × 54.8 cm
Warranty	1 year (Heating element: 3 years)

### Features:

- Double layer housing
- With an inner LED light
- With additional 1pc crumb tray
- SUS304 trays
- SUS201 housing and liner
- Aluminum Handle



## TYPE : CHD-12H

Specification	Detail
Power	1000W (Integrated power consumption: approx. 800W per hour)
Quantity of Trays	12 trays (Rack gap: 35 mm)
Tray Size	40 × 38 cm
Voltage	220–240V / 50Hz–60Hz, 110V / 60Hz
Temperature Range	30–90 °C
Time Range	0–24 hours
Noise Level	50–55 dB
Product Size	46.5 × 57 × 54.8 cm
Warranty	1 year (Heating element: 3 years)

### Features:

- Double layer housing
- With an inner LED light
- With additional 1pc crumb tray
- SUS304 trays
- SUS201 housing and liner
- Aluminum Handle



**HIGH  
QUALITY**



**BEST  
MATERIAL**



**STAINLESS STEEL  
FOOD GRADE**



**TYPE : CHD-16H**

Specification	Detail
Power	1500W (Integrated power consumption: approx. 1200W per hour)
Quantity of Trays	16 trays (Rack gap: 35 mm)
Tray Size	40 × 38 cm
Voltage	220–240V / 50Hz–60Hz, 110V / 60Hz
Temperature Range	30–90 °C
Time Range	0–24 hours
Noise Level	50–55 dB
Product Size	46.5 × 57 × 67 cm (without wheels)
Warranty	1 year (Heating element: 3 years)

### Features:

- 2 fans in the compartment
- Double layer housing
- With an inner LED light
- With additional 1pc crumb tray
- With 4 wheels
- SUS304 trays
- SUS201 housing and liner
- Aluminum Handle



**HIGH  
QUALITY**



**BEST  
MATERIAL**



**STAINLESS STEEL  
FOOD GRADE**



## TYPE : CHD-20H

Specification	Detail
Power	2000W (Integrated power consumption: approx. 1500W per hour)
Quantity of Trays	20 trays (Rack gap: 35 mm)
Tray Size	40 × 38 cm
Voltage	220–240V / 50Hz–60Hz, 110V / 60Hz
Temperature Range	30–90 °C
Time Range	0–24 hours
Noise Level	50–55 dB
Product Size	46.5 × 57 × 82 cm (without wheels)
Warranty	1 year (Heating element: 3 years)

### Features:

- 3 fans in the compartment
- Double layer housing
- With an inner LED light
- With additional 1pc crumb tray
- With 4 wheels
- SUS304 trays
- SUS201 housing and liner
- Aluminum Handle



**HIGH  
QUALITY**



**BEST  
MATERIAL**



**STAINLESS STEEL  
FOOD GRADE**



**TYPE : CHD-24H**

Specification	Detail
Power	2000W (Integrated power consumption: approx. 1500W per hour)
Quantity of Trays	24 trays (Rack gap: 28 mm)
Tray Size	40 x 38 cm
Voltage	220–240V / 50Hz–60Hz, 110V / 60Hz
Temperature Range	30–90 °C
Time Range	0–24 hours
Noise Level	50–55 dB
Product Size	46.5 x 57 x 82 cm (without wheels)
Warranty	1 year (Heating element: 3 years)

### Features:

- 3 fans in the compartment
- Double layer housing
- With an inner LED light
- With additional 1pc crumb tray
- With 4 wheels
- SUS304 trays
- SUS201 housing and liner
- Aluminum Handle



**HIGH  
QUALITY**



**BEST  
MATERIAL**



**STAINLESS STEEL  
FOOD GRADE**



## TYPE : CHD-32H

Specification	Detail
Power	3000W (Integrated power consumption: approx. 2400W per hour)
Quantity of Trays	32 trays (Rack gap: 35 mm)
Tray Size	40 × 38 cm
Voltage	220–240V / 50Hz–60Hz
Temperature Range	30–90 °C
Time Range	0–24 hours
Noise Level	50–55 dB
Product Size	46.5 × 57 × 132 cm (without wheels)
Warranty	1 year (Heating element: 3 years)

### Features:

- 2 independent compartments
- 2 fans for each compartment
- Double layer housing
- With an inner LED light
- With additional 2pcs crumb trays
- With 4 wheels
- SUS304 trays
- SUS201 housing and liner
- Aluminum Handle
- Exporting standard full wooden box package




## TYPE : CHD-40H

Specification	Detail
Power	4000W (Integrated power consumption: approx. 3200W per hour)
Quantity of Trays	40 trays (Rack gap: 35 mm)
Tray Size	40 × 38 cm
Voltage	220–240V / 50Hz–60Hz
Temperature Range	30–90 °C
Time Range	0–24 hours
Noise Level	50–55 dB
Product Size	46.5 × 57 × 161.6 cm (without wheels)
Warranty	1 year (Heating element: 3 years)

### Features:

- 2 independent compartments
- 3 fans for each compartment
- Double layer housing
- With an inner LED light
- With additional 2pcs crumb trays
- With 4 wheels
- SUS304 trays
- SUS201 housing and liner
- Aluminum Handle
- Exporting standard full wooden box package



## TYPE : CHD-48H

Specification	Detail
Power	4000W (Integrated power consumption: approx. 3200W per hour)
Quantity of Trays	48 trays (Rack gap: 30 mm)
Tray Size	40 × 38 cm
Voltage	220–240V / 50Hz–60Hz
Temperature Range	30–90 °C
Time Range	0–24 hours
Noise Level	50–55 dB
Product Size	46.5 × 57 × 161.6 cm (without wheels)
Warranty	1 year (Heating element: 3 years)

### Features:

- 2 independent compartments
- 3 fans for each compartment
- Double layer housing
- With an inner LED light
- With additional 2pcs crumb trays
- With 4 wheels
- SUS304 trays
- SUS201 housing and liner
- Aluminum Handle
- Exporting standard full wooden box package



**HIGH  
QUALITY**



**BEST  
MATERIAL**



**STAINLESS STEEL  
FOOD GRADE**



## TYPE : CHD-80H

Specification	Detail
Power	6000W (Integrated power consumption: approx. 4800W per hour)
Quantity of Trays	80 trays (Rack gap: 35 mm)
Tray Size	40 × 38 cm
Voltage	220–240V / 50Hz–60Hz
Temperature Range	30–90 °C
Time Range	0–24 hours
Noise Level	50–55 dB
Product Size	94 × 57 × 162.6 cm (without wheels)
Warranty	1 year (Heating element: 3 years)

### Features:

- 2 independent compartments
- 3 fans for each compartment
- Double layer housing
- With an inner LED light
- With additional 2pcs crumb trays
- With 4 wheels
- SUS304 trays
- SUS201 housing and liner
- Aluminum Handle
- Exporting standard full wooden box package



**HIGH  
QUALITY**



**BEST  
MATERIAL**



**STAINLESS STEEL  
FOOD GRADE**



## TYPE : CHD-96H

Specification	Detail
Power	7600W (Integrated power consumption: approx. 6000W per hour)
Quantity of Trays	96 trays (Rack gap: 30 mm)
Tray Size	40 × 38 cm
Voltage	220–240V / 50Hz–60Hz
Temperature Range	30–90 °C
Time Range	0–24 hours
Noise Level	50–55 dB
Product Size	94 × 57 × 162.6 cm (without wheels)
Warranty	1 year (Heating element: 3 years)

### Features:

- 4 independent compartments
- 3 fans for each compartment
- Double layer housing
- With an inner LED light
- With additional 2pcs crumb trays
- With 4 wheels
- SUS304 trays
- SUS201 housing and liner
- Aluminum Handle
- Exporting standard full wooden box package



TYPE : CHD-108H

Specification	Detail
Power	7600W (Integrated power consumption: approx. 6000W per hour)
Quantity of Trays	108 trays (Rack gap: 30 mm)
Tray Size	40 × 38 cm
Voltage	220–240V / 50Hz–60Hz
Temperature Range	30–90 °C
Time Range	0–24 hours
Noise Level	50–55 dB
Product Size	94.5 × 57.5 × 180.5 cm
Warranty	1 year (Heating element: 3 years)

**Features:**

- 2 independent compartments
- 6 fans for each compartment
- Double layer housing
- With an inner LED light
- With additional 2pcs crumb trays
- With 4 wheels
- SUS304 trays
- SUS201 housing and liner
- Aluminum Handle
- Exporting standard full wooden box package



**HIGH  
QUALITY**



**BEST  
MATERIAL**



**STAINLESS STEEL  
FOOD GRADE**



## TYPE : CHD-116H

Specification	Detail
Power	7600W (Integrated power consumption: approx. 6000W per hour)
Quantity of Trays	116 trays (Rack gap: 28 mm)
Tray Size	40 × 38 cm
Voltage	220–240V / 50Hz–60Hz
Temperature Range	30–90 °C
Time Range	0–24 hours
Noise Level	50–55 dB
Product Size	94.5 × 57.5 × 180.5 cm
Warranty	1 year (Heating element: 3 years)

### Features:

- 2 independent compartments
- 6 fans for each compartment
- Double layer housing
- With an inner LED light
- With additional 2pcs crumb trays
- With 4 wheels
- SUS304 trays
- SUS201 housing and liner
- Aluminum Handle
- Exporting standard full wooden box package

# FOOD DEHYDRATION Equipment

## SLICER MACHINE



Corna Food Drying Equipment is a food drying machine designed to evenly reduce the moisture content of food using a controlled flow of warm air. This drying process helps extend the shelf life of food without preservatives, while maintaining its flavor, color, and nutritional content. This equipment is suitable for drying various types of food such as fruits, vegetables, meat, fish, spices, and herbs. With a stable and consistent drying system, the end result is more hygienic, perfectly dry, and ready for storage or further processing.



**HIGH  
QUALITY**



**BEST  
MATERIAL**



**STAINLESS STEEL  
FOOD GRADE**



A slicer machine is a cutting machine used to cut ingredients into uniformly sized slices. These machines are often used in the food industry, restaurants, or large kitchens to quickly and consistently cut bread, meat, cheese, vegetables, fruit, and other items.

## TYPE : CFS-02

Specification		Features
Product Size	31*39*39cm	Detachable blade for easy cleaning
Food Thickness	0-13mm	201# Stainless steel body
Food Slot Size	10*10*25cm	420# Stainless steel Blade
Handle length	11.5cm	One-way cutting



**HIGH  
QUALITY**



**BEST  
MATERIAL**



**STAINLESS STEEL  
FOOD GRADE**



A slicer machine is a cutting machine used to cut ingredients into uniformly sized slices. These machines are often used in the food industry, restaurants, or large kitchens to quickly and consistently cut bread, meat, cheese, vegetables, fruit, and other items.

## TYPE : CFS-04

Specification		Features
Product Size	30*39*39cm	Detachable blade for easy cleaning
Food Thickness	0-13mm	201# Stainless steel body
Food Slot Size	10*10*18cm	420# Stainless steel Blade
Handle length	11.5cm	One-way cutting



**HIGH  
QUALITY**



**BEST  
MATERIAL**



**STAINLESS STEEL  
FOOD GRADE**



A slicer machine is a cutting machine used to cut ingredients into uniformly sized slices. These machines are often used in the food industry, restaurants, or large kitchens to quickly and consistently cut bread, meat, cheese, vegetables, fruit, and other items.

## TYPE : CFS-02S

Specification		Features
Product Size	35*39*44cm	Detachable blade for easy cleaning
Food Thickness	0-10mm	201# Stainless steel body
Food Slot Size	14*14*22cm	420# Stainless steel Blade
Handle length	11.5cm	One-way cutting



**HIGH  
QUALITY**



**BEST  
MATERIAL**



**STAINLESS STEEL  
FOOD GRADE**



A slicer machine is a cutting machine used to cut ingredients into uniformly sized slices. These machines are often used in the food industry, restaurants, or large kitchens to quickly and consistently cut bread, meat, cheese, vegetables, fruit, and other items.

## TYPE : CFS-07

Specification		Features
Product Size	36*27*38cm	Detachable blade for easy cleaning
Food Thickness	0-13mm	420# Stainless steel Blade
Food Slot Size	11*11*18cm	Plastic body
Handle length	11.5cm	One-way cutting
		Non-slip feet



A slicer machine is a cutting machine used to cut ingredients into uniformly sized slices. These machines are often used in the food industry, restaurants, or large kitchens to quickly and consistently cut bread, meat, cheese, vegetables, fruit, and other items.

## TYPE : CFS-07

### Features

Electric type

Detachable blade for easy cleaning

201# Stainless steel body

420# Stainless steel Blade

One-way cutting

Non-slip feet

### Specification

Product Size	32*35*42cm
Food Thickness	0-10mm
Food Slot Size	13*13*22cm
Power	200W



**HIGH  
QUALITY**



**BEST  
MATERIAL**



**STAINLESS STEEL  
FOOD GRADE**



A slicer machine is a cutting machine used to cut ingredients into uniformly sized slices. These machines are often used in the food industry, restaurants, or large kitchens to quickly and consistently cut bread, meat, cheese, vegetables, fruit, and other items.

## TYPE : CFS-05S

Specification	
Product Size	32*27*38.5cm
Food Thickness	0-13mm
Food Slot Size	9.5*9.5*22cm
Power	200W

### Features

Electric type

Detachable blade for easy cleaning

201# Stainless steel body

420# Stainless steel Blade

One-way cutting

Non-slip feet

**HIGH  
QUALITY****BEST  
MATERIAL****STAINLESS STEEL  
FOOD GRADE**

A slicer machine is a cutting machine used to cut ingredients into uniformly sized slices. These machines are often used in the food industry, restaurants, or large kitchens to quickly and consistently cut bread, meat, cheese, vegetables, fruit, and other items.

## TYPE : CFS-08

Specification	
Product Size	32*35*48.5cm
Food Thickness	0-10mm
Food Slot Size	14*14*22cm
Power	200W

### Features

Electric type
Detachable blade for easy cleaning
201# Stainless steel body
420# Stainless steel Blade
One-way cutting
Non-slip feet



**HIGH  
QUALITY**



**BEST  
MATERIAL**



**STAINLESS STEEL  
FOOD GRADE**



A slicer machine is a cutting machine used to cut ingredients into uniformly sized slices. These machines are often used in the food industry, restaurants, or large kitchens to quickly and consistently cut bread, meat, cheese, vegetables, fruit, and other items.

## TYPE : CFS-07S

Specification		Features
Product Size	32*21*34cm	Electric type
Dice Size	10mm	Detachable blade for easy cleaning
Optional Size	5/8/12/15mm	201# Stainless steel body
Food Inlet Size	7*7*10cm	One-way cutting
Power	200W	Non-slip feet



**HIGH  
QUALITY**



**BEST  
MATERIAL**



**STAINLESS STEEL  
FOOD GRADE**



A slicer machine is a cutting machine used to cut ingredients into uniformly sized slices. These machines are often used in the food industry, restaurants, or large kitchens to quickly and consistently cut bread, meat, cheese, vegetables, fruit, and other items.

## TYPE : CFS-06

Specification		Features
Product Size	32*21*39cm	Electric type
Dice Size	10mm	Detachable blade for easy cleaning
Optional Size	6/8/12/15mm	201# Stainless steel body
Food Inlet Size	7*7*10cm	One-way cutting
Power	200W	Non-slip feet



**HIGH  
QUALITY**



**BEST  
MATERIAL**



**STAINLESS STEEL  
FOOD GRADE**



A slicer machine is a cutting machine used to cut ingredients into uniformly sized slices. These machines are often used in the food industry, restaurants, or large kitchens to quickly and consistently cut bread, meat, cheese, vegetables, fruit, and other items.

## TYPE : CFS-09

Specification		Features
Product Size	27*16.5*37cm	Manual type
French Fries Size	7/10/14mm	Detachable blade for easy cleaning
		201# Stainless steel body
		One-way cutting
		Non-slip feet



**HIGH  
QUALITY**



**BEST  
MATERIAL**



**STAINLESS STEEL  
FOOD GRADE**



A slicer machine is a cutting machine used to cut ingredients into uniformly sized slices. These machines are often used in the food industry, restaurants, or large kitchens to quickly and consistently cut bread, meat, cheese, vegetables, fruit, and other items.

## TYPE : CFS-05S

Specification	
Product Size	62*16.5*27cm
Food Thickness	7/10/14mm
Food Slot Size	15*15*20cm
Power	100W

Features
Electric type
Detachable blade for easy cleaning
201# Stainless steel body
One-way cutting
Non-slip feet



**HIGH  
QUALITY**



**BEST  
MATERIAL**



**STAINLESS STEEL  
FOOD GRADE**



A slicer machine is a cutting machine used to cut ingredients into uniformly sized slices. These machines are often used in the food industry, restaurants, or large kitchens to quickly and consistently cut bread, meat, cheese, vegetables, fruit, and other items.

## TYPE : CFS-11

Specification		Features
Product Size	26*21*36cm	Electric type
Food Thickness	0-7mm	Detachable blade for easy cleaning
Food Slot Size	5*5*10cm	201# Stainless steel body
Power	200W	One-way cutting
		Non-slip feet



**HIGH  
QUALITY**



**BEST  
MATERIAL**



**STAINLESS STEEL  
FOOD GRADE**



A slicer machine is a cutting machine used to cut ingredients into uniformly sized slices. These machines are often used in the food industry, restaurants, or large kitchens to quickly and consistently cut bread, meat, cheese, vegetables, fruit, and other items.

## TYPE : CFS-12

### Specification

Product Size	26*21*36cm
Food Thickness	0-7mm
Food Slot Size	5*5*10cm
Power	200W

### Features

Electric type

Detachable blade for easy cleaning

201# Stainless steel body

One-way cutting

Non-slip feet

**HIGH  
QUALITY****BEST  
MATERIAL****STAINLESS STEEL  
FOOD GRADE****TYPE : CFS-300A****Specification****201 Stainless steel + Iron holder**

Product Size	50*40*60cm
Voltage	220V~1.5KW
Output	350kg/1h
Speed of rotation	420r/min
Application fields	Snack food factory, Flour mill, Dairy products factory
Machinery Function	Cut vegetables into slices, shreds or cubes
Cutting thickness	1-10MM

W/Blade (1-10mm thickness adjusted) 1pc; W/Blade (3,6,10mm, could be 2-10mm Customized) 3pcs Wooden box packing



**HIGH  
QUALITY**



**BEST  
MATERIAL**



**STAINLESS STEEL  
FOOD GRADE**



**TYPE : CFS-300B**

### Specification

201 Stainless steel

Product Size	38*38*67cm
Voltage	220V,1.5KW
Output	350kg/1h
Speed of rotation	420r/min
Application fields	Snack food factory, Flour mill, Dairy products factory
Machinery Function	Cut vegetables into slices, shreds or cubes
Cutting thickness	1-10MM

W/slicer knife (1-10mm thickness adjusted) 1pc; W/shredding knife (3,6,10mm, could be 2-10mm Customized) 3pcs Wooden box packing



**HIGH  
QUALITY**



**BEST  
MATERIAL**



**STAINLESS STEEL  
FOOD GRADE**



**TYPE : CFS-20**

### Specification

201 Stainless steel

Product Size	60*40*52cm
Power	220V,60W/120W
Output	120-350kg/h Sliced, Strip vegetables
Speed of rotation	1400r/min
Application fields	Snack food factory, Flour mill, Dairy products factory
Machinery Function	Cut vegetables into slices, shreds or cubes
Cutting thickness	1-10MM
W/Bladen	20*5.5mm*3pcs

Wooden box packing



**HIGH  
QUALITY**



**BEST  
MATERIAL**



**STAINLESS STEEL  
FOOD GRADE**



**TYPE : CFS-40**

### Specification

201 Stainless steel

Product Size	60*70*100cm
Power	220V,400W
Output	300-500kg/h Sliced, Strip vegetables
Speed of rotation	430r/min
Application fields	Snack food factory, Flour mill, Dairy products factory
Machinery Function	Cut vegetables into slices, shreds or cubes
Cutting thickness	3-8MM
W/Bladen	16*6.5mm *2pcs
Wooden box packing	

**HIGH  
QUALITY****BEST  
MATERIAL****STAINLESS STEEL  
FOOD GRADE****TYPE : CFS-60****Specification****201 Stainless steel**

Product Size	96*55*103cm
Power	220V,500W
Output	500kg/h Sliced, Strip vegetables
Speed of rotation	2800r/min
Application fields	Snack food factory, Flour mill, Dairy products factory
Machinery Function	Cut vegetables into slices, shreds or cubes
Cutting thickness	1-30MM
W/Bladen	28.5**8mm *2pcs
Wooden box packing	



**HIGH  
QUALITY**



**BEST  
MATERIAL**



**STAINLESS STEEL  
FOOD GRADE**



**TYPE : CFS-80**

### Specification

201 Stainless steel

Product Size	116*60*119cm
Power	220V,2250W
Output	500kg-2000kg/h Sliced, Strip vegetables
Speed of rotation	2800r/min
Application fields	Snack food factory, Flour mill, Dairy products factory
Machinery Function	Cut vegetables into slices, shreds or cubes
Cutting thickness	1-60MM
W/Bladen	28.5**8mm *2pcs
Wooden box packing	



## PT. INDOTARA PERSADA

### Our Marketing Office and After Sales Service Center

#### Head Office

50/F, Menara BCA Grand Indonesia  
Jl. M.H. Thamrin No.1  
Jakarta Pusat 10310  
021 - 5011 2223  
horeca@indotara.id



#### Semarang Office

Wisma HSBC Lt. 6 suite 609  
JL. Gajah Mada No.135,  
Semarang, Jawa Tengah - 50134  
024 - 40 300 887  
smg.horeca@indotara.id



#### Marketing Office

Maggiore Business Loft No. 01-02  
Gading Serpong,  
Tangerang - Banten 15332  
021 - 5011 2223  
horeca@indotara.id



#### Medan Office

Sutomo Tower Lantai 5H  
JL. Sutomo Ujung No.28,  
Kota Medan, Sumatera Utara 20235  
061 - 50 300 591  
mdn.horeca@indotara.id



#### Graha Indotara

Millenium Industrial Estate  
JL. Millenium 22 Blok R3 No. 1,  
Cikupa, Tangerang - Banten 15720  
021 - 5011 2223  
horeca@indotara.id



#### Makassar Office

Fajar Graha Pena Lt. 5  
JL. Urip Sumoharjo No. 20,  
Makassar - Sulawesi Selatan 90234  
021 - 5011 2223  
mks.horeca@indotara.id



#### Bandung Office

Wisma HSBC Lt. 6 Suite B  
Jalan Asia Afrika No.116,  
Kota Bandung, Jawa Barat 40112  
021 - 5011 2223  
bdg.horeca@indotara.id



#### Balikpapan Office

Panin Tower Lt. 8 Grand Sudirman  
JL. Jendral Sudirman No.7 Klandasan Ilir,  
Balikpapan Kota - Kalimantan Timur 76114  
021 - 5011 2223  
bpp.horeca@indotara.id



#### Surabaya Office

Japfa Indoland Center, Tower I Lt. 10/1008  
JL. Jendral Basuki Rahmat 129-137  
Surabaya 60271  
031 - 3360 1483  
sby.horeca@indotara.id



#### Bali Office

Benoa Square Lt. 2  
JL. Bypass Ngurah Rai No. 21 A Kedonganan,  
Kuta Badung - Bali Indonesia 80361  
021 - 5011 2223  
bali.horeca@indotara.id



#### Yogyakarta Office

Hartono Mall Yogyakarta Lt. 3  
Kaliwulan, Condongcatur,  
Sleman, Yogyakarta 55281  
021 - 5011 2223  
yog.horeca@indotara.id



#### Singapore Office

Marina Bay Financial Centre Tower 3  
17F, 12 Marina Boulevard  
Singapore - 018982  
021 - 5011 2223  
sing.horeca@indotara.id

