


Coffee Equipment

Home Machine Series



Ferratti Ferro is made with complete features and affordable prices, Ferratti Ferro comes with various types and sizes to suit your needs.

HOME MACHINE SERIES





Model: FCM-695

Features:	<ul style="list-style-type: none"> • Vibrator pump by Ulka, Italy • Vibrator pump with 15 bar pressure • Adjustable steam knob for hot water and steam • Three classical buttons with 3 indicators • Espresso brewing function • Detachable water tank 1.0 Litre • With milk frothing nozzle • With detachable drip tray • Including measuring spoon and tamper • With cup warmer plate
-----------	---

Power Consumption	1450 W
Voltage	220V/50Hz
Brewing Pressure	15 Bar
Brewing Time	40 second
Porta Filter	Pressurised 52 MM
Group	Single group
Heater	Thermoblock
Colour	Silver
Material	ABS+Stainless Steel
Porta Filter	Pressurised 52 mm
Water Tank Capacity	1000 ML
Drink Setting	Time single dan double shot



HOME MACHINE SERIES




Model: FCM-5403E

- Features:**
- Vibrator Pump by ULKA, ITALY
 - Removable and washable drip tray
 - 3 coffee choices: Espresso, Cappuccino and Latte
 - Over heat and over pressure protecting device
 - Adjustable steam
 - Elegant steam knob
 - Safety rubber on steam wand
 - Basket filters can be used for single and double cups
 - Powerful Steam Wand
 - Basketball diameter 52mm

Power Consumption	1100 W
Voltage	220V/50Hz
Brewing Pressure	15 Bar
Brewing Time	45 second
Porta Filter	Pressurised
Group	Single group
Heater	Thermoblock
Colour	Black
Material	Die Cast Aluminium
Porta Filter	Pressurised 52 mm
Water Tank Capacity	1500ML
Capacity Cup 30ML (1 H/24 H)	50/240



HOME MACHINE SERIES




Model: FCM-5013B

- Features:**
- Vibrator Pump by Ulka, Italy
 - Push button, makes it easier to run the machine
 - Removable and washable drip tray
 - 3 Coffee choices: Espresso, Cappuccino and Latte
 - Over heat and over pressure protecting device
 - Adjustable steam and elegant steam knob
 - Safety rubber on steam wand
 - Basket filters can be used for single and double cups
 - Vibrator Pump Model
 - Chrome Plated decoration

Power Consumption	1000 W
Voltage	220V/50Hz
Brewing Pressure	15 Bar
Heating Time	45 second
Porta Filter	Pressurised
Group	Single group
Heater	Thermoblock
Colour	Black
Basket filter	Stainless Steel SUS304 Double Basket
Porta Filter	Pressurised
Water Tank Capacity	1000ML
Capacity Cup 30ML (1 H/24 H)	40/150



HOME MACHINE SERIES




Model: FCM-3017

Features:	<ul style="list-style-type: none"> • Vibrator Pump by Ulka, Italy • Very Strong Steam Wand in its class • Elegant and retro design • Pump Pressure 15 bar max • Three classical buttons with 3 indicators • Power On/Off function • Espresso brewing function • Detachable water tank 1.0 Litre • With milk frothing nozzle • With detachable drip tray • Including measuring spoon and tamper
-----------	---

Power Consumption	1100 W
Voltage	220V/50Hz
Boiler	Single Boiler
N.W/G.W	3.1Kgs/4.7Kgs
Brewing Boiler	550 ML Stainless Steel SUS304
Material	Plastic
Group	Single group
Colour	Red
Porta Filter	Pressurised 52 mm
Brewing Pressure	15 Bar With Ulka Pump Italy
Product Size	263x173x246 mm



HOME MACHINE SERIES





Model: FCM-3601

Features:	<ul style="list-style-type: none"> • High quality vibrator pump by ULKA, ITALY • High quality plastic body material • Automatic off after 25 minutes idle • With two way solenoid valve to support backflush • Large steam wand, capable of working 300 seconds non-stop • Steam and hot water in same output • Equipped with display brewing time • Adjustable brewing time • Programmable and memorized time brewing • Touch electronic button, easy to operate • Double filter basket and unpressurized portafilter • Pre-infusion system for perfect crema
-----------	--

Power Consumption	700W Rated and 1400W Max
Voltage	220V/50Hz
Brewing Pressure	15 Bar
Water Tank	1.7 Liter
Heating Time	45 Second
Portafilter	Die Cast Aluminium diameter 58mm
Colour	Black+ Cherry Red
Product Size	286x230x325 mm
Carton Size	375x323x388 mm
Heater	Thermoblock
Group	Single Group



HOME MACHINE SERIES



hot water




Model:	FCM-3603
Features:	<ul style="list-style-type: none"> • High quality vibrator pump by ULKA, ITALY • Large steam wand, capable of working 300 seconds non-stop. • Equipped with brewing time display. • Pressure gauge to show pressure during brewing. • Adjustable brewing time. • Programmable and memorized time brewing. • Touch Electronic Button for easy operation. • Multifunctional for making espresso coffee, latte and cappuccino. • Double basket filter and non-pressurised portafilter. • Pre-Infusion system, crema and perfect extraction.

Power Consumption	700W Max 1450W
Voltage	220V/50Hz
Water Tank	1.7 Liter
Heater	Thermoblock
Heating Time	45 detik
Brewing Pressure	15 Bar
Group	Single Group
N.W/G.W	4.5 Kgs/6.9 Kgs
Economic Mode	Yes
Bar Meter	Yes
Hot Water channel	Yes



HOME MACHINE SERIES



Model: FCM-3605


Features:

- Multifunction for making coffee, steam and hot water.
- Plastic housing with brushed S.S. decorative panel.
- Italian ULKA pump with 15 bar pressure.
- 1.7L removable water reservoir.
- Thermoblock with heating tube to prevent aluminum oxidizing and healthier.
- Professional porta-filter holder and filter with 58mm diameter.
- With a barometer, can know the pressure when making coffee.
- With separate hot water pipe to make water.
- Electronic switch, microcomputer temperature control.
- Steaming nozzle for cappuccino or latte.
- Removable drip tray & warm cup function.

Power Consumption	1450 W
Voltage	220/240V
Colour	Black, Silver
G.W	4.8 Kg/Pcs
Unit Size	285*257*315 mm
CTN Size	521*438*395* mm
Package	2Pcs/CTN
Loading Capacity (20'GP)	792 Pcs
Loading Capacity (40'GP)	1680 Pcs
Loading Capacity (40'HQ)	1960 Pcs



HOME MACHINE SERIES





Model: FCM-3005E

Features:	<ul style="list-style-type: none"> • Body material stainless steel by NIPPON STEEL, JAPAN. • Thermoblock heating element by KASHIMA, JAPAN. • Vibrator pump by ULKA, ITALY. • Stainless steel thermoblock heating tube. • 58 mm stainless steel portafilter holder and filter. • Pre-infusion system to ensure perfect extraction and crema. • Stainless steel steam nozzle for cappuccino or latte. • Removable drip tray and water level indicator. • Touch electronic button system. • Programmable and memorized brewing time. • Healthier heating tube and no aluminium oxidizing. • Steam connector from copper material. • Steam wand made from high quality stainless steel. • Rubber handle to avoid heat from steam wand. • 360° steam wand movement, easy dan durable. • High pressure and consistent vibrator pump.
-----------	---

Power Consumption	1450 W
Voltage	220/50V
Water Tank Capacity	1.7 Litre Removable
Heater	Thermoblock
Thermoblock Tube Material	Stainless Steel SUS304
Bar Pressure	15 Bar
Colour	Uncoated Stainless Steel
Weight	6.8 Kgs



HOME MACHINE SERIES




Model: FCM-3006 Allegrio Minore

- Features:**
- High Quality Pump by ULKA, ITALY.
 - Stainless Steel Mirror Cover by POLIFILM, GERMANY.
 - Stainless Steel Heating Tube by NIPPON, JAPAN.
 - Automatic or manual coffee function
 - Capacity Cup 30ml (1 Hour/24 Hours): 40/400.
 - Lever type for steaming.
 - Pressure showed when making coffee.
 - Adjustable time for hot water.
 - Free portafilter double 58 mm.
 - Adjustable brewing time and temperature.
 - Display brewing time.
 - Portafilter double basket double spout.

Power Consumption	1450 W
Voltage	220/50V
Water Tank Capacity	1.7 Litre
Brewing Pressure	15 Bar
Boiler System	Multi Thermoblock
Group	Single group
Brewing Setting	Time setting
Weight	6.8 Kgs



HOME MACHINE SERIES





Model: FCM-3026 Sprezzatura Forte

- Features:**
- High Quality Pump by ULKA, ITALY.
 - Stainless Steel by Otto Juncker GMBH, GERMANY.
 - Stainless Steel Mirror Cover By POLIFILM, GERMANY.
 - Touch electronic button.
 - Lever type for steaming.
 - Pressure showed when making coffee.
 - Adjustable time for hot water.
 - Free portafilter double basket and spout 58 mm.
 - Adjustable brewing and hot water time.
 - Led display brewing time; adjustable pre-infusion time.
 - Stainless steel portafilter.

Power Consumption	3000 W
Voltage	220/50V
Water Tank Capacity	2 Litre
Brewing Pressure	15 Bar
Boiler System	Multi Thermoblock
Group	Single group
Brewing Setting	Time setting
Material	Metal Housing
Metal Housing	Pearl Glossy White
Capacity Cup 30ML (1 H/24 H)	60/500
Bar Meter	Yes



HOME MACHINE SERIES





Model: FCM-3200B

- Features:**
- High Quality Pump by ULKA, ITALY.
 - Stainless Steel by Otto Juncker GMBH, GERMANY.
 - Stainless Steel Mirror Cover By POLIFILM, GERMANY.
 - Brewing pressure gauge and volumetric system.
 - Descaling function.
 - Single and double shot function.
 - Adjustable brewing time and short time heating time.
 - Removable drip tray and touch electronic button.
 - Powerful steam wand and 3 hole steam wand nozzle.
 - Warning less water indicator.

Power Consumption	1000W Max 2600W
Voltage	220/50V
NW/GW (Kgs)	18/21
Material	Stainless Steel+ABS
Product Size	45x428x485 mm
Steam Pressure	4 Bar
Heating time	2,5 minute
Brewing Pressure	15 Bar
Porta Filter	Double+Single Basket Stainless Steel
Boiler	1x550 ML Stainless Steel
Thermoblock	2 Pcs (1 for Hot Water and 1 for Steam)
Colour	Onyx Matte Black+Mirror Chrome



HOME MACHINE SERIES



Model: FCM-3200D

- Features:**
- High Quality Pump by ULKA, ITALY.
 - Stainless Steel by Otto Juncker GMBH, GERMANY.
 - Stainless Steel Mirror Cover By POLIFILM, GERMANY.
 - Brewing pressure gauge and volumetric system.
 - Descaling function.
 - Single and double shot function.
 - Adjustable brewing time and short time heating time.
 - Removable drip tray and touch electronic button.
 - Powerful steam wand and 3 hole steam wand nozzle.
 - Warning less water indicator.

Power Consumption	1000W Max 2600W
Voltage	220/50V
Boiler system	2 Boiler
Material	Stainless Steel+ABS
Product Size	45x428x485 mm
Steam Pressure	4 Bar
Heating time	2,5 minute
Brewing Pressure	15 Bar
Porta Filter	Double+Single Basket Stainless Steel
Boiler	1x550 ML Stainless Steel
Thermoblock	2 Pcs (1 for Hot Water and 1 for Steam)
Colour	Onyx Matte Black+Mirror Chrome



INDOTARA®

PT. INDOTARA PERSADA

Our Marketing Office and After Sales Service Center

Head Office

50/F, Menara BCA Grand Indonesia
Jl. M.H. Thamrin No.1
Jakarta Pusat 10310
021 - 5011 2223
horeca@indotara.id



Semarang Office

Wisma HSBC Lt. 6 Suite 609
Jl. Gajah Mada No.135
Semarang, Jawa Tengah 50134
024 - 40 300 887
smg.horeca@indotara.id



Marketing Office

APL Tower 6th Floor No. 6 Central Park,
Jl. Letjen S. Parman Kav 28,
Jakarta Barat - 11440
021 - 5011 2223
horeca@indotara.id



Medan Office

Sutomo Tower Lantai 5H
Jl. Sutomo Ujung No.28,
Kota Medan, Sumatera Utara 20235
061 - 50 300 591
mdn.horeca@indotara.id



Graha Indotara

Millenium Industrial Estate
Jl. Millenium 22 Blok R3 No. 1
Cikupa, Tangerang - Banten 15720
021 - 5011 2223
horeca@indotara.id



Makassar Office

Fajar Graha Pena Lt. 5
Jl. Urip Sumoharjo No. 20,
Makassar - South Sulawesi 90234
021 - 5011 2223
mks.horeca@indotara.id



Bandung Office

Wisma HSBC Lt. 6 Suite B
Jl. Asia Afrika No. 116
Bandung, Jawa Barat 40112
021 - 5011 2223
bdg.horeca@indotara.id



Balikpapan Office

Panin Tower Lt. 8 - Grand Sudirman
Jl. Jendral Sudirman No.7 Klandasan Ilir,
Balikpapan Kota, Kalimantan Timur 76114
021 - 5011 2223
bpp.horeca@indotara.id



Surabaya Office

Japfa Indoland Center, Tower I Lt. 10/1008
Jl. Jendral Basuki Rahmat 129-137
Surabaya 60271
031 - 3360 1483
sby.horeca@indotara.id



Bali Office

Benoa Square Lt. 2
Jl. Bypass Ngurah Rai No. 21 A Kedonganan,
Kuta Badung - Bali Indonesia 80361
021 - 5011 2223
bali.horeca@indotara.id



Yogyakarta Office

Hartono Mall Yogyakarta Lt. 3
Kaliwaru, Condongcatur,
Sleman, Yogyakarta 55281
021 - 5011 2223
yog.horeca@indotara.id



Singapore Office

Marina Bay Financial Centre Tower 3
17F, 12 Marina Boulevard
Singapore - 018982
021 - 5011 2223
sing.horeca@indotara.id

