



A transfer cart is a versatile, electric-powered vehicle designed to transport heavy loads across industrial settings. It features customizable designs, remote control operation, and advanced safety mechanisms, ensuring efficient and safe material handling.



SHIGEMITSU マティアリアル ハンドリング イクィプメンツ



RETUNEY TRANSFER CART










Durable Construction




MAIN FEATURES

Powered by low voltage electricity from railways or battery.

LOW VOLTAGE TRANSFER CART



Flexible, stable start, big starting torque, small impact to the gear readucer.



Safe and convenient operation for there is no wire outside the car.

Adjustable speed.






REJUXEY TURNTEBLE



DESCRIPTION

Cart turntable can any 360 degree rotate, When production process line needs turn, meanwhile car turning radius can not meet the requirements, or very limit space. Can install turntable. To achieve any 90 degree or 360 degree rotate, Precise positioning, accurate connect railway.








Precise positioning, accurate connect railway.

Turntable was also installed in garage, To achieve any 360 degree rotate car. very convenient.

Very big and strong overloading capacity.

Safe and convenient operation .







TRACKLESS TRANSFER CART



High Efficiency



Big Capacity



Durable Construction

DESCRIPTION

KPW series steerable transfer trolley is a kind of trackless material handling trolley. It is powered by storage battery. The transfer trolley is controlled to go forward, backward, turn left, turn right, adjust speed through PLC and speed controller. Trackless transfer cart adopt battery power, DC motor drives, large capacity, stable start, do not rely on rail, two-way travel. Hydraulic steering mechanism ensures tight turning radius, enabling 360° turn in a small space. MAIN FEATURES

No need install rail, No any damage to the floor.

It can realize double way moving and 360 degree turning.

DC drive and heavy loading capacity.

Small turning radius, flexible operation.

Braking distance is short, and have alarming system.





CABLE DRUM TRANSFER CART




MAIN FEATURES

Adopt the use of harsh working conditions lifting metallurgical motor.

Cart structure is simple and reliable.

Travel distance had better not more than 150m.





Adjustable speed.

The Rail Transfer trolley is suitable for various industries, steel mill, transfer steel products such as steel structure, steel pipe, steel billets, steel ladle and coil, etc.





PT. INDOTARA PERSADA

Our Marketing Office and After Sales Service Center

Head Office

50/F, Menara BCA Grand Indonesia JI. M.H. Thamrin No.1 Jakarta Pusat 10310 021 - 5011 2224 🕋 dhe@indotara.id

Marketing Office

Graha Kencana Building, Lt.10 Suite 10F JI. Raya Perjuangan No. 88, 💿 Kebon Jeruk - Jakarta Barat 11530 021 - 5011 2224 🕋 dhe@indotara.id





11111

(e)

11411

1111

Semarang Office

Wisma HSBC Lt. 6 Suite 609 Jl. Gajah Mada No.135 Semarang, Jawa Tengah 50134 024 - 40 33 88 99 smg.dhe@indotara.id

Medan Office

Sutomo Tower Lantai 5H JI. Sutomo Ujung No.28, Kota Medan, Sumatera Utara 20235 061 - 50 300 600 mdn.dhe@indotara.id

Graha Indotara







Millenium Industrial Estate Jl. Millenium 22 Blok R3 No. 1 Cikupa, Tangerang - Banten 15720 021 - 5011 2224 🕋 dhe@indotara.id

Fajar Graha Pena Lt. 5 JI. Urip Sumoharjo No. 20, Makassar - South Sulawesi 90234 021 - 5011 2224 mks.dhe@indotara.id


Balikpapan Office

Panin Tower Lt. 8 - Grand Sudirman Jl. Jendral Sudirman No.7 Klandasan Ilir, Balikpapan Kota, Kalimantan Timur 76114 021 - 5011 2224 bpp.dhe@indotara.id

Bandung Office

Wisma HSBC Lt. 6 Suite B JI. Asia Afrika No. 116 💽 Bandung, Jawa Barat 40112 021 - 5011 2224 🕋 bdg.dhe@indotara.id





Burni Mandiri Tower I Lt. 10 Suite 1008 Jl. Jend. Basuki Rachmat 129-137 🔘 Surabaya 60271 031 - 3313 3333 🕋 sby.dhe@indotara.id





Bali Office

Benoa Square Lt. 2 JI. Bypass Ngurah Rai No. 21 A Kedonganan, Kuta Badung - Bali Indonesia 80361 021 - 5011 2224 bali.dhe@indotara.id

Yogyakarta Office

Hartono Mall Yogyakarta Lt. 3 Kaliwaru, Condongcatur, 🜘 Sleman, Yogyakarta 55281 021 - 5011 2224 🕋 yog.dhe@indotara.id





Singapore Office

MBFC Tower 3 17F, 12 Marina Boulevard Singapore - 018982 021 - 5011 2224 sing.dhe@indotara.id